



AGENDA
CITY OF SEASIDE
PLANNING COMMISSION

REGULAR MEETING
440 HARCOURT AVE (COUNCIL CHAMBER)
Wednesday, May 11, 2022
6:00 PM

NOTICE: *The City Council and the City's Boards, Commissions and Committees, will hold its public meetings in person, with a virtual option for public participation based on availability. The City of Seaside utilizes Zoom tele-conferencing technology for virtual public participation; however, we make no representation or warranty of any kind, regarding the adequacy, reliability, or availability of the use of this platform in this manner. Participation by members of public through this means is at their own risk.*

VIRTUAL PUBLIC PARTICIPATION INSTRUCTIONS

1. To view this meeting: Please click on the following link to the City of Seaside YouTube Channel: <https://www.youtube.com/c/CityofSeasideCalifornia>
2. To participate in this meeting: Using the Zoom application on your smart phone, laptop, tablet or desktop and click on this link: <https://us02web.zoom.us/j/81555467580>
WEBINAR ID: 815 5546 7580
3. To participate by phone: Please call (669) 900-9128
Enter the meeting ID 815 5546 7580 when prompted. There is no participate code – press the pound sign # after the recording prompts you.
4. To make public comment, the following options are available:
 - Before the Meeting via Email: Written comments can be emailed to CityClerk@ci.seaside.ca.us Include the following subject line: "Public Comment Item #___" (insert the agenda item number relevant to your comment). Written comments must be received at least two (2) hours prior to the meeting time on the day of the meeting.
 - During the Meeting via Oral Comments: When the Chair calls for public comment, attendees can queue to speak with the "Raise Hand" feature. On the Zoom application, click the "Raise Hand" button. On the phone, press *9.

IN PERSON PARTICIPATION INSTRUCTIONS

Members of the public participating in person and wishing to address the Commission may approach the podium when the Chair calls for public comment.

1. CALL TO ORDER

2. ROLL CALL - ESTABLISHMENT OF QUORUM

William Silva	Chair
Keith Dodson	Commissioner
John Owens	Commissioner
Arlington La Mica	Commissioner
Dave Evans	Commissioner
Danny Huynh	Commissioner
Elizabeth Madrigal	Commissioner

3. REVIEW OF AGENDA

If there are any items that arose after the 72-hour posting deadline, this is the point in the meeting where a vote may be taken to add the item to the agenda. (A 2/3-majority vote is required).

4. PUBLIC COMMENT FOR COMMISSIONS

Members of the public wishing to address the Commission on matters within the jurisdiction of the City of Seaside, but not on this agenda, may do so during the Public Comment period for up to three (3) minutes. Comments on specific agenda items are heard under that item. For the public record, please state your name.

5. APPROVAL OF MINUTES

A. APPROVE MINUTES FROM APRIL 27, 2022

6. BUSINESS ITEMS

A. BOARD OF ARCHITECTURAL REVIEW APPLICATION NO. BAR-22-05. JERRY L. WHITNEY, APPLICANT, AND AP GLOVER ENTERPRISES, LLC, OWNER, ARE REQUESTING DESIGN APPROVAL OF A 42-UNIT INFILL BUILDING REMODEL AND ASSOCIATED LANDSCAPE IMPROVEMENTS OF A FORMER NURSES BARRACKS LOCATED 4386 AND 4387 PARK FLATS CUT OFF ROAD IN THE HIGH DENSITY RESIDENTIAL (RH) ZONING DISTRICT (APN: 031-150-011). THE PROJECT MEETS ALL CRITERIA FOR A CLASS 32 CATEGORICAL EXEMPTION PURSUANT TO SECTION 15332 OF THE STATE CALIFORNIA ENVIRONMENTAL QUALITY ACT (CEQA) GUIDELINES AND DOES NOT MEET ANY OF THE EXCEPTIONS TO THE EXEMPTIONS.

B. REVIEW, DISCUSS AND APPROVE THE COMMISSION'S ANNUAL WORK PLAN

7. REPORTS FROM COMMISSIONERS

8. REPORTS FROM STAFF

9. ADJOURNMENT

Next Regularly Scheduled Meeting:
May 25, 2022
6:00 PM

The City of Seaside is committed to providing accessible facilities and accommodating people with disabilities in all of its services programs and activities. If special considerations are needed by any person to fully participate in this meeting, contact the City Clerk at 899-6707 no fewer than two business days prior to the meeting to allow reasonable arrangements. Agendas are posted at:
<http://www.ci.seaside.ca.us/129/City-Council-Committee-Agendas>

Agenda-related writings or documents provided during public meetings are available for public inspection during the meeting or from the office of the City Clerk. This agenda is posted in compliance with California Government Code Section 54954.2(a) or Section 54956.



CITY OF SEASIDE STAFF REPORT

Item No.: 6.A.

TO: Planning Commission

BY: Beth Rocha, Senior Planner
Jose Torres, Associate Planner
Eric Azriel, Assistant Planner

DATE: May 11, 2022

SUBJECT: BOARD OF ARCHITECTURAL REVIEW APPLICATION NO. BAR-22-05. JERRY L. WHITNEY, APPLICANT, AND AP GLOVER ENTERPRISES, LLC , OWNER, ARE REQUESTING DESIGN APPROVAL OF A 42-UNIT INFILL BUILDING REMODEL AND ASSOCIATED LANDSCAPE IMPROVEMENTS OF A FORMER NURSES BARRACKS LOCATED 4386 AND 4387 PARK FLATS CUT OFF ROAD IN THE HIGH DENSITY RESIDENTIAL (RH) ZONING DISTRICT (APN: 031-150-011). THE PROJECT MEETS ALL CRITERIA FOR A CLASS 32 CATEGORICAL EXEMPTION PURSUANT TO SECTION 15332 OF THE STATE CALIFORNIA ENVIRONMENTAL QUALITY ACT (CEQA) GUIDELINES AND DOES NOT MEET ANY OF THE EXCEPTIONS TO THE EXEMPTIONS.

PURPOSE & RECOMMENDATION

The purpose of this item is to consider Board of Architectural Review application No. BAR-22-05 in accordance with Seaside Municipal Code 17.62.030. Architectural Review.

BACKGROUND

On September 17, 2020, the City Council approved a Purchase and Sale Agreement with AP Glover Enterprises. The Purchase and Sale Agreement is based upon the residential reuse of two buildings located on approximately 4.98 acres of land located at 4386 and 4387 Parker Flats Cutoff Road. For the purchaser's benefit, the Purchase and Sale agreement included satisfaction of conditions prior to purchasing the property, including receiving all entitlements to move forward with the residential reuse project.

Among the conditions for closing include the City's receipt of an easement from the Army for access to the 4.98 parcel. As of November 11, 2020, the City has received the fully executed access easement.

Prior to entry into the Purchase and Sale Agreement, the Developer's team produced a water demand of 9 acre feet for the reuse of the property. However, the Marina Coast Water District (MCWD) required a different methodology of calculating the water demand. The estimate as approved by MCWD for the residential reuse of the property is .22 for each apartment, 1.1 Acre Feet Per Year (AFY) for the administrative offices, .5 AFY for the common area and 1.743 AFY for landscaping for a total water allocation of 12.14 AFY. The MCWD has suggested that while those numbers appear "reasonable" that in order to provide flexibility to the project their recommendation is 13 or 14 AFY. Accordingly, the City allocated 14AFY and that the landscaping water (estimated at 1.743AFY) be replaced by reclaimed water or a capture water system, when it becomes available, and that any unused water allocation is subject to recall or reallocation by the City. See Attachment 2: Resolution 20-95.

CEQA

The State CEQA Guidelines Section 15332 states that a Categorical Exemption is allowed when:

- (a) The project is consistent with the applicable general plan designation and all applicable general plan policies as well as with applicable zoning designation and regulations.
- (b) The proposed development occurs within city limits on a project site of no more than five acres substantially surrounded by urban uses.
- (c) The project site has no value as habitat for endangered, rare or threatened species.
- (d) Approval of the project would not result in any significant effects relating to traffic, noise, air quality, or water quality.
- (e) The site can be adequately served by all required utilities and public services.

The subject property is 4.9 acres and the City has determined that, due to its location on the former Fort Ord and the nature of surrounding development, the site meets the requirements of item (b) above. Exhibit A to Attachment 1: Categorical Exemption Report ("The Report") further analyzes biological resources, traffic, noise, air quality, water quality, and utilities/public services, in accordance with items (c) through (e). Based on the analysis in Section 4 of The Report, the proposed Parker Flats Apartment Project meets all criteria for a Class 32 Categorical Exemption pursuant to Section 15332 of the State CEQA Guidelines and does not meet any of the exceptions to the exemptions. Conditions of approval have been added to ensure the project would not result in any significant effects.

SITE DESCRIPTION

The subject parcel is located within the city limits of the City of Seaside in the former Fort Ord. The site is designated High Density Residential (RH) in the Seaside General Plan and zoned High Density Residential (RH) in the Seaside Zoning Code. Existing surrounding development includes: a veterinary clinic, a medical clinic, an eight-story U.S. Department of Defense building, and parking lots to the north; a Defense Language Institute (DLI) immersion facility and single-family residences to the west, across Parker Flats Cut Off Road; and open space on the former Fort Ord to the south and east. The Central Coast Veterans Cemetery is located approximately 1,000 feet (ft.) to the south. California State University, Monterey Bay (CSUMB), a major regional employer, is located approximately 0.4 mile to the north of the site. The nearest Monterey-Salinas Transit bus stop is located approximately 0.8 mile near the intersection of General Jim Moore Blvd. and Lightfighter Dr., one of the main entrances to CSUMB campus.

The proposed project would involve conversion of an existing abandoned military nursing barracks on the former Fort Ord into residential apartments with 42 dwelling units: two one-bedroom units, 29 two-bedroom units, and 11 three-bedroom units. The project site is located at 4386 – 4387 Parker Flats Cut Off Road in the City of Seaside, within the former Fort Ord. The subject parcel is 4.98 acres in size and has approximately 156 ft. of frontage of Parker Flats Cut Off Road.

The site is currently developed with: two, three-story vacant military nursing barracks buildings, an existing paved parking lot, and an existing paved driveway. The existing driveway from Parker Flats Cut Off Road would remain the primary access to the project site. The existing driveway is approximately 275 ft. long and has a paved right-of-way ranging between 20 and 24 ft. wide.

PROJECT OVERVIEW

The proposed project would involve the renovation the two existing steel framed buildings (Buildings A and B) on the project site to convert them into residential apartments. Building A is the southern building, oriented in a northwest-southeast direction near the existing parking area; Building B is the northern building, oriented in a northeast-southwest direction. The two buildings meet to form an "L" shape. The existing parking lot is located southwest of Building A.

Building A has an existing footprint of 19,909 square feet (sf) and Building B has an existing footprint of 19,380 sf. Building A would house 21 dwelling units, including two one-bedroom, 14 two-bedroom and five three-bedroom units, as well as the laundromat and administration offices. Building B would house 21 dwelling units, including 15 two-bedroom and six three-bedroom units.

The proposed project would repave the existing driveway and adds a sidewalk with a curb and gutter along the northern side of the driveway. The existing parking lot, located southwest of Building A, would be resurfaced and striped to accommodate a total of 84 uncovered parking spaces; including 70 standard uncovered spaces, eight electric vehicle charging stations, and six guest parking spaces. The approximate dimensions of the parking lot are 213 ft. by 122 ft. A smaller parking lot of three spaces is located to the north of the covered walk, between Building A and Building B, and accommodates an accessible parking space.

ARCHITECTURAL DESIGN

In accordance with SMC 17.62.030.E.1. the Commission is to review architectural considerations, including the character, quality, and scale of the design, architectural relationship with the site and other structures, building materials, colors, fencing, trash enclosure and walkway improvements, exterior lighting and signs, and the screening of exterior appurtenances.

The two, three story rectangular buildings provide the architect with a relatively large blank slate for the extensive renovation project. The project will bring a long-vacated structure that once housed essential nursing staff to life as a 42-unit multi-family apartment building that will provide essential affordable units as well as rental opportunities for other tenants to live in a space that is being described as "affordable by design."

Materials and Colors

Overall the proposed color scheme is neutral through the use of Painters White and Cracked Pepper. The materials are primarily stucco and corrugated metal, both of which are used in a manner that provides a visual balance and modulation that lightens the appearance of the structure.

The building façade will consist of alternating sections using smooth stucco exterior finish painted natural grey and corrugated natural grey vertically positioned metal siding, which will include bronzed anodized window frames. The covered walkways on each level used to access the units will have 42" height iron metal railing. The exterior entryway to each unit will have 2' 5" x 5' 7" metal doors, which are pre-hung fire rated with oil rubbed bronze hinges and sill. The fascia trim will be two-toned: Behr Premium Ultra UL60-13 Painters White and UL60-1 Cracked Pepper.

The architectural elevations show two doors of the same color for each unit. One door is smaller in dimension and is labeled as a water heater on the floor plan, presumably for maintenance access. A condition of approval is suggested that the water heater doors be painted in the same color as the surrounding wall, so they may better blend-in and help in distinguishing the main entrance to each respective unit.

Architectural Modifications with Private Open Space

SMC 17.52.180.X.1, Table 4-1 *Multifamily Project Open Space Requirements* specifies a project of 11 or more units provide a minimum of private open space of 150 sf for each unit. Given that table 4-1 also regulates common open space, for which the project greatly exceeds the requirements, staff finds substantial conformance with this code section that regulates both private and common open space. The intent is to provide for a park-like common open space that will encourage community interactions and activity in the amenity areas.

Units on the second and third floors will have private balconies alternating with corrugated metal, and stucco finishes and a 42" railing, as used throughout the rest of the project that creates harmonious use of materials. These elements establish private open spaces, which will be an asset to the tenants and as well a much needed improvement to the unmodulated and institutional architecture of the former barracks.

Building A has 21 units and the private open space area for just the ground floor units measuring approximately 3,600 sf, which is greatly beyond the 3,150 sf code requirement for all units in Building A. Similarly, Building B has 2,750 sf of private open space for just the ground floor units and exceeds that required for the entire building. There are two sections of private open space for the ground floor units that are separated by the walkway leading from the parking lot. The section west of the walkway measures approximately 924 sf and the area east of the walkway measures approximately 2,750 sf.

The units will have a designated private space in the form of either a covered or uncovered balcony or a patio. The average size of each type of private open space is as follows: uncovered balconies are 62.5 sf; covered balconies are 88.5 sf, and the smallest of ground level spaces is 330 sf. Units on the second and third floors, of both Building A and B, will have a mix of covered and uncovered spaces. The units located at the ground level will have uncovered outdoor spaces enclosed by three walls. These attached private spaces will have an alternating size with a vertical modulation of five and six feet height, and bi-color scheme, using both corrugated and stucco finish.

Entry Element

The section where the two buildings meet to form the "L" shape, will have a covered courtyard entrance measuring approximately 700 sf. The height of this element is 16' with a box gable roof and will be finished with corrugated panels and a new thermoplastic polyolefin membrane roof. This architectural element defines the primary entrance to the space and creates a transition between the two buildings that provides a central link for residents to access important amenities such as the elevator and stairway, laundry room, administrative office and the common open space.

Storage Units and Solid Waste Storage Enclosure:

SMC requires a minimum of 100 cubic feet of lockable storage area for each dwelling unit, outside of the unit, with no dimension less than 30 inches.

Three storage structures will be located adjacent Building A to the northeast. These measure 600 sf each and will be 7'-6" tall, for a total cubic foot measurement of 13,500, as measured from the exterior and not accounting for interior access. The storage units would likely comply with the code.

A solid waste collection enclosure, measuring approximately 232.5 sf with a height sufficient for required clearances will be placed at the north east corner of the parking lot. The materials will be same as the rest of the building, using a combination of corrugated metal for the doors and a smooth stucco finish for the exterior walls, as required of 17.52.180.B. *Multifamily Accessory Structures.*

Perimeter fencing:

An approximately 410 ft. length perimeter fence will enclose the entirety of the common open space/ interior landscape area. The fence is specified as an aluminum, 6 ft high fence and the associated image shows a fence with spear picketed tops. The pickets are placed at regular intervals and allow for the passage of light and air. The image depicts a black fence. Staff has added a condition of approval regarding the installation of perimeter fencing that does not have spear picketed tops and that the Planning Commission suggest a color other than black.

LANDSCAPING:

In accordance with SMC 17.62.030.E.2. Architectural Review lists the following considerations for site landscaping:

Landscape considerations, including the color, coverage, location, size, texture, and type of plant materials, provisions for irrigation, maintenance, and the protection of landscaped areas, and similar elements. The Board of Architectural Review shall encourage the planting of native and/or drought-tolerant landscaping in compliance with Section 17.30.040 (Landscaping Standards).

The proposed site landscaping area greatly exceeds the code requirement of SMC 17.52.180.X.1, Table 4-1 *Multifamily Project Open Space Requirements* specifies a project of 11 or more units provide a minimum of common open space of 100sf per unit or 4,200 sf of required landscape area. The approximate area of the interior courtyard landscaping alone is more than 25,725 sf. This large area is proposed to be planted with a total of 50, 15 gal. trees; and 159, 5gal. and 1 gal. shrubs; and 213, 1 gal. perennials; and more than 1,200 groundcovers of three different species. The SMC encourages the planting of native and/or drought tolerant species, but as proposed the Monterey Cypress (qty. 4) is the only California native. Many of plants have a "Low"

rating according to WUCOLS (Water Use Classification of Landscape Species). See Attachment 3 for Native Plant List, from which the applicant is required to select at least two additional trees species as specified in a condition of approval.

Additionally, SMC 17.30.040 includes the following landscape standards, which the project complies with:

B.2. New hardscapes installed on a site as part of a development project not included as pervious site landscaping should be designed as semi-impervious hardscape or direct stormwater runoff to retention or infiltration points on the site; and C.1. Minimum dimensions. Each area of landscaping shall have a minimum interior width of five feet within the residential and commercial zones; and

C.3.a-c. Safety requirements. Landscape materials shall be located so that at maturity they do not: a. Interfere with safe sight distances for bicycle, pedestrian, or vehicular traffic; b. Conflict with overhead lights, utility lines, or walkway lights; or c. Block bicycle or pedestrian ways.

Parking Lot Landscaping:

SMC 17.34.110.E. contains regulations for landscaping of parking lots, which the project substantially conforms, as trees are provided around the majority of the parking lot perimeter, but interior parking lot landscaping is limited as existing conditions such as concrete center islands not proposed for modification cannot contain ground cover, shrubs, or trees, as required by subsection E.1.

Subsection E.3 addresses perimeter landscaping when adjacent: to streets, to side and rear property lines, and to a residential use, *for the purpose of screening surface parking from adjoining properties and the open areas between the property line and the public right-of-way*. Staff has added a condition of approval for the perimeter of the smaller parking area and driveway to be planted similar to the area adjacent to the accessible space with species spaced to create a continuous screening effect, including a minimum of two additional trees. Minimum container size shall be 15gal. This is suggested as an appropriate condition to the following requirement:

(5) Shade trees shall be provided at a minimum rate of one for every 25 linear feet of landscaped area, or other spacing as determined by the review authority to be appropriate to the site and surrounding development.

The project and the project conforms with the sections below:

17.34.110.E.3.a.(2-4, 6):

(2) A parking area for a residential use, except for a single dwelling, shall be designed to provide a landscaped planting strip between the street right-of-way and parking area with a minimum width of five feet.

(3) Landscaping shall be designed and maintained to screen cars from view from the street to a minimum height of three feet, but shall not exceed the maximum allowable height within a traffic safety visibility area in compliance with Subsection 17.30.030.E (Height limit within traffic safety visibility areas). However, where the finished elevation of the parking area is lower at the boundary line than the abutting property elevation, the change in elevation may be used in lieu of, or in combination with, additional screening to satisfy this requirement.

(4) Screening materials may include a combination of plant materials, earth berms, raised planters, solid decorative masonry walls, or other screening devices which meet the intent of this requirement.

(6) Any plant materials, signs, or structures within a traffic safety visibility area shall comply with Subsection 17.30.030.E (Height limit within traffic safety visibility areas).

Section E.4. outlines regulations for parking lot landscaping including required planting area, tree size, and evenly dispersed plantings. However, the code also allows for the Commission to grant an exception for small, infill parking lots where compliance with this standard is not feasible without significantly reducing the number of parking spaces. This exception is requested by the applicant due to the existing conditions of the parking lot.

Staff suggests the Planning Commission consider the following conditions of approval for the project:

1. The landscape plans incorporate a community gardening space to be located in an area with good sun exposure and to include constructed raised beds, with details to be determined in collaboration with Planning staff prior to building permit submittal.

2. Rainwater harvesting from the rooftop(s) be installed to serve and/or supplement the landscaping irrigation. An approximate calculation using the 6,300 sf roof area of one building and the estimate local annual rainfall of 17 inches, returned an estimated gallons per year of approximately 67,000gal. This could immediately address the following, as outlined in the project introduction and allow the city to : *Accordingly, the City allocated 14AFY and that the landscaping water (estimated at 1.743AFY) be replaced by reclaimed water or a capture water system, when it becomes available, and that any unused water allocation is subject to recall or reallocation by the City.*

LIGHTING

SMC 17.62.030.E.3. Lighting considerations include proposed outdoor lighting, including

the proposed placement of fixtures, type of fixtures, and illumination levels.

Proposed lighting would consist of up/downlight wall sconces on the exterior of the apartment building, step lights between the driveway and the apartment building, recessed downlights at entries to the buildings, and landscape spot lights. Safety lighting would be installed every 150 ft. in the driveway, parking lot and walkways.

A condition of approval has been added to require compliance with SMC 17.30.070 Outdoor Lighting be illustrated in the building permit plan set.

PARKING

In accordance with section 17.34.040 SMC, this multifamily housing is required to have 1 covered space for each unit, plus 1 covered or uncovered space for each 2 units for guest parking.

The proposed project has a total of 84 spaces, a 33% increase over the required parking. The proposed parking is allocated as shown in Table 1. These parking spaces already exist, they are being modified. The required parking spaces are shown in Table 2 and include a requirement for 42 covered spaces as the following calculation indicates.

$$42 \text{ units} * 1 \text{ covered space per unit} = 42 \text{ covered spaces}$$

$$42 \text{ units} * \frac{1}{2} \text{ space per unit} = 21 \text{ covered or uncovered spaces}$$

Table 1 Parking Proposed

Proposed Parking	Number of Spaces
Standard uncovered	70 spaces
Charging stations	8 spaces
Guest	6 spaces
Accessible Parking	5 spaces (included in standard and guest spaces)
Total Parking	84 spaces

Table 2 Required Parking

Required Parking	Number of spaces
Covered parking	42 spaces
Guest parking (covered or uncovered)	21 spaces
Total Parking	63 spaces

In accordance with section 17.34.040.E SMC, excessive parking is discouraged, and provision of parking spaces in excess of 10% over the requirements is allowed only with Minor Use Permit approval. Therefore, the existing spaces are nonconforming in two ways: that they are in excess number and that they are not covered spaces. Section 17.72.030.C.1, describes permitted changes to uses with nonconforming parking, but only addresses insufficient parking. The code is silent towards excess nonconforming parking.

Parking Reduction

As described in the prior section, because the site already contains parking more than 10% in excess of the requirements, staff recommends reducing planned parking wherever advisable. One such area is to expand the safety zone around trash storage and removal. Elimination of the designated parking immediately adjacent to the designated trash site may increase traffic flow, decrease resident proximity to an odorous area, and reduce the potential for crashes or disruptions due to trash pickup.

Further, parking spaces in the immediate backup area should be removed to create the safest possible backup area. The number of spaces removed should be determined by the size and turning radius of the trash pickup to enable straight-line backing-up.

Bicycle Parking

In accordance with 17.34.060 two types of bicycle parking are required, short-term and long-term. As submitted, this project two has short-term bicycle racks and no long-term storage.

Short-term bicycle parking requires each bicycle parking space to include a stationary parking facility to adequately secure bicycles. Adequately secure short-term parking elements include such types as the inverted U, also known as staple or loop, post & ring, or wheelwell-secure (Association of Pedestrian and Bicycle Professionals, 2015). The wheelwell bike racks pictured in the submission are not considered secure (Association of Pedestrian and Bicycle Professionals, 2015). Therefore, short-term racks should be chosen such that they will meet the standards set by the Association of Pedestrian and Bicycle Professionals (APBP).

Long-term bicycle parking must be secure, convenient from the street, and include one or a combination of:

- a. Covered, lockable enclosures with permanently anchored racks for bicycles
- b. Lockable bicycle rooms with permanently anchored racks
- c. Lockable permanently anchored bicycle lockers

Each bicycle parking space shall be a minimum of 2 feet in width and 6 feet in length.

While short-term bicycle parking and long-term bicycle parking are required at only 5% of the total number of car parking spaces, or 3 spaces each, two existing conditions lead staff to suggest installing additional long-term bicycle parking.

1. The City's intent to foster pedestrian friendly communities via creating a comprehensive bicycle system and locating bike facilities in public and private development projects (Seaside General Plan, 2004, C-13)
2. Project location directly on the proposed Class II bike lane as described in Figure 6-14 of the Bicycle and Pedestrian Master Plan (Transportation Agency for Monterey County 2011)

Therefore, staff suggest doubling the number of long-term bicycle parking to 10%, or six long-term spaces.

Suggested Planning Commission Conditions of Approval:

1. Show all eight charging stations on the site plan.
2. Remove excessive parking from the backup area of the trash facility.
3. Remove one parking space immediately adjacent to the trash facility.
4. Install short-term bicycle parking racks that meet APBP guidelines.
5. Install six long-term bicycle parking spaces.

AFFORDABLE HOUSING

Twenty percent of the units would be deed restricted as affordable, to include equal numbers of very low income, low income, and moderate income units. The remaining units would be "affordable by design," given the units are physically smaller and more efficiently designed, and therefore would be expected to be below market value. A condition of approval has been added regarding the required approval of an Affordable Housing Agreement.

GENERAL PLAN AND ZONING CODE CONSISTENCY

1. The proposed use is consistent with provisions of the General Plan and Zoning Ordinance.

General Plan Conformance

The Seaside General Plan Land Use Designation for the project site is Medium Density Residential (RM). The land use classification is intended to allow residential densities of up to 15 units per acre in many forms of multiple housing types, from duplexes and triplexes to condominiums. The proposed project would consist of multi-family apartment buildings in conformance with the following General Plan Goals and policies:

Land Use Element

Goal LU-1: Promote a mixture of land uses and a balance of jobs and housing to support a community in which people live, work, and play.

Policy H-1.1 Promote the repair, improvement and rehabilitation of housing in order to enhance the quality of life for Seaside residents.

Policy LU-4.3 Protect and preserve conforming and non-conforming multi-family residential in order to continue to provide low cost and alternative housing opportunities for Seaside residents

Policy H-1.6 Ensure the units produced for extremely low, very low, low and moderate are maintained as affordable units through deed restrictions and other reasonable mechanisms.

Evidence: The project is consistent with the general plan designation (High Density Residential, or RH) and all applicable general plan policies as well as with applicable zoning designation (High Density Residential, HR) and regulations in accordance with item (a) above. Specifically, given that 20 percent of the units would be deed restricted as affordable and the remainder would be affordable by design.

Goal LU-3: Revitalize existing residential areas.

Policy LU-3.2: Improve the physical appearance of residential neighborhoods

Evidence: Seaside General Plan Policy LU-3.2 encourages development that would improve the physical appearance of residential neighborhoods. The proposed project will reuse two non-conforming former army buildings that would be remodeled to accommodate a 42-unit multi-family apartment building consistent with the intent of the High Density Residential land use category.

Goal LU-4: Ensure that new development complements existing land uses and enhances the character of the community and neighborhoods.

Policy LU-4.1: Require new development to fund its share of community services, uses quality design and materials, and is compatible with surrounding uses.

Evidence: The proposed development will consist of an infill development that is surrounded by available utilities and roadways. The developer will pay for the development of infrastructure improvements (e.g. underground utilities, driveways, sidewalks, curb returns, water) needed for the development. The overall height and scale of the development is compatible with surround uses.

Policy LU-4.2: Encourage redevelopment that brings non-conforming buildings and uses into compliance with the Seaside General Plan and Zoning Ordinance

Evidence: The proposed development will reuse two former army buildings, remodeling the buildings with a high density residential development that will serve to both provide needed affordable housing opportunities and reinvigorate an area of the community.

Housing Element

Goal H-1: Maintain a range of housing opportunities to address the existing and projected needs of the community.

Policy H-1.1: Maintain a variety of housing types, sizes, and prices throughout the city to increase housing choice and ensure that households of all types and income levels have the opportunity to find suitable rental housing.

Evidence: Seaside General Plan Policy H-1.1 of the City's Housing Element states that the City shall maintain a variety of housing types, sizes, and prices throughout the City to increase housing choice and ensure that households of all types and income levels

have the opportunity to find suitable ownership or rental housing. The provision of low income units under this project would support this Policy by establishing a range of housing sizes and prices within the development.

Policy H-1.2: Identify adequate sites and appropriate zoning and development standards to facilitate and encourage housing production commensurate with projected housing needs of the City.

Evidence: The project site consists of an infill development site that would provide new rental housing stock to meet the City's regional requirements for both affordable and rental housing opportunities.

Policy H-1.3: Encourage the construction of high-density, well designed housing.

Evidence: The proposed project would provide a high quality, affordable multi-family residential project. The project would provide new residential development to enhance the neighborhood and maintain adequate infrastructure service levels.

Policy H-1.4: Maintain a geographic dispersal of units affordable to low- and moderate income households throughout the City.

Evidence: The proposed project would provide affordable units that would include deed restrictions to ensure their affordability for an occupancy term of 55 years.

Policy H-1.5: Reduce potential government constraints to the production, maintenance, and development of housing.

Evidence: The approval of the Architectural Review application will enable the developer to construct a project at an appropriate density with proper design amenities to ensure a quality living environment that would not be detrimental to the public interest, health, safety, convenience, or welfare or materially injurious to persons, property, or improvements in the vicinity and zone district in which the property is located.

2. The approved number of dwelling units can be accommodated by existing and planned infrastructure capacities.

Evidence: The project site consists of an in-fill development with access to all public utilities.

3. Adequate evidence exists to indicate that the project will provide affordable housing in a manner consistent with the purpose and intent of the affordable housing standards.

Evidence: The proposed design will include 42 units of slightly varied floor plans and sizes; and accessibility to each unit for both the designated affordable units and market rate units consistent with the affordable housing standards.

RECOMMENDATION

Staff recommends the Planning Commission approve BAR 22-05 by adopting the Resolution, which includes: Exhibit A: Categorical Exemption Report, Exhibit B: Project Plans, and project conditions of approval. Additionally, the Planning Commission shall

indicate which, if any, of the suggested conditions of approval to include in their motion.

REFERENCES

Association of Pedestrian and Bicycle Professionals. *Essentials of Bike Parking: Selection and installing bicycle parking that works*. 2015. Retrieved from <https://www.apbp.org/Publications>

ATTACHMENTS

1. Attachment 1: Draft Resolution
 2. Exhibit A to Attachment 1: Categorical Exemption Report
 3. Exhibit B to Attachment 1: Project Plans
 4. Attachment 2: Resolution 20-95
 5. Attachment 3: Native Plant List
-

**PLANNING COMMISSION
RESOLUTION NO. 22-XX**

A RESOLUTION OF THE PLANNING COMMISSION OF THE CITY OF SEASIDE, STATE OF CALIFORNIA, APPROVING ARCHITECTURAL REVIEW APPLICATION NO. BAR-22-05 FOR A 42-UNIT INFILL BUILDING REMODEL AND ASSOCIATED LANDSCAPE IMPROVEMENTS OF A FORMER NURSES BARRACKS LOCATED 4386 AND 4387 PARK FLATS CUT OFF ROAD IN THE HIGH DENSITY RESIDENTIAL (RH) ZONING DISTRICT (APN: 031-150-011). THE PROJECT MEETS ALL CRITERIA FOR A CLASS 32 CATEGORICAL EXEMPTION PURSUANT TO SECTION 15332 OF THE STATE CALIFORNIA ENVIRONMENTAL QUALITY ACT (CEQA) GUIDELINES AND DOES NOT MEET ANY OF THE EXCEPTIONS TO THE EXEMPTIONS.

WHEREAS, Jerry L. Whitney, applicant, and AP Glover Enterprises, LLC., owner, applied for Architectural Review No. BAR-22-05; and

WHEREAS, the proposed project requires approval by the Planning Commission, and it is the responsibility of the Planning Commission to consider and weigh the merits of the application and public input in relation to the policies, standards and intent of the Seaside General Plan and Seaside Municipal Code; and

WHEREAS, the Planning Commission considered oral comments and written information concerning the Architectural Review application No. BAR-22-05 at a duly noticed public hearing that the Planning Commission held on May 11, 2022; and

WHEREAS, the project is a Categorically Exempt, Class 32, under the California Environmental Quality Act (CEQA) Guidelines Sections 15332 and as evidenced in Exhibit A to the Resolution: Categorical Exemption Report, dated April 2022.

Evidence: The State CEQA Guidelines Section 15332 states that a Categorical Exemption is allowed when:

(a) The project is consistent with the applicable general plan designation and all applicable general plan policies as well as with applicable zoning designation and regulations.

(b) The proposed development occurs within city limits on a project site of no more than five acres substantially surrounded by urban uses.

(c) The project site has no value as habitat for endangered, rare or threatened species.

(d) Approval of the project would not result in any significant effects relating to traffic, noise, air quality, or water quality.

(e) The site can be adequately served by all required utilities and public services.

The proposed project meets each of the conditions set forth in CEQA Guidelines Section 15332, as outlined below:

The subject property is 4.9 acres and the City has determined that, due to its location on the former Fort Ord and the nature of surrounding development, the site meets the requirements of item (b) above. The Categorical Exemption Report further analyzes biological resources, traffic, noise, air quality, water quality, and utilities/public services, in accordance with items (c) through (e). Based on the analysis in Section 4 of the Report, the proposed Parker Flats Apartment Project meets all criteria for a Class 32 Categorical Exemption pursuant to Section 15332 of the State CEQA Guidelines and does not meet any of the exceptions to the exemptions.

NOW, THEREFORE, BE IT FURTHER RESOLVED, that the Planning Commission adopts the following General Plan consistency findings in support of the project:

1. The proposed use is consistent with provisions of the General Plan and Zoning Ordinance.

General Plan Conformance

The Seaside General Plan Land Use Designation for the project site is Medium Density Residential (RM). The land use classification is intended to allow residential densities of up to 15 units per acre in many forms of multiple housing types, from duplexes and triplexes to condominiums. The proposed project would consist of multi-family apartment buildings in conformance with the following General Plan Goals and policies:

Land Use Element

Goal LU-1: Promote a mixture of land uses and a balance of jobs and housing to support a community in which people live, work, and play.

Policy H-1.1 Promote the repair, improvement and rehabilitation of housing in order to enhance the quality of life for Seaside residents.

Policy LU-4.3 Protect and preserve conforming and non-conforming multi-family residential in order to continue to provide low cost and alternative housing opportunities for Seaside residents

Policy H-1.6 Ensure the units produced for extremely low, very low, low and moderate are maintained as affordable units through deed restrictions and other reasonable mechanisms.

Evidence: The project is consistent with the general plan designation (High Density Residential, or RH) and all applicable general plan policies as well as with applicable zoning designation (High Density Residential, HR) and regulations in accordance with item (a) above. Specifically, given that 20 percent of the units would be deed restricted as affordable and the remainder would be affordable by design.

Goal LU-3: Revitalize existing residential areas.

Policy LU-3.2: Improve the physical appearance of residential neighborhoods

Evidence: Seaside General Plan Policy LU-3.2 encourages development that would improve the physical appearance of residential neighborhoods. The proposed project will reuse two non-conforming former army buildings that would be remodeled to accommodate a 42-unit multi-family apartment building consistent with the intent of the High Density Residential land use category.

Goal LU-4: Ensure that new development complements existing land uses and enhances the character of the community and neighborhoods.

Policy LU-4.1: Require new development to fund its share of community services, uses quality design and materials, and is compatible with surrounding uses.

Evidence: The proposed development will consist of an infill development that is surrounded by available utilities and roadways. The developer will pay for the development of infrastructure improvements (e.g. underground utilities, driveways, sidewalks, curb returns, water) needed for the development. The overall height and scale of the development is compatible with surround uses.

Policy LU-4.2: Encourage redevelopment that brings non-conforming buildings and uses into compliance with the Seaside General Plan and Zoning Ordinance

Evidence: The proposed development will reuse two former army buildings, remodeling the buildings with a high density residential development that will serve to both provide needed affordable housing opportunities and reinvigorate an area of the community.

Housing Element

Goal H-1: Maintain a range of housing opportunities to address the existing and projected needs of the community.

Policy H-1.1: Maintain a variety of housing types, sizes, and prices throughout the city to increase housing choice and ensure that households of all types and income levels have the opportunity to find suitable rental housing.

Evidence: Seaside General Plan Policy H-1.1 of the City's Housing Element states that the City shall maintain a variety of housing types, sizes, and prices throughout the City to increase housing choice and ensure that households of all types and income levels have the opportunity to find suitable ownership or rental housing. The provision of low income units under this project would support this Policy by establishing a range of housing sizes and prices within the development.

Policy H-1.2: Identify adequate sites and appropriate zoning and development standards to facilitate and encourage housing production commensurate with projected housing needs of the City.

Evidence: The project site consists of an infill development site that would provide new rental housing stock to meet the City's regional requirements for both affordable and rental housing opportunities.

Policy H-1.3: Encourage the construction of high-density, well designed housing.

Evidence: The proposed project would provide a high quality, affordable multi-family residential project. The project would provide new residential development to enhance the neighborhood and maintain adequate infrastructure service levels.

Policy H-1.4: Maintain a geographic dispersal of units affordable to low- and moderate income households throughout the City.

Evidence: The proposed project would provide affordable units that would include deed restrictions to ensure their affordability for an occupancy term of 55 years.

Policy H-1.5: Reduce potential government constraints to the production, maintenance, and development of housing.

Evidence: The approval of the Architectural Review application will enable the developer to construct a project at an appropriate density with proper design amenities to ensure a quality living environment that would not be detrimental to the public interest, health, safety, convenience, or welfare or materially injurious to persons, property, or improvements in the vicinity and zone district in which the property is located.

2. The approved number of dwelling units can be accommodated by existing and planned infrastructure capacities.

Evidence: The project site consists of an in-fill development with access to all public utilities.

3. Adequate evidence exists to indicate that the project will provide affordable housing in a manner consistent with the purpose and intent of the affordable housing standards.

Evidence: The proposed design will include 42 units of slightly varied floor plans and sizes; and accessibility to each unit for both the designated affordable units and market rate units consistent with the affordable housing standards.

BE IT FURTHER RESOLVED, the Planning Commission approves BAR-22-05 subject to the following Conditions of Approval:

Building:

1. Comply with all requirements of the current California Building Code.
2. The City of Seaside's Property Development Standards require a minimum width of 16 feet for all principal driveways. In addition, the Americans with Disability Act (ADA) requires a minimum sidewalk width of four feet. A sidewalk with curb and gutter shall be added along the northern side of the driveway and compliance shall be required with landscaping regulations.

Fire Department:

1. Comply with all requirements of the Seaside Fire Department and current California Fire Code.

Environmental Services Cooperative Agreement (ESCA):

1. For all intrusive activities greater than 10 cubic yards, a Construction Support Plan must be written, submitted, and approved by all regulatory agencies (US Army, California Department of Toxic Substances Control, and US Environmental Protection Agency before intrusive activities for this parcel commence). Please contact Seaside's ESCA program (899-6773 and 899-6774) for additional details including schedules, consultants available to develop a plan, and to request a copy of the Construction Support Plan approved for previous work at this site.
2. The following ESCA resources are applicable to the project:
 - a. [Revised Final Land Use Implementation Plan / Operation and Maintenance Plan \(LUCIP/OMP\)](#) Group 1: Seaside and Parker Flats Phase II MRAs, December 2019 available at https://docs.fortordcleanup.com/ar_pdfs/AR-ESCA-0361E//ESCA-0361E.pdf
 - b. Munitions Safety Alert available at www.FortOrdSafety.com
 - c. Munitions Safety Guide available at www.FortOrdSafety.com
 - d. Seaside digging and excavation ordinance (City of Seaside Chapter 15 Article 34).

Planning:

1. The landscaping water (estimated at 1.743AFY) be replaced by reclaimed water or a capture water system, when it becomes available, and that any unused water allocation is subject to recall or reallocation by the City.
2. The perimeter of the smaller parking area and driveway area shall be planted similar to the area adjacent to the accessible space (as shown on the landscape plan) with species spaced to create a continuous screening effect, including a minimum of two additional trees. Minimum container size shall be 15gal. Plantings to be shown on the landscape plans submitted for building permit review and to be approved by Planning.

3. The perimeter of the larger parking area shall include more perimeter landscaping than currently shown on the landscape plan. Plantings to be shown on the landscape plans submitted for building permit review and to be approved by Planning.
4. The Monterey Cypress trees shall be a minimum of 6' tall, measure from grade after planting.
5. At least four different tree species are required and shall be listed and depicted on the landscape plans submitted for building permit review. See Attachment 4 for Native Plant list.
6. The perimeter fencing shall not have spear picketed tops.
7. The common open space amenity equipment (playground equipment, benches, barbeque equipment, etc.) shall be approved by Planning staff in collaboration with the applicant prior to Building permit issuance.
8. Compliance with SMC 17.30.070 Outdoor Lighting is to be illustrated in the lighting plans of the building permit plan set.
9. An Affordable Housing Agreement shall be approved and executed prior to building permit issuance.

Environmental:

1. Botanical Surveys. This measure only applies to ground disturbance outside paved areas of the project site. Focused surveys for special-status plants shall be conducted by a qualified biologist during the appropriate blooming periods for those rare plants with potential to occur on the project site. If special status plant species are observed during botanical surveys, the proposed project shall be designed to reduce impacts to these species through the establishment of buffers, to the extent feasible. If avoidance is infeasible, resource agencies shall be consulted to determine the appropriate course of action for the project.
2. Pre-construction Wildlife Survey. The following measures shall be implemented to avoid potential impacts to special status wildlife:
 - a. Not more than 14 days prior to commencement of construction activities, a qualified biologist shall conduct a preconstruction survey of the project site to determine if special status wildlife species are present.

- b. At minimum the survey shall include the developed areas including the inside and outside of the buildings plus any other areas where work will occur. If additional elements are added to the project, the survey area shall be altered to include these areas.
 - c. A pre-construction survey report shall be submitted to the City of Seaside documenting the methods used and results of the pre-construction survey.
 - d. If special status species are determined to be present on the project site at the time of the pre-construction survey, consultation with the relevant resource agency shall commence (e.g., USFWS for federally listed species, CDFW for state listed species) and measures shall be implemented to avoid impacts to the species.
 - e. If non-listed special status wildlife species are present, wildlife species shall be relocated by a City-approved qualified biologist. Species shall be relocated to a City-approved off site location with suitable habitat to support that species.
 - f. If avoidance of federal or State listed wildlife species (i.e., Threatened or Endangered) is not possible, take permit(s) shall be obtained from USFWS (federal listed species) and/or CDFW (State listed species).
3. Nesting Bird Surveys. If project activities will occur during the nesting season (February through August) preconstruction nesting bird surveys to determine the presence/absence, location, and status of any active nests onsite shall be conducted. Nesting bird surveys are typically conducted within 7 days prior to construction activities, dependent on local agency requirements. At minimum the survey shall include the developed areas including the inside and outside of the buildings plus any other areas where work will occur. If additional elements are added to the project, the survey area shall be altered to include these areas.
- a. If active nests are discovered on the project site or surrounding area (100 feet for passerines and 500 feet for raptors), a qualified biologist shall establish a buffer around the nest. Typical buffers range from 100 feet for nesting birds and up to 500 feet for nesting raptors around active nests. No construction within the buffer is allowed until a qualified biologist has determined that the nest is no longer active. Encroachment into the buffer can occur at the discretion of a qualified biologist in coordination with the City of Seaside.
 - b. If burrowing owls are present, avoidance measures shall be implemented in coordination with CDFW, such as: protective buffers, biological monitoring, and passive relocation.
4. Construction Noise. The following recommendations shall be followed by the project contractor during construction to limit the effects of construction-related noise.
- a. Establish a telephone hotline for use by the public to report construction-related noise complaints, and keep the number posted on-site during

construction. If the telephone is not staffed 24 hours per day, the contractor shall include an automatic answering feature, with date and time stamp recording, to answer calls when the phone is unattended.

- b. Place stationary noise sources, such as generators and air compressors, away from affected noise-sensitive receptors. Place non-noise-producing mobile equipment, such as trailers, in the direct sound pathway between suspected major noise-producing sources and sensitive receptors.
- c. Use construction equipment or modified equipment to the manufacturers' standards to reduce noise, such as electric instead of diesel-powered equipment, hydraulic tools instead of pneumatic tools, or electric saws instead of air- or gasoline-driven saws.

5. Additional Requirements:

- a. Improve sight distance to the south of the project driveway for traffic exiting the project driveway by trimming or removing trees on the southerly side of the driveway.
- b. A crosswalk shall also be added across the secondary entrance to the U.S. Department of Defense parking area that intersects with the project access road.
- c. Install a "Stop" sign on the existing sign post at the project driveway.
- d. Repaint the existing "Stop" pavement legend, limit line and centerline striping on the project driveway.
- e. Pay Transportation Agency of Monterey County (TAMC) traffic impact fees.

Standard:

1. Except as modified by the conditions of approval, plans submitted for Architectural Review application must be in compliance with the plans stamped "Approved May 11, 2022, Community Development Department."
2. The applicant agrees as a condition and in consideration of the approval of this permit that it will defend, indemnify and hold harmless the City of Seaside or its agents, officers and employees from any claim, action or proceeding against the City or its agents, officers or employees to attack, set aside, void or annul this approval. The applicant will reimburse the City for any court costs and attorney's fees, which the City may be required by a court to pay as a result of such action. City may, at its sole discretion, participate in the defense of such action; but such participation shall not relieve applicant of his obligations under this condition. The City shall promptly notify the applicant of any such claim, action, or proceeding, and the City shall cooperate fully in the defense thereof.
3. The project shall comply with the requirements and the applicable ordinances of the Monterey Peninsula Water Management District (MPWMD).

4. The permit shall have no force or effect unless and until accepted, and the terms thereof agreed to, in writing, by the applicant and property owner within 15 days from the date of its approval.
5. Project approval will become null and void if a building permit is not obtained within one (1) year from the date of approval to begin construction on the project.
6. For purposes of assuring compliance, the applicant, agents, representatives or their assignees agree not to deny or impede access to the subject property by City employees in the performance of their duties.

PASSED AND ADOPTED at a regular meeting of the Planning Commission of the City of Seaside, State of California, on the 11th day of May 2022, by the following vote:

AYES:
NOES:
ABSENT:
ABSTAIN:

Will Silva, Chairperson

ATTEST:

Planning Commission Secretary

ARCHITECTURAL REVIEW APPLICATION No. BAR-22-05
RESOLUTION No. 22-XX

This permit is hereby accepted upon the express terms and conditions hereof, and shall have no force or effect unless and until agreed to, in writing, by the applicant and property owner(s).

The undersigned hereby acknowledge the approved terms and conditions and agree to fully conform to, and comply with, said terms and conditions within the time frames approved by the City of Seaside Planning Commission.

Applicant's Signature

Date

Property Owner's Signature

Date



Parker Flats Apartments Project

CEQA Class 32 Categorical Exemption Report

prepared by
City of Seaside
Resources Services Management
440 Harcourt Avenue
Seaside, California 93955

prepared with the assistance of
Rincon Consultants, Inc.
2511 Garden Road, Suite C250
Monterey, California 93940

April 2022

Parker Flats Apartments Project

CEQA Class 32 Categorical Exemption Report

prepared by

City of Seaside

Resources Services Management

440 Harcourt Avenue

Seaside, California 93955

prepared with the assistance of

Rincon Consultants, Inc.

2511 Garden Road, Suite C250

Monterey, California 93940

April 2022

This report prepared on 50% recycled paper with 50% post-consumer content.

Table of Contents

Table of Contents	i
Categorical Exemption Report.....	1
1. Introduction	1
2. Project Description	2
3. Existing Site Conditions.....	1
4. Consistency Analysis	1
Habitat Value (Criterion C).....	3
Traffic (Criterion D-1)	8
Noise (Criterion D-2)	9
Air Quality (Criterion D-3)	15
Water Quality (Criterion D-4)	17
Utilities and Public Services (Criterion E).....	18
Exceptions	20
5. Summary	21
6. References	22

Tables

Table 1	Project Characteristics.....	3
Table 2	Interior and Exterior Noise Standards.....	10
Table 3	Noise Measurement Results	12
Table 4	Noise Levels by Construction Phase.....	13
Table 5	Vibration Source Levels for Typical Construction Equipment.....	14
Table 6	Maximum Daily Construction Emissions	16
Table 7	Maximum Daily Operational Emissions.....	17
Table 8	MCWD Water Supplies – Current and Projected	19
Table 9	Exceptions to a Categorical Exemption	20

Figures

Figure 1	Project Site Location.....	4
Figure 2	Subject Parcel and Project Site Boundary	5
Figure 3	Proposed Site Plan.....	7

Figure 4 Draft Elevation.....1

Figure 5 Draft Elevation.....2

Figure 6 Site Photographs2

Figure 7 Noise Measurement Locations.....11

Appendix

Appendix A Transportation

 Appendix A-1 Traffic Impact Analysis

 Appendix A-2 Vehicle Miles Traveled Assessment

Appendix B Noise Data

Appendix C Construction Noise Modeling

Appendix D CalEEMod Results

Categorical Exemption Report

This report serves as the technical documentation of an environmental analysis performed by Rincon Consultants, Inc., for the Parker Flats Apartments Project in the City of Seaside. The intent of the analysis is to document whether the project is eligible for a Class 32 Categorical Exemption (CE). The report provides an introduction, project description, and evaluation of the project's consistency with the requirements for a Class 32 exemption. This includes an analysis of the project's potential impacts in the areas of biological resources, traffic, air quality, noise, water quality, and public services/utilities. The report concludes that the project is eligible for a Class 32 exemption.

1. Introduction

The City of Seaside intends to adopt a Class 32 CE for the proposed Parker Flats Apartments project. The State CEQA Guidelines Section 15332 states that a CE is allowed when:

- (a) The project is consistent with the applicable general plan designation and all applicable general plan policies as well as with applicable zoning designation and regulations.
- (b) The proposed development occurs within city limits on a project site of no more than five acres substantially surrounded by urban uses.
- (c) The project site has no value as habitat for endangered, rare or threatened species.
- (d) Approval of the project would not result in any significant effects relating to traffic, noise, air quality, or water quality.
- (e) The site can be adequately served by all required utilities and public services.

The consistency of the proposed project with these requirements is provided in Section 4 of this report.

Additionally, State CEQA Guidelines Section 15300.2 outlines exceptions to the applicability of a Categorical Exemption, including cumulative impacts, significant effects due to unusual circumstances, scenic highways, hazardous waste sites, and historical resources. A full listing of these exceptions and an assessment of their applicability to the proposed project is provided in Section 4 of this report.

2. Project Description

The proposed project would involve conversion of an existing abandoned military nursing barracks on the former Fort Ord into residential apartments with 42 dwelling units, including two one-bedroom units, 29 two-bedroom units, and 11 three-bedroom units. The project site is located at 4386 – 4387 Parker Flats Cut Off Road in the City of Seaside, within the former Fort Ord. Project activities would be contained entirely within the footprint of two existing three-story vacant military nursing barracks buildings, an existing paved parking lot, and an existing paved driveway. Throughout this document, “project site” will be used to refer to this already-disturbed area where project improvements would occur. The project site is located on a 4.9-acre parcel, which will be referred to as the “subject parcel” throughout this document. Figure 1 shows the location of the project site within a regional context and Figure 2 shows the project site and subject parcel boundaries.


The proposed project would involve the renovation the two existing buildings (Buildings A and B) on the project site to convert them into residential apartments. Building A is the southern building, oriented in a northwest-southeast direction near the existing parking area; Building B is the northern building, oriented in a northeast-southwest direction. The two buildings meet to form an “L” shape, as shown in Figure 2. The existing parking lot is located southwest of Building A.

Building A has an existing footprint of 19,909 square feet (sf) and Building B has an existing footprint of 19,380 sf. Building A would house 21 dwelling units, including two one-bedroom, 14 two-bedroom and five three-bedroom units, as well as the laundromat and administration offices. Building B would house 21 dwelling units, including 15 two-bedroom and six three-bedroom units. Twenty percent, or nine units, would be deed restricted as affordable, including three very low income, three low income, and three moderate income units. The remaining 33 units would be affordable by design, given the units are physically smaller and more efficiently designed, and therefore would be expected to be below market value. The existing footprint of both buildings would be unchanged as a result of the project, other than the addition of a 157 square foot electrical room. The project characteristics, including building footprint, floor area, unit count, and parking is provided Table 1.

Table 1 Project Characteristics

	Building A	Building B
Building Footprint (existing)	19,909 sf	19,380 sf
Floor Area	2x 1-bedroom units (656 sf) = 1,312 sf 14x 2-bedroom units (848 sf) = 11,872 sf 5x 3-bedroom units (1,012 sf) = 5,060 sf <u>Laundry-Admin Offices = 236 sf</u> Total 18,780 sf	15x 2-bedroom units (848 sf) = 12,720 sf <u>6x 3-bedroom units (1,012 sf) = 6,072 sf</u> Total 18,792 sf
Units	1-bedroom 2 units 2-bedroom 14 units <u>3-bedroom 5 units</u> Total 21 units	2-bedroom 15 units <u>3-bedroom 6 units</u> Total 21 units
Miscellaneous	3x Existing Stairwells (306 sf) = 918 sf Electrical Room (157 sf) = 157 sf <u>Elevator and Mechanical Equipment (345 sf) = 345 sf</u> Total 1,420 sf	
Parking	70 spaces (uncovered) 8 spaces (charging station) <u>6 spaces (guest parking)</u> 84 spaces Total	
sf = square feet		

Figure 1 Project Site Location



★ Project Location



Fig 1. Regional Location

Figure 2 Subject Parcel and Project Site Boundary



Imagery provided by Google and its licensors © 2018.

Fig 2 Site Boundary Map

The exteriors of the proposed buildings would consist of stucco and corrugated metal siding. Figure 4 and ; draft elevations are subject to change.

Figure 5 show the preliminary proposed building elevations.

The existing driveway from Parker Flats Cut Off Road would remain the primary access to the project site. The existing driveway is approximately 275 feet long and has a paved right-of-way ranging between 20 and 24 feet wide. The proposed project would repave the existing driveway and add a sidewalk with curb and gutter along the northern side of the driveway. The City of Seaside's Property Development Standards require a minimum width of 16 feet for all principal driveways. In addition, the Americans with Disability Act (ADA) requires a minimum sidewalk width of four feet. With an existing paved width of at least 20 feet, both the 16-foot driveway and a four-foot sidewalk would be accommodated within the existing paved right-of-way.


The existing parking lot, located southwest of Building A, would be resurfaced and striped to accommodate a total of 84 uncovered parking spaces.

As shown in the site plan in Figure 3, common open space would be provided between Building A and the existing parking lot, and immediately west of where Buildings A and B meet. The latter location is small (approximately 150 sf) and is currently paved. Open space would include a children's playground, walking paths, and benches.

Proposed lighting would consist of up/downlight wall sconces on the exterior of the apartment building, step lights between the driveway and the apartment building, recessed downlights at entries to the townhome building, and landscape spot lights. Safety lighting would be installed every 150 feet in the driveway, parking lot and walkways.

Construction and renovation activities are anticipated to occur over approximately four months. Because the project would be contained within the existing floor area of the abandoned barracks, no excavation, grading or pile-driving would occur. Similarly, the project would not result in a net increase in impermeable surfaces, nor require tree or vegetation removal.

Figure 3 Proposed Site Plan




Source: Glover Enterprises and The Paul Davis Partnership, 2021

Figure 4 Draft Elevation



Source: Glover Enterprises and The Paul Davis Partnership, 2021; draft elevations are subject to change.

Figure 5 Draft Elevation



B PARTIAL WEST ELEVATION BUILDINGS A & B
1/4"=1'-0"



A PARTIAL SOUTH ELEVATION BUILDINGS A & B
1/4"=1'-0"

Source: Glover Enterprises and The Paul Davis Partnership; draft elevations are subject to change.

3. Existing Site Conditions

The subject parcel is located on a lightly sloped, roughly rectangular lot with frontage on Parker Flats Cutoff Road on the former Fort Ord within the City of Seaside, California. The subject parcel is 4.9 acres in size and has approximately 156 feet of frontage of Parker Flats Cut Off Road. The existing three-story buildings sit on the central portion of the subject parcel. The buildings have been vacant for over twenty years and have not been maintained. Many of the windows and doors are broken or missing, and there is visible damage to the walls and ceilings, as well as evidence of illegal human occupation. Photographs of the site are provided in Figure 6.

A paved parking lot measuring approximately 213 feet by 122 feet is located to the south of the existing buildings and is connected to the street by an approximately 175-foot long paved driveway.

Natural areas surrounding the building and parking lot consist of vegetation and bare ground. No formal landscaping remains, as the property has been vacant and not maintained for several decades. Vegetation communities on the project site include: Coast Live Oak Woodland, Iceplant Mats, and Landscaped Woodland. On-site and adjacent habitat is discussed further in Section 4 under *Habitat Value (Criterion C)*.

The subject parcel is located within the city limits of the City of Seaside in the former Fort Ord. The site is designated High Density Residential (RH) in the Seaside General Plan and zoned High Density Residential (RH) in the Seaside Zoning Code. Existing surrounding development includes: a veterinary clinic, a medical clinic, an eight-story U.S. Department of Defense building, and parking lots to the north; a Defense Language Institute (DLI) immersion facility and single-family residences to the west, across Parker Flats Cut Off Road; and open space on the former Fort Ord to the south and east. The Central Coast Veterans Cemetery is located approximately 1,000 feet to the south. California State University, Monterey Bay (CSUMB), a major regional employer, is located approximately 0.4 mile to the north of the site.

4. Consistency Analysis

The State CEQA Guidelines Section 15332 states that a CE is allowed when:

- (a) The project is consistent with the applicable general plan designation and all applicable general plan policies as well as with applicable zoning designation and regulations.
- (b) The proposed development occurs within city limits on a project site of no more than five acres substantially surrounded by urban uses.
- (c) The project site has no value as habitat for endangered, rare or threatened species.
- (d) Approval of the project would not result in any significant effects relating to traffic, noise, air quality, or water quality.
- (e) The site can be adequately served by all required utilities and public services.

Figure 6 Site Photographs



Photo 1: Project site looking east from Parker Flats Cut Off Road.



Photo 2: Project site looking north from existing parking lot.



Photo 3: Project site looking northeast from existing parking lot.



Photo 4: Project site looking west from the open grassy area northeast of the building footprint.



Photo 5: Project site looking northeast from patio area between the building footprints.



Photo 6: Project site looking south from second story on north end of Building B.

The City of Seaside determined that the project is consistent with the general plan designation (High Density Residential, or RH) and all applicable general plan policies as well as with applicable zoning designation (High Density Residential, HR) and regulations in accordance with item (a) above. Specifically, given that 20 percent of the units would be deed restricted as affordable and the remainder would be affordable by design, the project would be consistent with the following Seaside General Plan policies:

- Policy H-1.1 Promote the repair, improvement and rehabilitation of housing in order to enhance the quality of life for Seaside residents
- Policy LU-4.3 Protect and preserve conforming and non-conforming multi-family residential in order to continue to provide low cost and alternative housing opportunities for Seaside residents
- Policy H-1.6 Ensure the units produced for extremely low, very low, low and moderate are maintained as affordable units through deed restrictions and other reasonable mechanisms.

The subject property is 4.9 acres and the City has determined that, due to its location on the former Fort Ord and the nature of surrounding development, the site meets the requirements of item (b) above. The focus of the analysis below is on biological resources, traffic, noise, air quality, water quality, and utilities/public services, in accordance with items (c) through (e).

Habitat Value (Criterion C)

Methodology

The results of the analysis presented in this memorandum were based on a review of available information and a reconnaissance-level site visit. The analysis consisted of a query of the California Natural Diversity Database (CNDDDB) and review of aerial imagery. A biological reconnaissance field survey to document existing biological conditions within the site included identification of plant and wildlife species, vegetation communities, jurisdictional waters and wetlands, and the potential for presence of special-status species and/or habitat. The reconnaissance survey consisted of walking meandering transects throughout the site and buffer, where accessible, and visually scanning for sign of or observations of special status species or habitat PCEs indicative of potential presence of special status species. The results of the desktop analysis and survey were evaluated to assess potential impacts to special status species and project compatibility with a CE under CEQA.

Existing Conditions

Subject Parcel and Project Site

Project construction activities would be limited to the existing buildings, parking lot, disturbed area between the parking lot and existing buildings, and the existing driveway, defined as the “project site” (Figure 2), which comprises a portion of the subject property evaluated herein. The buildings have been vacant for several years and have not been maintained. Many of the windows and doors are open and the inside walls and ceilings are damaged. The area within five to ten feet of the project site has been notably disturbed from previous residential activity. The project site contains no natural habitat and has no wildlife or plant habitat value. Ground disturbance outside of the existing developed footprint would be limited to a narrow strip along the existing access road and minor disturbance in a narrow area between the parking lot and existing building. Vegetation and

bare ground occurs in the areas surrounding the buildings and parking lot within the subject property. Vegetation communities that would be directly affected by project activity are limited to highly disturbed iceplant mats immediately adjacent to the existing development and access road. Other vegetation communities are present within the subject property, but are not expected to have any direct impacts from project activity. All vegetation communities within the subject property are described below.

Vegetation Communities

Coast Live Oak Woodland

Holland (1986) and Sawyer et al. (2009) describe this community as singularly dominated by coast live oak (*Quercus agrifolia*) with an open underdeveloped understory of poison oak (*Toxicodendron diversilobum*) and fuchsia flowered gooseberry (*Ribes speciosum*). Some maritime chaparral species were also observed inter mixed with this community, including black sage (*Salvia mellifera*) and woolly leaf manzanita (*Arctostaphylos tomentosa*). Mammals and sign observed in this vegetation community include; black-tailed deer (*Odocoileus hemionus*), California ground squirrel (*Otospermophilus beecheyi*), Botta's pocket gopher (*Thomomys bottae*). Just outside the northern site boundary a Monterey dusky-footed woodrat (*Neotoma fuscipes luciana*) and midden were observed.

This community occurs around the edges of the north, east, and western boundaries of the project site, and connects to larger patches of natural habitat in the subject property and beyond on the former Fort Ord. In the subject property, oak woodland is general from 50 to 200 feet away from the project site; however, it occurs immediately adjacent to the south side of the existing parking area. No proposed development activity would occur within the limits of mapped oak woodland communities in the subject property.

Iceplant Mats

Iceplant species (*Carpobrotus edulis*, *C. chilensis*) are non-native invasive species, originally planted in the 1940s and 1950s for landscaping and dune stabilization (USACE, 1992). These perennial ground-hugging succulents form large monospecific mats (Sawyer et al., 2009). *Carpobrotus edulis* is an invasive species with a Cal ICP rating of "High" for its invasive tendencies. This hardy species spreads readily from landscaped areas into dune and scrub habitats, out competing native species for space, nutrients, and moisture. Within this community some native species such as deerweed (*Acmispon glaber*), coyote brush (*Baccharis pilularis*), woolly leaf manzanita, and bare patches were observed. Wildlife species and sign observed included Botta's pocket gopher and California ground squirrel (*Otospermophilus beecheyi*) burrows.

This community occurs toward the center of the project site between the buildings and along the edges of developed areas, and in the open area west of the project site. This community has no habitat value for plant or wildlife species. Although spineflower may occur in isolated patches of sand among iceplant mats, the highly invasive nature of iceplant poses significant risk to spineflower populations, and reduces the value of the habitat if not completely eradicated.

Landscaped Woodland

This community is not described by Holland (1986) or Sawyer et al. (2009), but consists of primarily non-native species in ornamental plantings such as; lawns, park strips, parking lots, commercial parks, baseball fields, etc. Tree species found in this community are highly variable and typically

non-native or not occurring as a natural community woodland. Species observed in the site are Monterey pine (*Pinus radiata*) and Monterey cypress (*Hesperocyparis macrocarpa*) with and understory of iceplant. This community occurs along Parker Flats Cut Off Road south of the driveway and sporadically around the buildings. Landscaped areas are not considered to have habitat value for any special status species; however, they can provide suitable nesting habitat for a number of common bird species.

Special-Status Species Assessment

The project site does not provide habitat for special status plants. The vegetation communities within portion of the site that would be developed are generally degraded from previous development and associated residential activity. However, marginal habitat for some special status plants and wildlife is present within the larger subject parcel, and the site is adjacent to natural habitats in undeveloped areas of the former Fort Ord. Potential effects to plants and wildlife in adjacent habitat could be offset with inclusion of standard conditions and best management practices in project design.

Special-status Plants

MONTEREY SPINEFLOWER AND MONTEREY GILIA

The subject parcel provides suitable habitat for Monterey spineflower (*Chorizanthe pungens* var. *pungens*), federally threatened; and Monterey gilia (*Gilia tenuiflora* ssp. *Arenaria*), federally endangered and state threatened. Monterey spineflower and Monterey gilia occur in sandy soils on coastal dunes and maritime chaparral and are known to occur in bare patches of iceplant mats in the vicinity of the site. If individuals are present, they may be disturbed by project activities, including heavy equipment used to renovate the existing buildings or excavations outside the developed area to repair utilities. If additional elements to provide outdoor space or landscaping are added, impacts could occur if individuals are removed.

If occupied, this habitat would be considered to have value for these species; therefore, recommendation 1 below is suggested to ensure avoidance of impacts.

Special-status Animals

MONTEREY DUSKY-FOOTED WOODRAT

Suitable habitat for Monterey dusky-footed woodrat, a California Species of Special Concern (SCC), occurs within subject parcel. This species typically builds large stick nests (called a midden) in oak woodlands, but may also use abandoned buildings. This species was observed in oak woodlands just north of the buildings during the reconnaissance survey, therefore it is assumed to be present within the site. Impacts to this species may occur if they are present inside the buildings during renovation, or if additional project elements were added to create trails through the oak woodlands surrounding the buildings. Given the small size of the site, and the presence of higher quality habitat on the adjacent former Fort Ord, incidental impacts are unlikely. See recommendation 2 below.

TOWNSEND'S BIG-EARED BAT

Townsend's big-eared bat (*Corynorhinus townsendii*) SSC may roost in abandoned buildings. The buildings on site have been fully remediated for asbestos down to the building shells, with no windows or doors, providing the opportunity for night roosting during foraging activities. This

species is very sensitive to disturbance however and the buildings are occasionally occupied by homeless, which could deter the use of these structures. Impacts to this species could occur if individuals were present during construction. See recommendation 2 below.

NORTHERN CALIFORNIA LEGLESS LIZARD AND COAST HORNED LIZARD

Sandy soils with sparse vegetation within the site provide habitat for the northern California legless lizard (*Anniella pulchra*) SSC and coast horned lizard (*Phrynosoma blainvillii*) SSC. Impacts to these species could occur if individuals were crushed by heavy equipment or excavated during ground disturbing activities. Both species are unlikely to be present in the limited areas where project activity is proposed; however, incidental effects could be avoided through implementation of recommendation 2, below.

CALIFORNIA TIGER SALAMANDER

California tiger salamander (*Ambystoma californiense*) are federally threatened and state threatened. This species breeds in vernal pools on the former Fort Ord and use ground squirrel and pocket gopher burrows as upland habitat. The site is approximately 1.4 miles from the nearest known breeding pond, which is within this species dispersal range and there are no significant barriers to movement. The developed footprint and iceplant mat areas immediately adjacent to the developed area where project activity is proposed do not provide suitable upland habitat for this species.

BURROWING OWL

The presence of California ground squirrels and suitable burrows provide habitat for burrowing owl (*Athene cunicularia*) SSC. Ground squirrel burrows were observed throughout the site. However, the area west of the buildings and north of the driveway provides the highest quality habitat. This area contains burrows with low surrounding vegetation, which this species prefers; however, there are no burrows present within any of the areas where development activity is proposed. This species may be impacted if individuals are present and construction occurred during the nesting season. See recommendation 3 below.

NESTING BIRDS

The site contains habitat, such as shrubs, trees, bare ground, and buildings that provide nesting habitat for birds, including raptors protected under the, MBTA and the CFGC. Impacts could, both directly (e.g., ground disturbance) and indirectly (e.g., construction noise, lighting, and fugitive dust), affect these species. Ground disturbing activities could result in the destruction of nests constructed by ground nesting birds and construction noise could result in the abandonment of nests in the adjacent trees. Birds nesting inside the buildings may also be destroyed or disturbed by construction activities. Additionally, recommended tree trimming to improve sight distance (see recommendation 4) at the project driveway could destroy nests if present. See recommendation 3 below.

Recommendations 2 and 3 outlined below are suggested to avoid impacts to plants and wildlife that have a small potential to be present in the immediate vicinity of the proposed development activity.

Conclusion and Recommendations

The project site does not include any natural habitat and is not considered to have any habitat value. The project site is located adjacent to natural oak woodland and scrub habitat, and special status species could occur in adjacent areas or incidentally on the project site. As such, the following recommendations should be included in project design to avoid impacts to special-status species.

1. **Botanical Surveys.** This measure only applies to ground disturbance outside paved areas of the project site. Focused surveys for special-status plants should be conducted by a qualified biologist during the appropriate blooming periods for those rare plants with potential to occur on the project site. If special status plant species are observed during botanical surveys, the proposed project should be designed to reduce impacts to these species through the establishment of buffers, to the extent feasible. If avoidance is infeasible, resource agencies should be consulted to determine the appropriate course of action for the project.
2. **Pre-construction Wildlife Survey.** The following measures should be implemented to avoid potential impacts to special status wildlife:
 - Not more than 14 days prior to commencement of construction activities, a qualified biologist should conduct a preconstruction survey of the project site to determine if special status wildlife species are present.
 - At minimum the survey should include the developed areas including the inside and outside of the buildings plus any other areas where work will occur. If additional elements are added to the project, the survey area should be altered to include these areas.
 - A pre-construction survey report should be submitted to the City of Seaside documenting the methods used and results of the pre-construction survey.
 - If special status species are determined to be present on the project site at the time of the pre-construction survey, consultation with the relevant resource agency should commence (e.g., USFWS for federally listed species, CDFW for state listed species) and measures should be implemented to avoid impacts to the species.
 - If non-listed special status wildlife species are present, wildlife species should be relocated by a City-approved qualified biologist. Species should be relocated to a City-approved off site location with suitable habitat to support that species.
 - If avoidance of federal or State listed wildlife species (i.e., Threatened or Endangered) is not possible, take permit(s) should be obtained from USFWS (federal listed species) and/or CDFW (State listed species).
3. **Nesting Bird Surveys.** If project activities will occur during the nesting season (February through August) preconstruction nesting bird surveys to determine the presence/absence, location, and status of any active nests onsite should be conducted. Nesting bird surveys are typically conducted within 7 days prior to construction activities, dependent on local agency requirements. At minimum the survey should include the developed areas including the inside and outside of the buildings plus any other areas where work will occur. If additional elements are added to the project, the survey area should be altered to include these areas.
 - If active nests are discovered on the project site or surrounding area (100 feet for passerines and 500 feet for raptors), a qualified biologist should establish a buffer around the nest. Typical buffers range from 100 feet for nesting birds and up to 500 feet for nesting raptors around active nests. No construction within the buffer is allowed until a qualified biologist

has determined that the nest is no longer active. Encroachment into the buffer can occur at the discretion of a qualified biologist in coordination with the City of Seaside.

- If burrowing owls are present, avoidance measures should be implemented in coordination with CDFW, such as: protective buffers, biological monitoring, and passive relocation.

Traffic (Criterion D-1)

Existing Conditions

As described in Appendix A-1, access to the project site is provided by Parker Flats Cut Off Road, which is a two-lane road with a 30 mile per hour (mph) posted speed limit that extends from the Central Coast Veterans Cemetery at Normandy Road on the south, across Gigling Road to Colonel Durham Street where it terminates. It has a 30-foot pavement width with no on-street parking. A sidewalk is provided along the east side of the street from the subject property to Colonel Durham Street. Only a short segment of sidewalk along the Department of Defense building immediately across from the project is provided along the west side of the street. No sidewalk is provided on either side of Parker Flats Cut Off Road south of the subject parcel. No bike lanes are provided along Parker Flats Cut Off Road.

Vehicle Miles Traveled

Under SB 743, the Governor's Office of Planning and Research (OPR) established VMT as the preferred metric for measuring transportation impacts of most projects in place of vehicle level of service (LOS) or related measures of congestion as the primary metric. The use of VMT for determining significance of transportation impacts has become commonplace since the certification of this provision and the release of OPR's Technical Advisory on Evaluating Transportation Impacts in CEQA in December 2018 and, as of July 1, 2020, is the required metric statewide.

As noted in OPR's Technical Advisory (2018), "a project consisting of a high percentage of affordable housing may be a basis for the lead agency to find a less-than-significant impact on VMT. Evidence supports a presumption of less than significant impact for a 100 percent affordable residential development (or the residential component of a mixed-use development) in infill locations." As noted in the Project Description, 20 percent of the project's 42 units would be deed restricted as affordable, while the remaining 80 percent would be affordable by design. Adding affordable units to infill locations generally improves jobs-housing match, thereby shortening commutes and reducing VMT (OPR 2018). Because the project provides affordable, infill housing, the project is presumed to have a less than significant impact related to VMT, consistent with the OPR Technical Advisory (2018).

Additionally, the proposed project would reuse an existing building that was previously used as a nurses' barracks to house military personnel at Fort Ord, which was decommissioned in 1991. A Base Reuse Plan (BRP) and Environmental Impact Report (EIR) were certified and adopted in 1997 (Fort Ord Reuse Authority [FORA] 1996, FORA 1997). CEQA Guidelines Section 15229 states that, "the determination of whether the reuse plan may have a significant effect on the environment may, at the discretion of the lead agency, be based upon the physical conditions which were present at the time that the federal decision for the closure or realignment of the base or reservation became final." Therefore, since Fort Ord was decommissioned in 1991, this can be considered the baseline for purposes of environmental analysis. In 1991, the project site was utilized for housing. According to the City of Seaside, not all medical personnel working at the on-

base hospital lived at the nurses' barracks (Damon 2022), and similarly, non-medical personnel also lived in the barracks. As such, the baseline use of the site functioned as a residential use at a similar intensity to the proposed project. Because the project would not change the land use or residential intensity compared to the baseline use, the project would not be expected to increase VMT.

Therefore, approval of the project would not result in any significant effects relating to traffic. Refer to Appendix A-2 for additional information.

Noise (Criterion D-2)

Noise Characteristics and Measurement

Noise level (or volume) is generally measured in decibels (dB) using the A-weighted sound pressure level (dBA). The A-weighting scale is an adjustment to the actual sound power levels to be consistent with that of human hearing response, which is most sensitive to frequencies around 4,000 Hertz (about the highest note on a piano) and less sensitive to low frequencies (below 100 Hertz).

One of the most frequently used noise metrics that considers duration as well as sound power level is the equivalent noise level (L_{eq}). The L_{eq} is defined as the steady A-weighted level that is equivalent to the same amount of energy as that contained in the actual varying levels over a period of time (essentially, L_{eq} is the average sound level). Another noise metric used in Seaside is the Day-Night average level (Ldn). Ldn is the time average of all A-weighted levels for a 24-hour period, with a 10 dBA upward adjustment added to those noise levels occurring between 10:00 P.M. and 7:00 A.M. to account for the general increased sensitivity of people to nighttime noise levels.

Noise Standards

The City of Seaside's current adopted Noise Element (revised in 2004) incorporates comprehensive goals, policies, and programs related to noise and acceptable noise levels. These policies address unnecessary, excessive, and annoying noise levels and sources, such as vehicles, construction, special sources (e.g., radios, musical instrument, animals) and stationary sources (e.g., heating and cooling systems, mechanical rooms). In addition, the City's noise ordinance (Seaside Municipal Code Section 9.12.030) prohibits excessive, unnecessary, or unusually loud noises from specified sources, such as loudspeakers, yelling, or vehicle radios. Section 9.12.030 also prohibits loud operation of specific equipment, including lawn mowers and construction equipment, as well as loud construction, demolition, excavation, erection, alteration, or repair activities before 7 A.M. and after 7 P.M., Monday through Friday, and before 9 A.M. and after 7 P.M. on Saturday, Sunday, and holidays.

The subject parcel is zoned high-density residential. According to the City's Noise Element (2004), new residential development may not be sited in areas exceeding 65 CNEL dBA (City of Seaside 2004). In addition, Table 2 shows the maximum interior and exterior noise standards by the receiving land use, as contained in the Seaside General Plan Noise Element (2004) and the City's Municipal Code Section 17.30.060. As shown therein, the exterior allowable noise level at the project site (a residential use) is 65 CNEL dBA.

Table 2 Interior and Exterior Noise Standards

Land Use	Exterior Maximum Allowable Noise Level (CNEL dBA)	Interior Maximum Allowable Noise Level (CNEL dBA)
Residential	65	45
Mixed-Use Residential	70	45
Commercial	70	–
Office	70	50
Industrial	75	55
Public Facilities	70	50
Schools	50	50

Source: City of Seaside Municipal Code, Section 17.30.060, 2022

For traffic-related noise, impacts would be significant if project-generated traffic results in the exposure of sensitive receptors to a perceptible increase in roadway noise. Roughly a doubling of traffic volume would be necessary to generate a perceptible increase in roadway noise levels of 3 dBA or more.

Existing Ambient Noise Levels

The primary sources of noise near the project site are alarms and buzzers coming from the adjacent department of defense building as well as motor vehicle traffic, including light- and medium-duty vehicles. Parker Flats Cut Off Road, being adjacent to the project site, produces the highest level of noise from traffic among area roadways. Secondary sources of roadway noise include traffic on Gigling Road, located approximately 2,000 feet north of the project driveway. Additionally, aircraft overflights and motor vehicle activity in the adjacent medical facility parking lot contribute to the existing local noise environment. To determine existing ambient noise levels on the project site, three 15-minute noise measurements were taken on and around the subject parcel between 7:00 A.M. and 9:00 A.M. on February 23, 2018, using an Extech 407780A integrating sound level meter.

Figure 7 shows the location of this noise measurement at the center of the project site, between the two existing abandoned buildings. Table 3 identifies the measured noise levels. As shown therein, three measurements were taken to capture the ambient noise levels of: 1) the center of the subject parcel; 2) the medical and education facilities, the closest sensitive receptors; and 3) the residences west of Parker Flats Cut Off Road, the next-closest sensitive receptors.

Figure 7 Noise Measurement Locations



Imagery provided by Google and its licensors © 2018.

Fig. A Noise

Table 3 Noise Measurement Results

Measurement Number	Measurement Location	Primary Noise Sources	Sample Time	Leq (dBA)
1	Center of project site, between two existing buildings	Alarms, traffic	Weekday A.M. peak hour	46.7
2	Along Parker Flats Cut Off Road, next to the Medical and Education Facilities (off site)	Traffic, pedestrians	Weekday A.M. peak hour	61.4
3	Residences across from Parker Flats Cut Off Road, along Nijmegen Road (off site)	Traffic, barking dogs	Weekday A.M. peak hour	52.3

Refer to Appendix B for noise monitoring data sheets.

Source: Field visit on February 23, 2018, using Extech 407780A Integrating sound level meter

As shown in Table 3, existing noise on the project site was measured at 46.7 dBA, which is below the maximum allowable level of 65 dBA for a residential use. In addition, the provisions of the State Noise Insulation Standards (Title 24) are enforced in Seaside, which would ensure that interior noise levels do not exceed 45 dBA (Seaside 2004). Therefore, the proposed project would meet comply with the interior and exterior noise standards listed in Table 2.

Sensitive Receptors

Some land uses are more sensitive to ambient noise levels than other uses due to the amount of noise exposure and the types of activities involved. For example, residences, motels, hotels, schools, libraries, churches, nursing homes, auditoriums, museums, cultural facilities, parks, and outdoor recreation areas are more sensitive to noise than commercial and industrial land uses. The nearest sensitive receptor to the proposed project is a school (the DLI immersion facility) located 150 feet to the west of the subject parcel, across Parker Flats Cut Off Road. As shown in Table 2, the Noise Element and the Municipal Code set a guideline of 50 dBA as a maximum outdoor noise level for schools.

Construction Noise

Construction of the proposed project would involve resurfacing the existing paved parking area and driveway and renovating the two existing buildings. Construction of the project would result in temporary noise level increases during site preparation, paving, renovation, and architectural coating. Construction noise modeling was conducted to estimate the expected noise levels during construction at the nearest sensitive receptors using Roadway Construction Noise Model (RCNM) Version 1.1. Complete noise modeling is provided in Appendix C. Table 4 shows noise levels associated with each construction phase, calculated at a distance of 150 feet (the distance between the subject parcel and the nearest sensitive receptor). As shown therein, the highest noise levels would occur during paving, when construction noise levels of 76.7 Leq dBA with a peak noise level of 75.5 Lmax would be possible at a distance of 150 feet. It should be noted that driveway resurfacing would occur within this distance; however, the bulk of the renovation activities would be another 250 feet to the east (for a total of 400 feet from the existing school), at the existing abandoned buildings. Therefore, the figures presented herein are conservative.

Table 4 Noise Levels by Construction Phase

Construction Phase	Anticipated Noise Levels at 150 Feet (dBA)	
	Lmax	Leq
Site Preparation	74.5	76.7
Grading	75.5	76.2
Renovation	74.5	75.6
Paving	74.5	74.9
Architectural Coating	68.1	64.1

Source: Appendix C

As previously mentioned, the City's noise ordinance (Seaside Municipal Code Chapter 9.12) prohibits loud noise before 7 A.M. and after 7 P.M., Monday through Friday, and before 9 A.M. and after 7 P.M. on Saturday, Sunday, and holidays. All construction activities related to the proposed project would occur during hours stated in the Seaside Municipal Code as acceptable for use of construction-related equipment. Additionally, construction activities would temporarily and periodically increase the ambient noise level beyond the exterior noise standard for schools of 50 CNEL dBA. Although construction activities would be limited to daytime hours and would therefore comply with City regulations, recommendation 6 is suggested to further limit construction-related noise at nearby sensitive receptors.

Construction Vibration

Vibration is a unique form of noise because its energy is carried through buildings, structures, and the ground, whereas most ambient noise is simply carried through the air. Thus, vibration is generally felt rather than heard. This phenomenon is caused by the coupling of the acoustic energy at frequencies that are close to the resonant frequency of the material being vibrated. Typically, groundborne vibration generated by manmade activities attenuates rapidly as distance from the source of the vibration increases and vibration rapidly diminishes in amplitude with distance from the source. The ground motion caused by vibration is measured as particle velocity in inches per second and is referenced as vibration decibels (VdB) in the U.S.

The vibration velocity level threshold of perception for humans is approximately 65 VdB. A vibration velocity of 75 VdB is the approximate dividing line between barely perceptible and distinctly perceptible levels for many people. Most perceptible indoor vibration is caused by sources within buildings such as operation of mechanical equipment, movement of people, or the slamming of doors. Typical outdoor sources of perceptible groundborne vibration are construction equipment, steel wheeled trains, and traffic on rough roads. If a roadway is smooth, the groundborne vibration from traffic is barely perceptible. The range of interest is from approximately 50 VdB, which is the typical background vibration velocity, to 100 VdB, which is the general threshold where minor damage can occur in fragile buildings.

Significant impacts may occur when vibration or groundborne noise levels exceed the Federal Railroad Administration (FRA) maximum acceptable level threshold of 65 VdB for buildings where low ambient vibration is essential for interior operations, such as hospitals and recording studios, 72 VdB for residences and buildings where people normally sleep, including hotels, and 75 VdB for institutional land uses with primary daytime use, such as churches, schools, and office buildings

(FRA 2012). Therefore, 75 VdB is the threshold for vibratory noise impacts the closest sensitive receptor is a school located 150 feet west of the subject parcel.

Table 5 shows the typical peak vibration levels associated with various types of heavy construction equipment at a distance of 25 feet, as reported by the Federal Transit Administration (FTA) (2006). The vibration levels at a distance of 150 feet are also provided in the table using the attenuation methods provided in the *Transit Noise and Vibration Impact Assessment* (FTA 2006).

Table 5 Vibration Source Levels for Typical Construction Equipment

Equipment	Approximate VdB ¹	
	25 feet	150 feet
Clam shovel drop (slurry wall)	94	71
Hydromill (slurry wall)- in soil	66	43
Hydromill (slurry wall)- in rock	75	49
Vibratory Roller	94	71
Large Bulldozer	87	64
Caisson drilling	87	64
Loaded trucks	86	62
Jackhammer	79	55
Small Bulldozer	58	34

¹FTA provides equipment vibration levels in approximate vibration levels (Lv VdB) at a distance of 25 feet. These were converted to VdB at other distances using methods provided in the *Transit Noise and Vibration Impact Assessment* (2006).

Source: FTA 2006

As shown in Table 5, none of the typical construction equipment used at the site would produce groundborne vibration exceeding the FTA's 75 VdB threshold at the nearest sensitive receptor.

Operational Noise

Existing uses near the project site would be subject to noises associated with operation of the proposed project, including noise that is typical of residential development, such as conversations, music, trash hauling, doors slamming, beeping from the locking and unlocking of motor vehicles, tire and engine noise from the movement of vehicles on driveways, as well as HVAC operation. As discussed above, the City's limit for ambient exterior and interior noise levels for residential land uses are 65 dBA and 45 dBA, respectively. As shown in Table 3, existing noise levels at the site are low (46.7 Leq dBA,). The addition of 40 residential units would not increase ambient noise above 65 dBA at the nearest sensitive receptors. In addition, the City's noise ordinance (Seaside Municipal Code Section 9.12.030) prohibits excessive, unnecessary, or unusually loud noises from specified sources, such as loudspeakers, yelling, or vehicle radios. Future tenant compliance with these requirements would further ensure that noise levels are maintained at an acceptable level.

Because the proposed project would result in increased occupancy at the project site, the project would generate additional traffic on area roadways and potentially increase roadway noise levels at

nearby receptors. As discussed in Appendix A-1, the proposed project would generate an estimated 293 new average daily trips, including 18 A.M. peak hour trips and 22 P.M. peak hour trips. All trips associated with the proposed project would use Parker Flats Cut Off Road to access the site. According to estimated existing traffic volumes derived from traffic counts along Parker Flats Cut Off Road during the noise measurements taken by Rincon Consultants, Inc. in February 2018, an average of 2,280 vehicles travel along Parker Flats Cut Off Road daily. The project's estimated net trip generation would result in an approximately 13 percent increase in trips on Parker Flats Cut Off Road. As mentioned above, roughly a doubling of traffic volume would be necessary to generate a perceptible increase in roadway noise levels of 3 dBA or more. As a result, the proposed project would not result in a perceptible increase in roadway noise.

Conclusion and Recommendations

The proposed project would not generate an increase in traffic volumes that would result in a perceptible increase in traffic noise, and operational noise would be typical of residential uses and would not exceed applicable standards. In addition, construction-related vibration would not exceed applicable thresholds at the nearest sensitive receptor.

Construction noise associated with development of the proposed project would temporarily and periodically increase ambient noise levels beyond the applicable standard. Recommendation 6 is suggested to further limit construction-related noise at nearby sensitive receptors. With these recommendations, the project would not result in any significant effects relating to noise.

1. **Construction Noise.** The following recommendations should be followed by the project contractor during construction to limit the effects of construction-related noise.
 - Establish a telephone hotline for use by the public to report construction-related noise complaints, and keep the number posted on-site during construction. If the telephone is not staffed 24 hours per day, the contractor should include an automatic answering feature, with date and time stamp recording, to answer calls when the phone is unattended.
 - Place stationary noise sources, such as generators and air compressors, away from affected noise-sensitive receptors. Place non-noise-producing mobile equipment, such as trailers, in the direct sound pathway between suspected major noise-producing sources and sensitive receptors.
 - Use construction equipment or modified equipment to the manufacturers' standards to reduce noise, such as electric instead of diesel-powered equipment, hydraulic tools instead of pneumatic tools, or electric saws instead of air- or gasoline-driven saws.

Air Quality (Criterion D-3)

A significant adverse air quality impact may occur when a project individually or cumulatively interferes with progress toward the attainment of the ozone standard by releasing emissions that equal or exceed the established long term quantitative thresholds for pollutants, or causes an exceedance of a state or federal ambient air quality standard for any criteria pollutant. The subject parcel falls under the jurisdiction of the Monterey Bay Area Air Resources District (MBARD) and is located within the North Central Coast Air Basin (NCCAB), which is designated nonattainment for the California Ambient Air Quality Standards for ozone and PM₁₀. The air basin is designated as unclassified/attainment for all the National Ambient Air Quality Standards. Therefore, air emissions generated during construction or operation of the proposed project would be significant if they

exceed MBARD emission standards, as those standards have been established to ensure the region’s eventual achievement of ozone and PM₁₀ attainment status.

Construction Emissions

As displayed in Table 6, MBARD has established a project-specific daily construction emission threshold of 82 pounds of PM₁₀ per day. Construction of the proposed project would generate temporary criteria pollutant emissions primarily due to the operation of construction equipment, employee trips, and truck trips. The California Emissions Estimator Model (CalEEMod) version 2020.4.0 was used to estimate emissions associated with the construction period, based on parameters such as the duration of construction activity, and anticipated equipment used during construction. Complete results from CalEEMod and assumptions are included in Appendix D. Construction activities are expected to occur over a period of four months. Estimated construction emissions are presented in Table 6 and compared to applicable MBARD thresholds. As shown therein, construction emissions would not exceed any of MBARD’s emission thresholds. Therefore, impacts from construction emissions would be less than significant.

Table 6 Maximum Daily Construction Emissions

	Emissions (lbs/day)				
	ROG	NO _x	CO	PM ₁₀	PM _{2.5}
2023 Construction Emissions	2.7	27.6	18.8	21.0	11.3
2024 Construction Emissions	27.9	8.3	12.8	>1	>1
Maximum Daily Construction Emissions	27.9	27.6	18.8	21.0	11.3
MBARD Thresholds (lbs/day)	N/A	N/A	N/A	82	N/A
Exceeds Threshold?	N/A	N/A	N/A	No	N/A

See Appendix D for CalEEMod results. For a conservative estimate of project emissions, construction emissions were modeled and reported for the maximum day during the winter, since emission estimates are typically higher in the winter months compared to the summer months.

Source: CalEEMod v. 2040.4.0; MBARD 2008

Operational Emissions

Long-term operational emissions associated with the proposed project are those associated with vehicle trips (mobile emissions) and the use of natural gas, consumer products, and architectural coatings (area source emissions) upon buildout of the project. Pollutant emissions associated with the proposed project (shown in Table 7) were quantified using CalEEMod, version 2040.4.0, based on the proposed use and the number of associated vehicle trips generated by the project as informed by Appendix A-1.

Table 7 Maximum Daily Operational Emissions

	Emissions (lbs/day)				
	ROG	NOX	CO	PM ₁₀	PM _{2.5}
Area	1.1	<0.1	3.5	<0.1	<0.1
Energy	<0.1	<0.1	<0.1	<0.1	<0.1
Mobile	0.8	1.2	7.9	1.4	0.4
Total	1.9	1.3	11.4	1.4	0.4
MBARD Thresholds (lbs/day)	137	137	550	82	55
Exceed Thresholds?	No	No	No	No	No

See Appendix D for CalEEMod results.

Source: CalEEMod v. 2040.4.0; MBARD 2008

As shown in Table 7, the emissions generated by the proposed project would not exceed the MBARD's daily operational emission thresholds for any criteria pollutant and would not significantly affect regional air quality. Therefore, the impact is less than significant.

Additionally, carbon monoxide (CO) "hotspots" are not a concern with the proposed project. A project's localized air quality impact is considered significant if the additional CO emissions resulting from the project create a "hot spot" where the California 1-hour standards of 20.0 parts per million (ppm) or the 8-hour standard of 9 ppm is exceeded. This typically occurs at severely congested intersections. According to MBARD, if the LOS at impacted intersections or road segments degrades from D or better to E or F, the project would have a significant impact associated with CO emissions (MBARD 2008). As discussed in Appendix A-1, nearby intersections or road segments would continue to operate at, or better than, the City of Seaside LOS C standard under cumulative or future conditions. Therefore, localized emission impacts would be less than significant.

Conclusion

The proposed project would not generate substantial air emissions, as neither the construction emissions nor the operational emissions generated by the proposed project would exceed applicable MBARD thresholds. Therefore, the project would not result in any significant effects relating to air quality.

Water Quality (Criterion D-4)

The subject parcel slopes roughly 0.5 percent from east to west, and stormwater follows this topography to enter existing storm drains on Parker Flats Cut Off Road. The proposed project would renovate existing buildings and repave an existing parking lot and driveway. No improvements would occur outside of already-developed areas. Therefore, the project would not increase impervious surface on the subject parcel, nor increase the overall volume of stormwater runoff from the site.

Although the project would not introduce new impervious surfaces, the project could impact water quality by introducing residential use to the site. Urban runoff, including from residential uses, can have a variety of deleterious water quality effects. Oil and grease contain a number of hydrocarbon compounds, some of which are toxic to aquatic organisms at low concentrations. Heavy metals such

as lead, cadmium, and copper are the most common metals found in urban stormwater runoff. These metals can be toxic to aquatic organisms, and have the potential to contaminate drinking water supplies. Nutrients from fertilizers, including nitrogen and phosphorous, can result in excessive or accelerated growth of vegetation or algae, resulting in oxygen depletion and additional impaired uses of water.

To avoid adverse effects on water quality associated with stormwater runoff during construction and operation of the project, with the City of Seaside standard conditions of approval would include a requirement that the project develop and implement Best Management Practices (BMPs) to control erosion during construction and permanent features to treat stormwater runoff such as berms, swales, ditches, structures, vegetative filter strips and or catch basins. In addition, the proposed project would be required to comply with the current National Pollutant Discharge Elimination System (NPDES) Regional Municipal Stormwater Permit during construction and operation of the project. The Regional Municipal Stormwater Permit covers stormwater discharges from eight municipalities and local agencies in the Monterey Peninsula: Monterey, Carmel-By-The-Sea, Del Rey Oaks, Sand City, Seaside, Marina, Pacific Grove and the County of Monterey (City of Seaside 2017). This permit identifies low impact development (LID) techniques that the City of Seaside, as a permittee, must require of new development and redevelopment projects, for the purpose of reducing the discharge of pollutants in stormwater runoff and preventing increases in runoff flows (California Regional Water Quality Control Board, 2009). Pursuant to Section 16.11.030, landscaping would be required to minimize irrigation and runoff. Required compliance with City standard conditions and NPDES requirements would reduce the potential for adverse water quality and hydrology effects. Development of the proposed project would not result in a reduction in groundwater recharge or otherwise affect the underlying groundwater basin; would not result in substantial additional stormwater runoff to neighboring properties; and would not degrade the quality of stormwater runoff from the site.

Conclusion

The proposed project would not result in any significant effects related to water quality.

Utilities and Public Services (Criterion E)

The subject parcel is surrounded by existing development to the north and west in an area served by existing public services and utilities. The buildings on the subject parcel have been vacant for over 20 years and therefore do not currently generate demand for these services. Although services are currently inactive due to long vacancy at the subject parcel, utility service channels exist on the project site and would be reused and maintained to service the proposed project. Any utility-related improvements would be limited to work within existing disturbed areas.

Fire protection, first response emergency medical services, and natural disaster preparedness services in Seaside and for the subject parcel are provided by the Seaside Fire Department (SFD). Law enforcement is provided by the Seaside Police Department (SPD). These agencies currently serve the surrounding project area and could adequately serve the proposed project.

Water and wastewater service would be provided by Marina Coast Water District (MCWD). MCWD provides water service to the Ord Community from three groundwater wells located in the lower 180-foot and 400-foot aquifers of the Salinas Valley Groundwater Basin. MCWD also owns the Marina Coast Water District Desalination Plant, a seawater desalination facility with a capacity of

approximately 300 acre-feet per year; however, the plant is currently not in use due to high energy costs and adequate available water supply to serve MCWD's customers (MCWD 2020).

Table 8 shows the current and projected water supplies for the MCWD's entire service area from 2020 to 2040. As shown therein, recycled water and desalinated water are expected to become contributing sources of supply by 2025 and 2030, respectively (MCWD 2020).

Table 8 MCWD Water Supplies – Current and Projected

	2020	2025	2030	2035	2040
Groundwater	3,367	5,391	6,540	7,335	7,821
Recycled Water	0	600	953	1,140	1,270
Desalinated Water	0	0	299	394	483
Total	3,367	5,991	7,792	8,869	9,574

Units in acre-feet per year
Source: MCWD 2020

Based on CalEEMod assumptions (see Appendix D), the proposed project is anticipated to demand approximately 13.7 acre-feet per year (AFY), which represents approximately 0.2 percent of MCWD's total supplies in 2025 and approximately 0.1 percent of MCWD's total supplies in 2040. A will-serve letter from MCWD will be required for the proposed project prior to permit issuance.

The MCWD Marina Wastewater Collection System Master Plan forecasts that the wastewater treatment plant (WWTP) will treat an average dry weather flow for 2020 of 1.8 million gallons per day and an average wet weather flow of 3.5 million gallons per day (MCWD 2005). As a single acre-foot of water equals approximately 325,851 gallons, the 13 acre-feet per year is equal to approximately 11,500 gallons per day. This is equivalent to approximately 0.6 percent of projected dry weather flow and 0.3 percent of projected wet weather flow. Therefore, the proposed project's contribution to the WWTP would be minimal, and would be adequately served by the existing WWTP.

Solid waste service would be provided by Green Waste of Seaside, with solid waste ultimately disposed of at the Monterey Peninsula Landfill in Marina. Currently, the Monterey Peninsula Landfill reaches a maximum height of 130 feet, roughly 50 percent of its permitted final elevation of 264 feet (Monterey Regional Waste Management District [MRWMD] 2017). Additionally, the landfill has a maximum permitted daily throughput of 3,500 tons (California Department of Resources Recycling and Recovery [CalRecycle] 2019). According to CalEEMod estimates, the proposed project would generate an estimated 19.3 tons of waste per year, or 0.05 tons per day. This represents less than 0.01 percent of the maximum permitted daily throughput of the landfill. As such, solid waste generated by the proposed project could be adequately served by the Monterey Peninsula Landfill.

Other services, including gas and electricity, would be provided to the proposed project by existing service providers. Although the existing on-site buildings are currently vacant, they are served by existing utilities. In addition, surrounding development is served by gas, electric, and other public service providers. Renovation of the existing buildings would be adequately served by existing public services and utilities. Thus, the project meets this criterion for exemption.

Conclusion

The proposed project would be adequately served by all required utilities and public services.

Exceptions

CEQA Guidelines Section 15300.2 outlines exceptions to the applicability of a Categorical Exemption. These exceptions and their applicability to the proposed project is provided in Table 9 below.

Table 9 Exceptions to a Categorical Exemption

Exception	Analysis
(a) Location. Classes 3, 4, 5, 6, and 11 are qualified by consideration of where the project is to be located – a project that is ordinarily insignificant in its impact on the environment may in a particularly sensitive environment be significant. Therefore, these classes are considered to apply all instances, except where the project may impact on an environmental resource of hazardous or critical concern where designated, precisely mapped, and officially adopted pursuant to law by federal, state, or local agencies.	This exemption does not apply because Classes 3, 4, 5, 6, and 11 are not being used for the proposed project.
(b) Cumulative Impact. All exemptions for these classes are inapplicable when the cumulative impact of successive projects of the same type in the same place, over time is significant	Cumulative development near the project site includes the Campus Town Specific Plan Area for the City of Seaside. Additionally, the CSUMB Master Plan incorporates growth and development through the year 2030, part of which is contained in Seaside's Campus Town Specific Plan. However, the proposed residential project would not be cumulatively considerable due to its insignificant contribution to development in the surrounding area. Future development nearby the subject parcel would not be immediately adjacent to or on the same site as the proposed project.
(c) Significant Effect. A categorical exemption shall not be used for any activity where there is a reasonable possibility that the activity will have a significant effect on the environment due to unusual circumstances	The City of Seaside reviewed the proposed project and determined that no unusual circumstances exist. Further, the analysis herein establishes that there would be no significant effects on the environment.
(d) Scenic Highways. A categorical exemption shall not be used for a project which may result in damage to scenic resources, including but not limited to, trees, historic buildings, rock outcroppings, or similar resources, within a highway officially designated as a state scenic highway	The proposed project is not visible from a designated scenic highway and would not damage any scenic resources, such as trees, historic buildings, rock outcroppings, or similar resources, within a highway officially designated as a state scenic highway.
(e) Hazardous Waste Sites. A categorical exemption shall not be used for a project located on a site which is included on any list compiled pursuant to Section 65962.5 of the Government Code	The project site is not located on the Department of Toxic Substances Control (DTSC) EnviroStor or State Water Resources Control Board (SWRCB) GeoTracker databases (DTSC 2022; SWRCB 2022), and therefore is not on a list compiled pursuant to Section 65962.5 of the Government Code. Although portions of the former Fort Ord contain a variety of hazardous waste sites, Section 15300.2(e) pertains only to Section 65962.5 listings. Therefore, the proposed project would not satisfy this exception to the exemption.

Exception	Analysis
(f) Historical Resources. A categorical exemption shall not be used for a project which may cause a substantial adverse change in the significance of a historical resource	The existing on-site structures were constructed in 1974 and are therefore approximately 48 years old. In addition, the buildings on site have been fully remediated for asbestos down to the building shells, with no windows or doors remaining. Based on the age and condition of the buildings, the project is not anticipated to result in a substantial adverse change in the significance of an historic resource.

As shown in Table 9, none of the exceptions to the use of a Categorical Exemption apply to the proposed project or project site. Thus, the use of the Class 32 exemption is appropriate.

5. Summary

Based on the analysis in Section 4, the proposed Parker Flats Apartment Project meets all criteria for a Class 32 Categorical Exemption pursuant to Section 15332 of the *State CEQA Guidelines* and does not meet any of the exceptions to the exemptions.

6. References

- California Department of Resources Recycling and Recovery (CalRecycle). 2019. "Facility/Site Summary Details: Monterey Peninsula Landfill (27-AA-0010)." <https://www2.calrecycle.ca.gov/SolidWaste/SiteActivity/Details/2642?siteID=1976> (accessed January 2022).
- California Department of Toxic Substances Control (DTSC). 2022. "EnviroStor." https://www.envirostor.dtsc.ca.gov/public/map/?global_id=60002757 (accessed January 2022).
- California Department of Transportation (Caltrans). December 1997. *Transportation Project-Specific Carbon Monoxide Protocol Revised December, 1997*. <https://dot.ca.gov/-/media/dot-media/programs/environmental-analysis/documents/env/co-protocol-searchable-a11y.pdf> (accessed January 2022).
- California Governor's Office of Planning and Research (OPR). 2018. Technical Advisory on Evaluating Transportation Impacts in CEQA. December 2018. Available online at: https://opr.ca.gov/docs/20190122-743_Technical_Advisory.pdf (accessed March 2022).
- City of Seaside. 2017. "Municipal Code Chapter 8.46 Urban Stormwater Quality Management and Discharge Control". Last modified: November 19, 2020. . <http://www.codepublishing.com/CA/Seaside> (accessed January 2022).
- Damon, Sheri. 2022. Personal communication via email regarding baseline uses with Megan Jones, MPP, Principal, Rincon Consultants, Inc. March 7, 2022.
- Federal Railroad Administration (FRA). 2012. *High-Speed Ground Transportation Noise and Vibration Impact Assessment*. September 2012. Available online at: <http://www.fra.dot.gov/eLib/Details/L04090> (accessed January 2022).
- Federal Transit Administration (FTA). *Transit Noise and Vibration Impact Assessment*. May 2006. Available online at: https://www.transit.dot.gov/sites/fta.dot.gov/files/docs/FTA_Noise_and_Vibration_Manual.pdf (accessed January 2022).
- Fort Ord Reuse Authority (FORA). 1996. Fort Ord Reuse Plan. May 1996. Available online at: <https://www.fora.org/BRP.html> (accessed March 2022).
- _____. 1997. Fort Ord Reuse Plan Final Program Environmental Impact Report. March 1997. Available at: <https://www.fora.org/BRP.html> (accessed March 2022).
- Marina Coast Water District (MCWD). 2005. *Marina Wastewater Collection System Master Plan*. http://www.mcwd.org/docs/engr_files/MCWD_Marina_Wastewater_Collection_System_Master_Plan_Feb.pdf (accessed January 2022).
- _____. 2020. Marina Coast Water District 2020 Urban Water Management Plan. Adopted May 2021. https://www.mcwd.org/docs/2021_uwmp/DRAFT_MCWD_2020_UWMP_v20210520.pdf (accessed January 2022).
- Monterey Bay Air Resources District (MBARD). February 2008. *CEQA Air Quality Guidelines*. https://www.mbard.org/files/f665829d1/CEQA_full+%281%29.pdf (accessed January 2022).
- Monterey Regional Waste Management District (MRWMD). 2017. "Monterey Peninsula Landfill." n.d., <http://www.mrwmd.org/monterey-peninsula-landfill> (accessed January 2022).

State Water Resources Control Board (SWRCB). 2022. "GeoTracker."

<https://geotracker.waterboards.ca.gov/map/?CMD=runreport&myaddress=parker+flats+cutoff+road> (accessed January 2022).

Appendix A-1

Traffic Impact Analysis

Keith Higgins

Traffic Engineer

March 7, 2018

Megan Jones, MPP
Rincon Consultants, Inc.
437 Figueroa Street Suite 203
Monterey, CA 93940

Re: Proposal for Parker Flats Apartments Traffic Impact Analysis, Seaside, CA

Dear Megan,

As you requested, this is a Traffic Impact Analysis for the proposed residential apartment project on the east side of Parker Flats Cut-Off Road, approximately 1,000 feet south of Gigling Road in Seaside, California. The project is proposed to consist of 40 apartment units in two existing vacant buildings that formerly housed nursing barracks on the former Fort Ord army base. The project location is shown in **Exhibit 1**. The draft project site plan is in **Exhibit 2**.

A. Existing Conditions

Access to the project site is provided by Parker Flats Cut-Off Road, which is a two-lane road with a 30 miles per hour posted speed limit that extends from the Central Coast Veterans Cemetery at Normandy Road on the south, across Gigling Road to Colonel Durham Street where it terminates. It has a 30-foot pavement width with no on-street parking. A sidewalk is provided along the east side of the street from the project site to Colonel Durham Street. Only a short segment of sidewalk along the Department of Defense building immediately across from the project is provided along the west side of the street. No sidewalk is provided on either side of Parker Flats Cut-Off Road south of the project site. No bike lanes are provided along Parker Flats Cut-Off Road. In order to provide improved circulation for pedestrians and bicyclists, the City of Seaside should consider constructing sidewalks where they are not currently provided on one or both sides of the street. Shared lane markings, also known as “sharrows,” should be considered along Parker Flats Cut-Off Road as well.

The following four intersections would be most affected by traffic from the study project:

1. Gigling Road / Parker Flats Cut-Off Road
2. General Jim Moore Boulevard / Gigling Road
3. Parker Flats Cut-Off Road / Normandy Road
4. General Jim Moore Boulevard / Normandy Road

Megan Jones
March 7, 2018

The *Monterey Downs and Monterey Horse Park and Central Coast Veterans Cemetery Specific Plan Subsequent Environmental Impact Report*, RBF Consulting, March 2015, analyzed operations at these intersections. The report found that the existing operations at these intersections are as follows:

1. Gigling Road / Parker Flats Cut-Off Road – Overall LOS A (AM and PM), Side-Street LOS C (AM) and LOS (PM)
2. General Jim Moore Boulevard / Gigling Road – Overall LOS C (AM), LOS B (PM)
3. Parker Flats Cut-Off Road / Normandy Road – Overall LOS A (AM and PM), Side-Street LOS A (AM and PM)
4. General Jim Moore Boulevard / Normandy Road – Overall LOS B

All four intersections currently operate at or better than the City of Seaside level of service (LOS) “C” standard. No improvements are required for existing conditions. A description of levels of service is included as Appendix A.

B. Project Trip Generation

The proposed project is composed of 40 apartment units. **Exhibit 3** tabulates the trip generation estimate for the project, which uses trip rates from *Trip Generation Manual*, 10th Edition, published by the Institute of Transportation Engineers in 2017. The project would generate approximately 293 daily trips, with 18 trips (4 in, 14 out) during the AM peak hour and 22 trips (14 in, 8 out) during the PM peak hour.

Exhibit 4 shows the anticipated trip distribution and assignment for the project. When the project trips are distributed over the adjacent street network, the project would not add more than five peak hour trips to any of the movements at any of the four study intersections.

C. Operational Assessment

The project would not impact traffic operations on the surrounding street network. This is because the project would not add more than five trips to any peak hour movement at any of the study intersections. These are virtually imperceptible increases in traffic. Since all four study intersections currently operate acceptably, operations at all four intersections will continue to operate acceptably with project traffic.

D. Project Access Evaluation

A review of the *Monterey Downs and Monterey Horse Park and Central Coast Veterans Cemetery Specific Plan Subsequent Environmental Impact Report* found that through traffic near the project’s sole access on Parker Flats Cut-Off Road would be less than 120 vehicles per hour, or approximately two vehicles per minute. This level of traffic would not require a southbound left turn lane or northbound right turn lane on Parker Flats Cut-Off Road at the project driveway, nor would it lead to deficient operations at the driveway itself.

Megan Jones
March 7, 2018

Sight distance availability at the project driveway was evaluated. Sight distance to the north is over 300 feet south on Parker Flats Cut-Off Road, which accommodates travel speeds of over 35 miles per hour. The Caltrans minimum sight distance required at a driveway on roadways like Parker Flats Cut-Off Road – speed limit of 30 miles per hour – is 200 feet. Sight distance to the north is adequate.

Sight distance to the south is about 150 feet, which accommodates a travel speed of 25 miles per hour. This is less than the minimum requirement of 200 feet and is therefore inadequate. The sight distance at the driveway is limited to the south by existing trees on the southerly corner of the driveway. It is recommended that these trees be trimmed or removed to improve available sight distance. If trimmed, there should be a clear view from the ground to 6 feet above the elevation of the driveway. This improvement is the responsibility of the project.

A “Stop” sign appears to be missing from the existing post at the project driveway. It is recommended that this stop sign be replaced. The “Stop” pavement legend, limit line and centerline striping are all faded. They should be restriped. These improvements would be the responsibility of the project.

The project proposes to add a dedicated on-site pedestrian access between the proposed apartment buildings and the street. This will provide continuous pedestrian access to the project buildings. However, the pedestrian route would cross the existing secondary entrance to the U.S. Department of Defense (USDOD) parking area that intersects with the project access road. To improve pedestrian visibility and provide advance warning of pedestrian activity, it is recommended that a crosswalk be added across this USDOD secondary parking entrance, connecting either end of the intersecting pedestrian pathway. This improvement would be the responsibility of the project.

E. Cumulative Operational Assessment

The *FORA Fee Reallocation Study: Deficiency Analysis and Fee Reallocation*, Kimley Horn, April 27, 2017 and *Monterey Downs and Monterey Horse Park and Central Coast Veterans Cemetery Specific Plan Subsequent Environmental Impact Report*, Kimley Horn, March 2015 predict that all four study intersections – in combination with planned roadway network improvements in the Fort Ord Reuse Authority Capital Improvement Plan – would continue to operate at or better than the City of Seaside LOS C standard under cumulative, or future conditions. The main improvement is the widening of Gigling Road from its current 2 lanes to 4 lanes from General Jim Moore to Eastside Road. This roadway is forecasted to operate at a deficient LOS E assuming its current 2-lane configuration. It will operate at LOS B with widening to 4 lanes. According to the 2017-2018 this improvement is scheduled to be designed in fiscal years 2017-2018 and 2018-2019 and constructed by the end of 2021. This improvement will be funded by FORA traffic impact fees and other sources.

No major traffic capacity improvements will be required on Parker Flats Cut-Off Road or Normandy Road. General Jim Moore widening has already been completed.

The project would also not impact operations on the surrounding street network during future conditions. However, it will add incrementally to cumulative impacts requiring the improvements programmed by FORA.

F. Other Circulation Issues

There is an existing mid-block crosswalk on Parker Flats Cut-Off Road approximately 130 feet north of project driveway, which connects the U.S Department of Defense buildings on either side of Parker Flats Cut-Off Road. There are no warning signs in advance of this crosswalk. It is recommended that warning signs be added to this crosswalk to better alert approaching traffic of the potential for crossing pedestrians. This would include "Pedestrian Crossing" (W11-2) signs at and in advance of this crosswalk, as required by the California Manual on Uniform Traffic Control Devices (CA MUTCD). This improvement would be the responsibility of the City of Seaside.

G. Conclusions

In summary, the proposed project would generate 293 daily trips, with 18 trips (4 in, 14 out) during the AM peak hour and 22 trips (14 in, 8 out) during the PM peak hour. The project would not add more than five trips to any peak hour movement at any of the study intersections. The project would therefore not impact operations of the surrounding street network, including under cumulative conditions.

1. The following improvement is recommended to be installed by the City of Seaside.
 - a. Warning signs should be added to the mid-block crosswalk on Parker Flats Cut-Off Road north of the project driveway to better alert approaching traffic of the potential for crossing pedestrians. This would include "Pedestrian Crossing" (W11-2) signs at and in advance of this crosswalk, as required by the California Manual on Uniform Traffic Control Devices (CA MUTCD).
2. The following improvements should be considered by the City of Seaside.
 - a. Construct sidewalks along one or both sides of Parker Flats Cut-Off Road.
 - b. Install shared-lane markings ("sharrows") along Parker Flats Cut-Off Road.
3. The project is responsible for the following mitigations.
 - a. Improve sight distance to the south of the project driveway for traffic exiting the project driveway by trimming or removing trees on the southerly side of the driveway.
 - b. A crosswalk should also be added across the secondary entrance to the U.S. Department of Defense parking area that intersects with the project access road.
 - c. Install a "Stop" sign on the existing sign post at the project driveway.
 - d. Repaint the existing "Stop" pavement legend, limit line and centerline striping on the project driveway.
 - e. Pay Fort Ord Reuse Authority (FORA) traffic impact fees.


Megan Jones
March 7, 2018

If you have any questions regarding the contents of this letter or need additional information, please do not hesitate to contact me at your convenience. Thank you for the opportunity to assist you with this project.

Respectfully submitted,


Keith B. Higgins

Keith B. Higgins, PE, TE
enclosures



Basemap Source: Google Maps, 2018.

Keith Higgins
Traffic Engineer




Source: The Paul Davis Partnership, October 2017.

TRIP GENERATION RATES	ITE LAND USE CODE	DAILY TRIP RATE	AM PEAK HOUR				PM PEAK HOUR			
			PEAK HOUR RATE	% OF ADT	% IN	% OUT	PEAK HOUR RATE	% OF ADT	% IN	% OUT
Apartments (per unit)	220	7.32	0.46	6%	23%	77%	0.56	8%	63%	37%

PROPOSED USE	PROJECT SIZE	DAILY TRIPS	AM PEAK HOUR				PM PEAK HOUR			
			PEAK HOUR TRIPS	% OF ADT	TRIPS IN	TRIPS OUT	PEAK HOUR TRIPS	% OF ADT	TRIPS IN	TRIPS OUT
Apartments	40 units	293	18	6%	4	14	22	8%	14	8
Subtotal:		293	18		4	14	22		14	8

Notes:

1. Trip generation rates published by Institute of Transportation Engineers (ITE) "Trip Generation Manual," 10th Edition, 2017.
2. sq. ft. = square feet



Notes:

1. XX (YY) = AM (PM) peak hour volumes.
2. Drawing not to scale.

Keith Higgins
Traffic Engineer

Appendix A

Level of Service Descriptions

APPENDIX A1

LEVEL OF SERVICE (LOS) DESCRIPTION SIGNALIZED INTERSECTIONS

The capacity of an urban street is related primarily to the signal timing and the geometric characteristics of the facility as well as to the composition of traffic on the facility. Geometrics are a fixed characteristic of a facility. Thus, while traffic composition may vary somewhat over time, the capacity of a facility is generally a stable value that can be significantly improved only by initiating geometric improvements. A traffic signal essentially allocates time among conflicting traffic movements that seek to use the same space. The way in which time is allocated significantly affects the operation and the capacity of the intersection and its approaches.

The methodology for signalized intersection is designed to consider individual intersection approaches and individual lane groups within approaches. A lane group consists of one or more lanes on an intersection approach. The outputs from application of the method described in the HCM 2000 and 2010 are reported on the basis of each lane. For a given lane group at a signalized intersection, three indications are displayed: green, yellow and red. The red indication may include a short period during which all indications are red, referred to as an all-red interval and the yellow indication forms the change and clearance interval between two green phases.

The methodology for analyzing the capacity and level of service must consider a wide variety of prevailing conditions, including the amount and distribution of traffic movements, traffic composition, geometric characteristics, and details of intersection signalization. The methodology addresses the capacity, LOS, and other performance measures for lane groups and the intersection approaches and the LOS for the intersection as a whole.

Capacity is evaluated in terms of the ratio of demand flow rate to capacity (v/c ratio), whereas LOS is evaluated on the basis of control delay per vehicle (in seconds per vehicle). The methodology does not take into account the potential impact of downstream congestion on intersection operation, nor does the methodology detect and adjust for the impacts of turn-pocket overflows on through traffic and intersection operation.

LEVEL OF SERVICE (LOS) CRITERIA FOR SIGNALIZED INTERSECTIONS

(Reference 2000 and 2010 Highway Capacity Manuals)

Level of Service	Control Delay (seconds / vehicle)
A	<10
B	>10 - 20
C	>20 - 35
D	>35 - 55
E	>55 - 80
F	>80

APPENDIX A2

LEVEL OF SERVICE (LOS) DESCRIPTION UNSIGNALIZED INTERSECTIONS WITH ALL-WAY STOP CONTROL (AWSC)

AWSC intersections require every vehicle to stop at the intersection before proceeding. Since each driver must stop, the judgement as to whether to proceed into the intersection is a function of traffic conditions on the other approaches. While giving priority to the driver on the right is a recognized rule in some areas, it is not a good descriptor of actual intersection operations. What happens is the development of a consensus of right-of-way that alternates between the drivers on the intersection approaches, a consensus that depends primarily on the intersection geometry and the arrival patterns at the stop line.

If no traffic is present on the other approaches, a driver can proceed immediately after the stop is made. If there is traffic on one or more of the other approaches, a driver proceeds only after determining that there are no vehicles currently in the intersection and that it is the driver's turn to proceed. Since no traffic signal controls the stream movement or allocates the right-of-way to each conflicting stream, the rate of departure is controlled by the interaction between the traffic streams themselves.

For AWSC intersections, the average control delay (in seconds per vehicle) is used as the primary measure of performance. Control delay is the increased time of travel for a vehicle approaching and passing through an AWSC intersection, compared with a free-flow vehicle if it were not required to slow down or stop at the intersection.

The criteria for AWSC intersections have different threshold values than do those for signalized intersections, primarily because drivers expect different levels of performance from different kinds of traffic control devices (i.e., traffic signals, two way stop or all way stop, etc.). The expectation is that a signalized intersection is designed to carry higher traffic volumes than an AWSC intersection and a higher level of control delay is acceptable at a signalized intersection for the same LOS.

For AWSC analysis using the HCM 2010 method, the LOS shown reflects the weighted average of the delay on each of the approaches.

LEVEL OF SERVICE (LOS) CRITERIA FOR AWSC INTERSECTIONS (Reference 2010 Highway Capacity Manual)

Level of Service	Control Delay (seconds / vehicle)
A	0 - 10
B	>10 - 15
C	>15 - 25
D	>25 - 35
E	>35 - 50
F	>50

APPENDIX A3

LEVEL OF SERVICE (LOS) DESCRIPTION UNSIGNALIZED INTERSECTIONS WITH TWO-WAY STOP CONTROL (TWSC)

TWSC intersections are widely used and stop signs are used to control vehicle movements at such intersections. At TWSC intersections, the stop-controlled approaches are referred to as the minor street approaches; they can be either public streets or private driveways. The intersection approaches that are not controlled by stop signs are referred to as the major street approaches. A three-leg intersection is considered to be a standard type of TWSC intersection if the single minor street approach (i.e. the stem of the T configuration) is controlled by a stop sign. Three-leg intersections where two of the three approaches are controlled by stop signs are a special form of unsignalized intersection control.

At TWSC intersections, drivers on the controlled approaches are required to select gaps in the major street flow through which to execute crossing or turning maneuvers on the basis of judgment. In the presence of a queue, each driver on the controlled approach must use some time to move into the front-of-queue position and prepare to evaluate gaps in the major street flow. Capacity analysis at TWSC intersections depends on a clear description and understanding of the interaction of drivers on the minor or stop-controlled approach with drivers on the major street. Both gap acceptance and empirical models have been developed to describe this interaction.

Thus, the capacity of the controlled legs is based on three factors:

- the distribution of gaps in the major street traffic stream;
- driver judgment in selecting gaps through which to execute the desired maneuvers; and
- the follow-up time required by each driver in a queue.

The delay experienced by a motorist is made up of a number of factors that relate to control, geometrics, traffic and incidents. Total delay is the difference between the travel time actually experienced and the reference travel time that would result during base conditions, in the absence of incident, control, traffic or geometric delay. Average control delay for any particular minor movement is a function of the capacity of the approach and the degree of saturation and referred to as level of service.

LEVEL OF SERVICE (LOS) CRITERIA FOR TWSC INTERSECTIONS

(Reference 2010 Highway Capacity Manuals)

Level of Service	Control Delay (seconds / vehicle)
A	0 - 10
B	>10 - 15
C	>15 - 25
D	>25 - 35
E	>35 - 50
F	>50

Appendix A-2

Vehicle Miles Traveled Assessment

Memorandum

To: Megan Jones, MPP
Principal
Rincon Consultants, Inc.

From: Chris Gregerson, P.E., T.E., PTOE, PTP
Mike Schmitt, AICP CTP, PTP, RSP₁

Re: **DRAFT Vehicle Miles Traveled (VMT) Assessment**
Parker Flats Apartments Project, City of Seaside

Date: March 31, 2022

This memorandum documents SB 743 compliant analysis completed for the proposed Parker Flats Apartments Project (“project”) located at 4386 – 4387 Parker Flats Cut Off Road in the City of Seaside, CA. The proposed project is expected to renovate two existing buildings previously used to house nurse’s working on Fort Ord into 40 two- and three-bedroom apartments. With the passage of SB 743, Vehicle Miles Travelled (VMT) has become an important indicator for determining if new development will result in a “significant transportation impact” under the California Environmental Quality Act (CEQA). This memorandum summarizes the VMT analysis and resultant findings for the proposed development.

Purpose of Analysis

SB 743 is part of a long-standing policy effort by the California legislature to improve California’s sustainability and reduce greenhouse gas emissions through denser infill development, a reduction in single occupancy vehicles, improved mass transit, and other actions. Recognizing that the current environmental analysis techniques are, at times, encouraging development that is inconsistent with this vision, the legislature has taken the extraordinary step to change the basis of environmental analysis for transportation impacts from Level of Service (LOS) to Vehicle Miles Travelled (VMT). VMT is understood to be a good proxy for evaluating Greenhouse Gas (GHG) and other transportation related impacts that the State is actively trying to address. While the use of VMT to determine significant transportation impacts has only been considered recently, it is by no means a new performance metric and has long been used as a basis for transportation system evaluations and as an important metric for evaluating the performance of Travel Demand Models.

In January 2019, the Natural Resources Agency finalized updates to the CEQA Guidelines including the incorporation of SB 743 modifications. The Guidelines’ changes were approved by the Office of Administrative Law and are now in effect. Specific to SB 743, Section 15064.3(c) states, “A lead agency may elect to be governed by the provisions of this section immediately. The provisions apply statewide as of July 1, 2020.”

To help aid lead agencies with SB 743 implementation, the Governor’s Office of Planning and Research (OPR) produced the Technical Advisory on Evaluating Transportation Impacts in CEQA (December 2018) that provides guidance about the variety of implementation questions they face with respect to shifting to a VMT metric. Key guidance from this document includes:

- VMT is the most appropriate metric to evaluate a project’s transportation impact.
- OPR recommends tour- and trip-based travel models to estimate VMT, but ultimately defers to local agencies to determine the appropriate tools.

- OPR recommends measuring VMT for residential and office projects on a “per rate” basis.
- OPR recommends that a per capita or per employee VMT that is fifteen percent below that of existing development average may be a reasonable threshold. In other words, an office project that generates VMT per employee that is more than 15 percent less than the regional average VMT per employee could result in a significant impact. OPR notes that this threshold is supported by evidence that connects this level of reduction to the State’s GHG reduction goals.
- OPR recommends that where a project replaces existing VMT-generating land uses, if the replacement leads to a net overall decrease in VMT, the project would lead to a less-than-significant transportation impact. If the project leads to a net overall increase in VMT, then the thresholds described above should apply.
- Lead agencies have the discretion to set or apply their own significance thresholds.

As the proposed project is reusing an existing building that was previously used as a nurses’ barracks to house military personal at Fort Ord, CEQA Section 15229 states that, “the determination of whether the reuse plan may have a significant effect on the environment may, at the discretion of the lead agency, be based upon the physical conditions which were present at the time that the federal decision for the closure or realignment of the base or reservation became final.” Therefore, since Fort Ord was decommissioned in 1991, this would be considered its baseline instead of any more recent year. Other items of note when considering the analysis of this project include:

- The proposed project is “affordable by design” meaning that it is intended to meet the need for moderate income or below market housing in the region. In addition, 20-percent of the proposed project’s units will be deed restricted to “affordable.”
- The project is located just south of the Campus Town Specific Plan, previously analyzed in 2020. The Campus Town Specific Plan covered the area north of Gigling Road generally located between General Jim Moore Boulevard and 7th Avenue. The analysis for the Campus Town Specific Plan found that it does not result in a significant VMT impact. The proposed project is much smaller than the Campus Town Specific Plan and the socioeconomic distribution of its intended residents would have a lower average household income which generally leads to a lower overall average VMT per capita.

Analysis

The following sections detail the analysis completed:

Residential Land Use

The VMT for the proposed project land use was computed by totaling the production VMT for all Home-Based trip purposes. The external VMT for the proposed project was determined by multiplying the calibrated external trip distance by Traffic Analysis Zone (TAZ) determined using big data (Teralytics) by the total internal-external (I-X) Home-Based Work trips for that TAZ.

The City of Seaside intends to adopt a Class 32 Categorical Exemption (CE) for the proposed project. The State CEQA Guidelines Section 15332 states that a CE is allowed when:

- a) The project is consistent with the applicable general plan designation and all applicable general plan policies as well as with applicable zoning designation and regulations.
- b) The proposed development occurs within city limits on a project site of no more than five acres substantially surrounded by urban uses.
- c) The project site has no value as habitat for endangered, rare or threatened species.

- d) Approval of the project would not result in any significant effects relating to traffic, noise, air quality, or water quality.
- e) The site can be adequately served by all required utilities and public services.

The City of Seaside determined that the project is consistent with the applicable general plan designation and all applicable general plan policies as well as with applicable zoning designation and regulations in accordance with item (a) above. The subject property is 4.9 acres, and the City has determined that, due to its location on the former Fort Ord and the nature of surrounding development, the site meets the requirements of item (b) above.

Regarding item (d) above, a determination of whether the project results in a significant effect relating to traffic using the VMT metric. As the proposed project is located on the former Fort Ord, it should be noted that a Base Reuse Plan (BRP) and Environmental Impact Report (EIR) were certified and adopted in 1997 and are available at <https://www.fora.org/BRP.html>. CEQA states that all public and private activities taken pursuant to or in furtherance of a reuse plan for which an EIR was prepared and certified pursuant to Section 21083.8.1 shall be deemed to be a single project (Pub. Res. Code Section 21083.8.1(b)(2); CEQA Guidelines Sections 15125(b) and 15229(c)). The proposed project is taken pursuant to and in furtherance of the BRP. In addition, the BRP is implemented by the City of Seaside's 2004 General Plan, which has been certified by FORA as consistent with the BRP (Gov. Code Section 67675.5(b), FORA 1997c, FORA 2005). The proposed project implements the City's certified General Plan which designates the project site as "High Density Residential" (City of Seaside 2004, Figure LU-2). Further, specialized procedures for Reuse Plan CEQA baselines are provided under Pub. Res. Code Sections 21083.8.1(b)(1) and CEQA Guidelines Section 15229, which were intended to help expedite CEQA review and to fulfill the goals of the Fort Ord Reuse Authority Act. These provisions state in part:

"the determination of whether the reuse plan may have a significant effect on the environment may, at the discretion of the lead agency, be based upon the physical conditions which were present at the time that the federal decision for the closure or realignment of the base or reservation became final. These conditions shall be referred to as the "baseline physical conditions." Impacts which do not exceed the baseline physical conditions shall not be considered significant."

Therefore, as noted above, the effects of the reuse of Fort Ord have already been accounted for in the EIR. While VMT was not an unknown consideration when the EIR was adopted, it was not analyzed as a part of the EIR. As the proposed project is consistent with the City of Seaside's General Plan and the General Plan implements the BRP, the proposed project is presumed to have a less than significant impact.

It should be noted that since 1991, there have already been a total of at least 1,766 existing/replacement dwelling units built within the former Fort Ord area and one of the goals of the reuse of Fort Ord is to provide for the reuse and development of the base area in ways that enhance the economy and quality of life of the Monterey Bay community. In addition, it is difficult to determine the VMT generated by the use in 1991 as the trips generated by the nurse's living within the dwelling units are interrelated to the base's hospital and the base itself. Therefore, it is not reasonable to solely analyze the VMT of this site as the uses were interrelated in 1991.

Findings

Based on the results of this analysis, the following findings are made:

- The proposed Project qualifies as a categorical exemption and as it is consistent with the City of Seaside's General Plan which implements the Base Reuse Plan for Fort Ord, its impacts have already been considered. As such, additional analysis under SB 743 is not required.

Appendix B

Noise Data

Freq Weight : A
 Time Weight : FAST
 Level Range : 40-100
 Max dB : 53.0 - 2018/02/23 07:16:42
 Level Range : 40-100
 SEL : 76.2
 Leq : 46.7

No.s	Date Time	(dB)
1	2018/02/23 07:11:40	44.3
2	2018/02/23 07:11:41	44.9
3	2018/02/23 07:11:42	43.9
4	2018/02/23 07:11:43	43.4
5	2018/02/23 07:11:44	43.6
6	2018/02/23 07:11:45	42.9
7	2018/02/23 07:11:46	43.9
8	2018/02/23 07:11:47	43.7
9	2018/02/23 07:11:48	43.1
10	2018/02/23 07:11:49	43.0
11	2018/02/23 07:11:50	43.5
12	2018/02/23 07:11:51	44.3
13	2018/02/23 07:11:52	46.4
14	2018/02/23 07:11:53	45.1
15	2018/02/23 07:11:54	44.5
16	2018/02/23 07:11:55	45.4
17	2018/02/23 07:11:56	46.4
18	2018/02/23 07:11:57	44.4
19	2018/02/23 07:11:58	44.4
20	2018/02/23 07:11:59	46.1
21	2018/02/23 07:12:00	44.3
22	2018/02/23 07:12:01	43.9
23	2018/02/23 07:12:02	44.5
24	2018/02/23 07:12:03	44.4
25	2018/02/23 07:12:04	45.2
26	2018/02/23 07:12:05	45.2
27	2018/02/23 07:12:06	45.6
28	2018/02/23 07:12:07	46.1
29	2018/02/23 07:12:08	46.3
30	2018/02/23 07:12:09	45.8
31	2018/02/23 07:12:10	45.6
32	2018/02/23 07:12:11	45.7
33	2018/02/23 07:12:12	44.7
34	2018/02/23 07:12:13	45.2
35	2018/02/23 07:12:14	46.1
36	2018/02/23 07:12:15	46.6
37	2018/02/23 07:12:16	48.0
38	2018/02/23 07:12:17	46.4
39	2018/02/23 07:12:18	46.2
40	2018/02/23 07:12:19	47.0
41	2018/02/23 07:12:20	46.9
42	2018/02/23 07:12:21	47.7
43	2018/02/23 07:12:22	47.9
44	2018/02/23 07:12:23	47.5
45	2018/02/23 07:12:24	47.1
46	2018/02/23 07:12:25	48.3
47	2018/02/23 07:12:26	43.8
48	2018/02/23 07:12:27	44.0
49	2018/02/23 07:12:28	43.7
50	2018/02/23 07:12:29	43.5
51	2018/02/23 07:12:30	43.5
52	2018/02/23 07:12:31	44.8
53	2018/02/23 07:12:32	45.2
54	2018/02/23 07:12:33	45.2
55	2018/02/23 07:12:34	45.1
56	2018/02/23 07:12:35	45.2
57	2018/02/23 07:12:36	45.8
58	2018/02/23 07:12:37	46.7
59	2018/02/23 07:12:38	46.3
60	2018/02/23 07:12:39	45.5
61	2018/02/23 07:12:40	45.0
62	2018/02/23 07:12:41	43.4
63	2018/02/23 07:12:42	45.1
64	2018/02/23 07:12:43	45.0
65	2018/02/23 07:12:44	45.2
66	2018/02/23 07:12:45	44.6
67	2018/02/23 07:12:46	44.3
68	2018/02/23 07:12:47	44.3
69	2018/02/23 07:12:48	44.3
70	2018/02/23 07:12:49	43.0
71	2018/02/23 07:12:50	44.0
72	2018/02/23 07:12:51	44.7
73	2018/02/23 07:12:52	43.4
74	2018/02/23 07:12:53	44.6
75	2018/02/23 07:12:54	43.9
76	2018/02/23 07:12:55	43.8
77	2018/02/23 07:12:56	43.7
78	2018/02/23 07:12:57	45.3
79	2018/02/23 07:12:58	45.2
80	2018/02/23 07:12:59	45.0
81	2018/02/23 07:13:00	44.6
82	2018/02/23 07:13:01	44.7
83	2018/02/23 07:13:02	45.9
84	2018/02/23 07:13:03	45.7
85	2018/02/23 07:13:04	44.5

86	2018/02/23	07:13:05	46.7
87	2018/02/23	07:13:06	47.6
88	2018/02/23	07:13:07	47.2
89	2018/02/23	07:13:08	47.1
90	2018/02/23	07:13:09	46.9
91	2018/02/23	07:13:10	46.5
92	2018/02/23	07:13:11	45.6
93	2018/02/23	07:13:12	44.3
94	2018/02/23	07:13:13	45.0
95	2018/02/23	07:13:14	44.1
96	2018/02/23	07:13:15	44.3
97	2018/02/23	07:13:16	43.6
98	2018/02/23	07:13:17	43.2
99	2018/02/23	07:13:18	46.2
100	2018/02/23	07:13:19	45.5
101	2018/02/23	07:13:20	46.2
102	2018/02/23	07:13:21	47.0
103	2018/02/23	07:13:22	46.7
104	2018/02/23	07:13:23	47.1
105	2018/02/23	07:13:24	46.8
106	2018/02/23	07:13:25	45.3
107	2018/02/23	07:13:26	45.9
108	2018/02/23	07:13:27	44.0
109	2018/02/23	07:13:28	44.8
110	2018/02/23	07:13:29	46.4
111	2018/02/23	07:13:30	46.5
112	2018/02/23	07:13:31	47.2
113	2018/02/23	07:13:32	45.4
114	2018/02/23	07:13:33	45.2
115	2018/02/23	07:13:34	45.6
116	2018/02/23	07:13:35	44.0
117	2018/02/23	07:13:36	46.3
118	2018/02/23	07:13:37	47.1
119	2018/02/23	07:13:38	46.1
120	2018/02/23	07:13:39	46.7
121	2018/02/23	07:13:40	48.2
122	2018/02/23	07:13:41	48.6
123	2018/02/23	07:13:42	46.3
124	2018/02/23	07:13:43	45.4
125	2018/02/23	07:13:44	45.2
126	2018/02/23	07:13:45	47.4
127	2018/02/23	07:13:46	47.0
128	2018/02/23	07:13:47	47.0
129	2018/02/23	07:13:48	46.8
130	2018/02/23	07:13:49	45.1
131	2018/02/23	07:13:50	43.4
132	2018/02/23	07:13:51	43.5
133	2018/02/23	07:13:52	44.3
134	2018/02/23	07:13:53	44.1
135	2018/02/23	07:13:54	45.0
136	2018/02/23	07:13:55	45.9
137	2018/02/23	07:13:56	45.1
138	2018/02/23	07:13:57	45.0
139	2018/02/23	07:13:58	44.9
140	2018/02/23	07:13:59	44.2
141	2018/02/23	07:14:00	43.8
142	2018/02/23	07:14:01	43.3
143	2018/02/23	07:14:02	43.4
144	2018/02/23	07:14:03	43.3
145	2018/02/23	07:14:04	43.8
146	2018/02/23	07:14:05	43.3
147	2018/02/23	07:14:06	41.0
148	2018/02/23	07:14:07	42.6
149	2018/02/23	07:14:08	42.5
150	2018/02/23	07:14:09	43.4
151	2018/02/23	07:14:10	43.6
152	2018/02/23	07:14:11	43.6
153	2018/02/23	07:14:12	45.1
154	2018/02/23	07:14:13	45.7
155	2018/02/23	07:14:14	45.8
156	2018/02/23	07:14:15	44.7
157	2018/02/23	07:14:16	44.5
158	2018/02/23	07:14:17	45.0
159	2018/02/23	07:14:18	44.7
160	2018/02/23	07:14:19	43.4
161	2018/02/23	07:14:20	42.8
162	2018/02/23	07:14:21	42.8
163	2018/02/23	07:14:22	43.5
164	2018/02/23	07:14:23	44.2
165	2018/02/23	07:14:24	44.0
166	2018/02/23	07:14:25	44.8
167	2018/02/23	07:14:26	46.0
168	2018/02/23	07:14:27	44.5
169	2018/02/23	07:14:28	44.1
170	2018/02/23	07:14:29	43.5
171	2018/02/23	07:14:30	43.1
172	2018/02/23	07:14:31	42.0
173	2018/02/23	07:14:32	45.9
174	2018/02/23	07:14:33	43.8
175	2018/02/23	07:14:34	45.4
176	2018/02/23	07:14:35	44.9
177	2018/02/23	07:14:36	45.5
178	2018/02/23	07:14:37	46.1
179	2018/02/23	07:14:38	49.2
180	2018/02/23	07:14:39	47.6
181	2018/02/23	07:14:40	48.0
182	2018/02/23	07:14:41	47.0
183	2018/02/23	07:14:42	47.8
184	2018/02/23	07:14:43	47.3

185	2018/02/23	07:14:44	50.7
186	2018/02/23	07:14:45	50.2
187	2018/02/23	07:14:46	50.8
188	2018/02/23	07:14:47	48.8
189	2018/02/23	07:14:48	47.8
190	2018/02/23	07:14:49	47.6
191	2018/02/23	07:14:50	47.7
192	2018/02/23	07:14:51	48.0
193	2018/02/23	07:14:52	46.5
194	2018/02/23	07:14:53	46.8
195	2018/02/23	07:14:54	46.6
196	2018/02/23	07:14:55	46.7
197	2018/02/23	07:14:56	47.1
198	2018/02/23	07:14:57	46.1
199	2018/02/23	07:14:58	46.2
200	2018/02/23	07:14:59	46.6
201	2018/02/23	07:15:00	47.0
202	2018/02/23	07:15:01	48.9
203	2018/02/23	07:15:02	48.3
204	2018/02/23	07:15:03	47.7
205	2018/02/23	07:15:04	46.9
206	2018/02/23	07:15:05	46.7
207	2018/02/23	07:15:06	47.2
208	2018/02/23	07:15:07	46.5
209	2018/02/23	07:15:08	46.0
210	2018/02/23	07:15:09	47.0
211	2018/02/23	07:15:10	46.5
212	2018/02/23	07:15:11	47.0
213	2018/02/23	07:15:12	47.1
214	2018/02/23	07:15:13	45.9
215	2018/02/23	07:15:14	46.2
216	2018/02/23	07:15:15	48.4
217	2018/02/23	07:15:16	48.3
218	2018/02/23	07:15:17	49.6
219	2018/02/23	07:15:18	46.9
220	2018/02/23	07:15:19	46.0
221	2018/02/23	07:15:20	45.6
222	2018/02/23	07:15:21	46.6
223	2018/02/23	07:15:22	47.4
224	2018/02/23	07:15:23	47.3
225	2018/02/23	07:15:24	46.9
226	2018/02/23	07:15:25	48.9
227	2018/02/23	07:15:26	48.3
228	2018/02/23	07:15:27	46.9
229	2018/02/23	07:15:28	45.4
230	2018/02/23	07:15:29	44.9
231	2018/02/23	07:15:30	46.6
232	2018/02/23	07:15:31	46.6
233	2018/02/23	07:15:32	46.1
234	2018/02/23	07:15:33	45.3
235	2018/02/23	07:15:34	48.2
236	2018/02/23	07:15:35	47.5
237	2018/02/23	07:15:36	45.5
238	2018/02/23	07:15:37	47.5
239	2018/02/23	07:15:38	48.1
240	2018/02/23	07:15:39	48.7
241	2018/02/23	07:15:40	48.9
242	2018/02/23	07:15:41	47.9
243	2018/02/23	07:15:42	49.7
244	2018/02/23	07:15:43	49.0
245	2018/02/23	07:15:44	49.1
246	2018/02/23	07:15:45	49.6
247	2018/02/23	07:15:46	48.3
248	2018/02/23	07:15:47	48.2
249	2018/02/23	07:15:48	50.3
250	2018/02/23	07:15:49	48.8
251	2018/02/23	07:15:50	46.7
252	2018/02/23	07:15:51	47.0
253	2018/02/23	07:15:52	49.5
254	2018/02/23	07:15:53	47.7
255	2018/02/23	07:15:54	48.2
256	2018/02/23	07:15:55	50.1
257	2018/02/23	07:15:56	48.4
258	2018/02/23	07:15:57	47.7
259	2018/02/23	07:15:58	48.0
260	2018/02/23	07:15:59	47.1
261	2018/02/23	07:16:00	45.8
262	2018/02/23	07:16:01	45.7
263	2018/02/23	07:16:02	45.6
264	2018/02/23	07:16:03	45.2
265	2018/02/23	07:16:04	43.9
266	2018/02/23	07:16:05	43.9
267	2018/02/23	07:16:06	43.3
268	2018/02/23	07:16:07	45.4
269	2018/02/23	07:16:08	46.9
270	2018/02/23	07:16:09	45.3
271	2018/02/23	07:16:10	44.7
272	2018/02/23	07:16:11	45.3
273	2018/02/23	07:16:12	45.5
274	2018/02/23	07:16:13	47.6
275	2018/02/23	07:16:14	48.8
276	2018/02/23	07:16:15	46.9
277	2018/02/23	07:16:16	45.8
278	2018/02/23	07:16:17	45.5
279	2018/02/23	07:16:18	46.3
280	2018/02/23	07:16:19	47.5
281	2018/02/23	07:16:20	46.3
282	2018/02/23	07:16:21	47.2
283	2018/02/23	07:16:22	47.2

284	2018/02/23	07:16:23	45.3
285	2018/02/23	07:16:24	44.6
286	2018/02/23	07:16:25	44.5
287	2018/02/23	07:16:26	44.4
288	2018/02/23	07:16:27	44.0
289	2018/02/23	07:16:28	44.0
290	2018/02/23	07:16:29	45.2
291	2018/02/23	07:16:30	46.0
292	2018/02/23	07:16:31	47.0
293	2018/02/23	07:16:32	47.1
294	2018/02/23	07:16:33	48.1
295	2018/02/23	07:16:34	46.7
296	2018/02/23	07:16:35	47.6
297	2018/02/23	07:16:36	47.5
298	2018/02/23	07:16:37	45.6
299	2018/02/23	07:16:38	45.0
300	2018/02/23	07:16:39	45.0
301	2018/02/23	07:16:40	49.3
302	2018/02/23	07:16:41	47.9
303	2018/02/23	07:16:42	52.4
304	2018/02/23	07:16:43	52.2
305	2018/02/23	07:16:44	50.3
306	2018/02/23	07:16:45	49.8
307	2018/02/23	07:16:46	47.2
308	2018/02/23	07:16:47	46.3
309	2018/02/23	07:16:48	46.4
310	2018/02/23	07:16:49	44.8
311	2018/02/23	07:16:50	45.8
312	2018/02/23	07:16:51	47.3
313	2018/02/23	07:16:52	48.4
314	2018/02/23	07:16:53	48.4
315	2018/02/23	07:16:54	46.5
316	2018/02/23	07:16:55	45.4
317	2018/02/23	07:16:56	45.5
318	2018/02/23	07:16:57	45.9
319	2018/02/23	07:16:58	46.0
320	2018/02/23	07:16:59	45.0
321	2018/02/23	07:17:00	44.2
322	2018/02/23	07:17:01	44.2
323	2018/02/23	07:17:02	43.7
324	2018/02/23	07:17:03	44.8
325	2018/02/23	07:17:04	44.8
326	2018/02/23	07:17:05	46.2
327	2018/02/23	07:17:06	45.8
328	2018/02/23	07:17:07	45.4
329	2018/02/23	07:17:08	46.4
330	2018/02/23	07:17:09	45.5
331	2018/02/23	07:17:10	45.5
332	2018/02/23	07:17:11	46.6
333	2018/02/23	07:17:12	46.9
334	2018/02/23	07:17:13	48.4
335	2018/02/23	07:17:14	48.1
336	2018/02/23	07:17:15	47.2
337	2018/02/23	07:17:16	46.9
338	2018/02/23	07:17:17	48.8
339	2018/02/23	07:17:18	49.8
340	2018/02/23	07:17:19	49.4
341	2018/02/23	07:17:20	48.9
342	2018/02/23	07:17:21	47.3
343	2018/02/23	07:17:22	46.4
344	2018/02/23	07:17:23	47.8
345	2018/02/23	07:17:24	48.1
346	2018/02/23	07:17:25	47.8
347	2018/02/23	07:17:26	47.7
348	2018/02/23	07:17:27	48.2
349	2018/02/23	07:17:28	49.2
350	2018/02/23	07:17:29	48.0
351	2018/02/23	07:17:30	46.7
352	2018/02/23	07:17:31	45.1
353	2018/02/23	07:17:32	45.3
354	2018/02/23	07:17:33	44.6
355	2018/02/23	07:17:34	44.1
356	2018/02/23	07:17:35	44.7
357	2018/02/23	07:17:36	47.0
358	2018/02/23	07:17:37	47.4
359	2018/02/23	07:17:38	48.9
360	2018/02/23	07:17:39	46.8
361	2018/02/23	07:17:40	45.8
362	2018/02/23	07:17:41	47.1
363	2018/02/23	07:17:42	46.4
364	2018/02/23	07:17:43	45.6
365	2018/02/23	07:17:44	45.0
366	2018/02/23	07:17:45	44.8
367	2018/02/23	07:17:46	43.1
368	2018/02/23	07:17:47	44.1
369	2018/02/23	07:17:48	46.2
370	2018/02/23	07:17:49	46.7
371	2018/02/23	07:17:50	47.1
372	2018/02/23	07:17:51	47.4
373	2018/02/23	07:17:52	47.7
374	2018/02/23	07:17:53	47.2
375	2018/02/23	07:17:54	44.9
376	2018/02/23	07:17:55	46.4
377	2018/02/23	07:17:56	42.8
378	2018/02/23	07:17:57	42.7
379	2018/02/23	07:17:58	44.8
380	2018/02/23	07:17:59	44.7
381	2018/02/23	07:18:00	44.6
382	2018/02/23	07:18:01	44.4

383	2018/02/23	07:18:02	45.2
384	2018/02/23	07:18:03	45.8
385	2018/02/23	07:18:04	45.9
386	2018/02/23	07:18:05	46.5
387	2018/02/23	07:18:06	45.7
388	2018/02/23	07:18:07	45.7
389	2018/02/23	07:18:08	45.7
390	2018/02/23	07:18:09	45.1
391	2018/02/23	07:18:10	46.0
392	2018/02/23	07:18:11	45.4
393	2018/02/23	07:18:12	45.7
394	2018/02/23	07:18:13	47.0
395	2018/02/23	07:18:14	47.4
396	2018/02/23	07:18:15	46.3
397	2018/02/23	07:18:16	47.0
398	2018/02/23	07:18:17	47.1
399	2018/02/23	07:18:18	48.6
400	2018/02/23	07:18:19	48.7
401	2018/02/23	07:18:20	46.9
402	2018/02/23	07:18:21	45.4
403	2018/02/23	07:18:22	45.8
404	2018/02/23	07:18:23	45.6
405	2018/02/23	07:18:24	46.9
406	2018/02/23	07:18:25	47.5
407	2018/02/23	07:18:26	47.5
408	2018/02/23	07:18:27	46.9
409	2018/02/23	07:18:28	46.5
410	2018/02/23	07:18:29	46.3
411	2018/02/23	07:18:30	48.2
412	2018/02/23	07:18:31	47.4
413	2018/02/23	07:18:32	46.5
414	2018/02/23	07:18:33	45.3
415	2018/02/23	07:18:34	47.3
416	2018/02/23	07:18:35	47.5
417	2018/02/23	07:18:36	46.7
418	2018/02/23	07:18:37	49.5
419	2018/02/23	07:18:38	49.4
420	2018/02/23	07:18:39	48.4
421	2018/02/23	07:18:40	48.0
422	2018/02/23	07:18:41	47.7
423	2018/02/23	07:18:42	47.1
424	2018/02/23	07:18:43	47.0
425	2018/02/23	07:18:44	47.5
426	2018/02/23	07:18:45	47.5
427	2018/02/23	07:18:46	47.1
428	2018/02/23	07:18:47	47.3
429	2018/02/23	07:18:48	46.7
430	2018/02/23	07:18:49	47.0
431	2018/02/23	07:18:50	48.8
432	2018/02/23	07:18:51	49.9
433	2018/02/23	07:18:52	49.3
434	2018/02/23	07:18:53	47.0
435	2018/02/23	07:18:54	47.4
436	2018/02/23	07:18:55	46.8
437	2018/02/23	07:18:56	46.7
438	2018/02/23	07:18:57	48.3
439	2018/02/23	07:18:58	48.0
440	2018/02/23	07:18:59	47.1
441	2018/02/23	07:19:00	47.0
442	2018/02/23	07:19:01	46.1
443	2018/02/23	07:19:02	46.5
444	2018/02/23	07:19:03	46.7
445	2018/02/23	07:19:04	46.2
446	2018/02/23	07:19:05	47.0
447	2018/02/23	07:19:06	48.6
448	2018/02/23	07:19:07	49.5
449	2018/02/23	07:19:08	48.9
450	2018/02/23	07:19:09	48.1
451	2018/02/23	07:19:10	48.0
452	2018/02/23	07:19:11	47.8
453	2018/02/23	07:19:12	48.3
454	2018/02/23	07:19:13	49.3
455	2018/02/23	07:19:14	46.8
456	2018/02/23	07:19:15	46.0
457	2018/02/23	07:19:16	45.2
458	2018/02/23	07:19:17	44.8
459	2018/02/23	07:19:18	44.8
460	2018/02/23	07:19:19	43.9
461	2018/02/23	07:19:20	44.8
462	2018/02/23	07:19:21	47.4
463	2018/02/23	07:19:22	48.1
464	2018/02/23	07:19:23	48.5
465	2018/02/23	07:19:24	47.8
466	2018/02/23	07:19:25	48.3
467	2018/02/23	07:19:26	48.5
468	2018/02/23	07:19:27	47.7
469	2018/02/23	07:19:28	46.6
470	2018/02/23	07:19:29	46.6
471	2018/02/23	07:19:30	47.3
472	2018/02/23	07:19:31	47.4
473	2018/02/23	07:19:32	46.9
474	2018/02/23	07:19:33	47.1
475	2018/02/23	07:19:34	46.7
476	2018/02/23	07:19:35	47.6
477	2018/02/23	07:19:36	49.0
478	2018/02/23	07:19:37	48.4
479	2018/02/23	07:19:38	49.2
480	2018/02/23	07:19:39	48.9
481	2018/02/23	07:19:40	48.9

482	2018/02/23	07:19:41	50.0
483	2018/02/23	07:19:42	49.0
484	2018/02/23	07:19:43	47.7
485	2018/02/23	07:19:44	47.9
486	2018/02/23	07:19:45	48.2
487	2018/02/23	07:19:46	48.7
488	2018/02/23	07:19:47	48.5
489	2018/02/23	07:19:48	47.8
490	2018/02/23	07:19:49	47.7
491	2018/02/23	07:19:50	46.3
492	2018/02/23	07:19:51	48.3
493	2018/02/23	07:19:52	48.2
494	2018/02/23	07:19:53	47.6
495	2018/02/23	07:19:54	48.3
496	2018/02/23	07:19:55	46.7
497	2018/02/23	07:19:56	47.8
498	2018/02/23	07:19:57	46.1
499	2018/02/23	07:19:58	46.1
500	2018/02/23	07:19:59	47.4
501	2018/02/23	07:20:00	49.1
502	2018/02/23	07:20:01	50.1
503	2018/02/23	07:20:02	48.0
504	2018/02/23	07:20:03	47.5
505	2018/02/23	07:20:04	47.4
506	2018/02/23	07:20:05	47.8
507	2018/02/23	07:20:06	49.9
508	2018/02/23	07:20:07	49.4
509	2018/02/23	07:20:08	49.0
510	2018/02/23	07:20:09	50.4
511	2018/02/23	07:20:10	50.6
512	2018/02/23	07:20:11	50.4
513	2018/02/23	07:20:12	49.3
514	2018/02/23	07:20:13	50.3
515	2018/02/23	07:20:14	50.3
516	2018/02/23	07:20:15	49.9
517	2018/02/23	07:20:16	48.5
518	2018/02/23	07:20:17	47.6
519	2018/02/23	07:20:18	47.9
520	2018/02/23	07:20:19	51.2
521	2018/02/23	07:20:20	48.8
522	2018/02/23	07:20:21	48.6
523	2018/02/23	07:20:22	47.0
524	2018/02/23	07:20:23	46.6
525	2018/02/23	07:20:24	46.0
526	2018/02/23	07:20:25	46.8
527	2018/02/23	07:20:26	45.9
528	2018/02/23	07:20:27	47.4
529	2018/02/23	07:20:28	47.4
530	2018/02/23	07:20:29	48.5
531	2018/02/23	07:20:30	49.8
532	2018/02/23	07:20:31	48.8
533	2018/02/23	07:20:32	47.9
534	2018/02/23	07:20:33	47.1
535	2018/02/23	07:20:34	46.6
536	2018/02/23	07:20:35	45.8
537	2018/02/23	07:20:36	46.8
538	2018/02/23	07:20:37	46.0
539	2018/02/23	07:20:38	45.8
540	2018/02/23	07:20:39	46.4
541	2018/02/23	07:20:40	46.0
542	2018/02/23	07:20:41	46.3
543	2018/02/23	07:20:42	47.6
544	2018/02/23	07:20:43	46.0
545	2018/02/23	07:20:44	45.5
546	2018/02/23	07:20:45	46.0
547	2018/02/23	07:20:46	46.3
548	2018/02/23	07:20:47	47.0
549	2018/02/23	07:20:48	46.7
550	2018/02/23	07:20:49	47.5
551	2018/02/23	07:20:50	47.8
552	2018/02/23	07:20:51	46.8
553	2018/02/23	07:20:52	47.0
554	2018/02/23	07:20:53	47.7
555	2018/02/23	07:20:54	47.1
556	2018/02/23	07:20:55	47.6
557	2018/02/23	07:20:56	46.7
558	2018/02/23	07:20:57	46.8
559	2018/02/23	07:20:58	50.0
560	2018/02/23	07:20:59	49.1
561	2018/02/23	07:21:00	48.2
562	2018/02/23	07:21:01	47.9
563	2018/02/23	07:21:02	48.6
564	2018/02/23	07:21:03	48.3
565	2018/02/23	07:21:04	45.6
566	2018/02/23	07:21:05	44.8
567	2018/02/23	07:21:06	46.7
568	2018/02/23	07:21:07	47.3
569	2018/02/23	07:21:08	46.6
570	2018/02/23	07:21:09	45.7
571	2018/02/23	07:21:10	47.7
572	2018/02/23	07:21:11	45.3
573	2018/02/23	07:21:12	47.5
574	2018/02/23	07:21:13	47.3
575	2018/02/23	07:21:14	45.3
576	2018/02/23	07:21:15	46.5
577	2018/02/23	07:21:16	48.4
578	2018/02/23	07:21:17	48.2
579	2018/02/23	07:21:18	49.3
580	2018/02/23	07:21:19	49.4

581	2018/02/23	07:21:20	49.3
582	2018/02/23	07:21:21	48.2
583	2018/02/23	07:21:22	47.5
584	2018/02/23	07:21:23	47.2
585	2018/02/23	07:21:24	48.4
586	2018/02/23	07:21:25	47.1
587	2018/02/23	07:21:26	44.9
588	2018/02/23	07:21:27	44.6
589	2018/02/23	07:21:28	45.5
590	2018/02/23	07:21:29	47.0
591	2018/02/23	07:21:30	47.2
592	2018/02/23	07:21:31	46.7
593	2018/02/23	07:21:32	46.6
594	2018/02/23	07:21:33	48.3
595	2018/02/23	07:21:34	47.8
596	2018/02/23	07:21:35	47.0
597	2018/02/23	07:21:36	46.4
598	2018/02/23	07:21:37	47.0
599	2018/02/23	07:21:38	47.8
600	2018/02/23	07:21:39	48.8
601	2018/02/23	07:21:40	49.5
602	2018/02/23	07:21:41	50.4
603	2018/02/23	07:21:42	47.8
604	2018/02/23	07:21:43	46.5
605	2018/02/23	07:21:44	45.6
606	2018/02/23	07:21:45	45.7
607	2018/02/23	07:21:46	45.5
608	2018/02/23	07:21:47	46.2
609	2018/02/23	07:21:48	47.0
610	2018/02/23	07:21:49	45.8
611	2018/02/23	07:21:50	46.9
612	2018/02/23	07:21:51	47.5
613	2018/02/23	07:21:52	46.6
614	2018/02/23	07:21:53	48.5
615	2018/02/23	07:21:54	48.6
616	2018/02/23	07:21:55	46.5
617	2018/02/23	07:21:56	46.1
618	2018/02/23	07:21:57	48.2
619	2018/02/23	07:21:58	48.2
620	2018/02/23	07:21:59	46.7
621	2018/02/23	07:22:00	46.5
622	2018/02/23	07:22:01	44.3
623	2018/02/23	07:22:02	44.1
624	2018/02/23	07:22:03	47.8
625	2018/02/23	07:22:04	44.9
626	2018/02/23	07:22:05	47.7
627	2018/02/23	07:22:06	46.8
628	2018/02/23	07:22:07	45.1
629	2018/02/23	07:22:08	43.9
630	2018/02/23	07:22:09	44.9
631	2018/02/23	07:22:10	47.4
632	2018/02/23	07:22:11	46.8
633	2018/02/23	07:22:12	48.2
634	2018/02/23	07:22:13	46.1
635	2018/02/23	07:22:14	45.8
636	2018/02/23	07:22:15	45.7
637	2018/02/23	07:22:16	45.6
638	2018/02/23	07:22:17	45.0
639	2018/02/23	07:22:18	45.9
640	2018/02/23	07:22:19	45.7
641	2018/02/23	07:22:20	45.7
642	2018/02/23	07:22:21	45.6
643	2018/02/23	07:22:22	44.3
644	2018/02/23	07:22:23	45.3
645	2018/02/23	07:22:24	46.0
646	2018/02/23	07:22:25	47.0
647	2018/02/23	07:22:26	47.4
648	2018/02/23	07:22:27	45.9
649	2018/02/23	07:22:28	46.8
650	2018/02/23	07:22:29	47.8
651	2018/02/23	07:22:30	48.3
652	2018/02/23	07:22:31	48.3
653	2018/02/23	07:22:32	47.3
654	2018/02/23	07:22:33	46.4
655	2018/02/23	07:22:34	48.0
656	2018/02/23	07:22:35	46.8
657	2018/02/23	07:22:36	45.9
658	2018/02/23	07:22:37	45.5
659	2018/02/23	07:22:38	44.8
660	2018/02/23	07:22:39	45.6
661	2018/02/23	07:22:40	44.9
662	2018/02/23	07:22:41	44.0
663	2018/02/23	07:22:42	45.0
664	2018/02/23	07:22:43	44.8
665	2018/02/23	07:22:44	45.7
666	2018/02/23	07:22:45	45.4
667	2018/02/23	07:22:46	46.6
668	2018/02/23	07:22:47	45.8
669	2018/02/23	07:22:48	44.8
670	2018/02/23	07:22:49	44.2
671	2018/02/23	07:22:50	44.4
672	2018/02/23	07:22:51	44.4
673	2018/02/23	07:22:52	44.0
674	2018/02/23	07:22:53	43.7
675	2018/02/23	07:22:54	42.7
676	2018/02/23	07:22:55	43.9
677	2018/02/23	07:22:56	43.1
678	2018/02/23	07:22:57	43.1
679	2018/02/23	07:22:58	43.2

680	2018/02/23	07:22:59	44.2
681	2018/02/23	07:23:00	43.8
682	2018/02/23	07:23:01	43.6
683	2018/02/23	07:23:02	43.7
684	2018/02/23	07:23:03	42.5
685	2018/02/23	07:23:04	43.8
686	2018/02/23	07:23:05	43.3
687	2018/02/23	07:23:06	44.7
688	2018/02/23	07:23:07	45.6
689	2018/02/23	07:23:08	46.7
690	2018/02/23	07:23:09	46.2
691	2018/02/23	07:23:10	45.0
692	2018/02/23	07:23:11	46.4
693	2018/02/23	07:23:12	45.1
694	2018/02/23	07:23:13	44.4
695	2018/02/23	07:23:14	44.9
696	2018/02/23	07:23:15	42.7
697	2018/02/23	07:23:16	44.4
698	2018/02/23	07:23:17	45.2
699	2018/02/23	07:23:18	46.0
700	2018/02/23	07:23:19	46.1
701	2018/02/23	07:23:20	46.9
702	2018/02/23	07:23:21	47.3
703	2018/02/23	07:23:22	47.8
704	2018/02/23	07:23:23	46.4
705	2018/02/23	07:23:24	48.3
706	2018/02/23	07:23:25	46.7
707	2018/02/23	07:23:26	45.6
708	2018/02/23	07:23:27	45.7
709	2018/02/23	07:23:28	45.9
710	2018/02/23	07:23:29	45.1
711	2018/02/23	07:23:30	46.0
712	2018/02/23	07:23:31	46.0
713	2018/02/23	07:23:32	47.1
714	2018/02/23	07:23:33	48.8
715	2018/02/23	07:23:34	48.2
716	2018/02/23	07:23:35	48.7
717	2018/02/23	07:23:36	48.2
718	2018/02/23	07:23:37	49.0
719	2018/02/23	07:23:38	48.2
720	2018/02/23	07:23:39	47.1
721	2018/02/23	07:23:40	46.3
722	2018/02/23	07:23:41	46.2
723	2018/02/23	07:23:42	46.2
724	2018/02/23	07:23:43	46.7
725	2018/02/23	07:23:44	44.3
726	2018/02/23	07:23:45	44.6
727	2018/02/23	07:23:46	44.6
728	2018/02/23	07:23:47	45.4
729	2018/02/23	07:23:48	45.3
730	2018/02/23	07:23:49	45.8
731	2018/02/23	07:23:50	46.8
732	2018/02/23	07:23:51	46.9
733	2018/02/23	07:23:52	46.3
734	2018/02/23	07:23:53	45.3
735	2018/02/23	07:23:54	45.8
736	2018/02/23	07:23:55	46.4
737	2018/02/23	07:23:56	46.7
738	2018/02/23	07:23:57	45.2
739	2018/02/23	07:23:58	45.2
740	2018/02/23	07:23:59	46.1
741	2018/02/23	07:24:00	45.4
742	2018/02/23	07:24:01	44.6
743	2018/02/23	07:24:02	45.8
744	2018/02/23	07:24:03	46.3
745	2018/02/23	07:24:04	46.6
746	2018/02/23	07:24:05	44.7
747	2018/02/23	07:24:06	45.2
748	2018/02/23	07:24:07	45.2
749	2018/02/23	07:24:08	44.6
750	2018/02/23	07:24:09	46.0
751	2018/02/23	07:24:10	44.5
752	2018/02/23	07:24:11	44.3
753	2018/02/23	07:24:12	44.6
754	2018/02/23	07:24:13	44.7
755	2018/02/23	07:24:14	45.1
756	2018/02/23	07:24:15	45.5
757	2018/02/23	07:24:16	45.4
758	2018/02/23	07:24:17	46.4
759	2018/02/23	07:24:18	45.7
760	2018/02/23	07:24:19	44.5
761	2018/02/23	07:24:20	44.3
762	2018/02/23	07:24:21	45.0
763	2018/02/23	07:24:22	44.3
764	2018/02/23	07:24:23	45.5
765	2018/02/23	07:24:24	45.5
766	2018/02/23	07:24:25	46.2
767	2018/02/23	07:24:26	46.4
768	2018/02/23	07:24:27	45.1
769	2018/02/23	07:24:28	46.1
770	2018/02/23	07:24:29	46.1
771	2018/02/23	07:24:30	46.5
772	2018/02/23	07:24:31	46.5
773	2018/02/23	07:24:32	46.3
774	2018/02/23	07:24:33	45.3
775	2018/02/23	07:24:34	45.6
776	2018/02/23	07:24:35	46.2
777	2018/02/23	07:24:36	46.0
778	2018/02/23	07:24:37	45.9

779	2018/02/23	07:24:38	45.5
780	2018/02/23	07:24:39	45.5
781	2018/02/23	07:24:40	46.2
782	2018/02/23	07:24:41	46.7
783	2018/02/23	07:24:42	46.6
784	2018/02/23	07:24:43	45.5
785	2018/02/23	07:24:44	46.3
786	2018/02/23	07:24:45	47.1
787	2018/02/23	07:24:46	46.2
788	2018/02/23	07:24:47	46.5
789	2018/02/23	07:24:48	47.3
790	2018/02/23	07:24:49	46.9
791	2018/02/23	07:24:50	46.6
792	2018/02/23	07:24:51	45.9
793	2018/02/23	07:24:52	45.4
794	2018/02/23	07:24:53	45.6
795	2018/02/23	07:24:54	47.2
796	2018/02/23	07:24:55	46.4
797	2018/02/23	07:24:56	46.8
798	2018/02/23	07:24:57	46.0
799	2018/02/23	07:24:58	47.0
800	2018/02/23	07:24:59	47.2
801	2018/02/23	07:25:00	46.7
802	2018/02/23	07:25:01	46.3
803	2018/02/23	07:25:02	48.1
804	2018/02/23	07:25:03	48.6
805	2018/02/23	07:25:04	48.3
806	2018/02/23	07:25:05	50.4
807	2018/02/23	07:25:06	48.1
808	2018/02/23	07:25:07	46.6
809	2018/02/23	07:25:08	47.5
810	2018/02/23	07:25:09	46.8
811	2018/02/23	07:25:10	46.5
812	2018/02/23	07:25:11	47.2
813	2018/02/23	07:25:12	48.3
814	2018/02/23	07:25:13	47.2
815	2018/02/23	07:25:14	48.1
816	2018/02/23	07:25:15	47.0
817	2018/02/23	07:25:16	46.8
818	2018/02/23	07:25:17	47.2
819	2018/02/23	07:25:18	46.9
820	2018/02/23	07:25:19	47.1
821	2018/02/23	07:25:20	46.7
822	2018/02/23	07:25:21	46.8
823	2018/02/23	07:25:22	46.1
824	2018/02/23	07:25:23	45.6
825	2018/02/23	07:25:24	45.8
826	2018/02/23	07:25:25	47.1
827	2018/02/23	07:25:26	47.5
828	2018/02/23	07:25:27	47.5
829	2018/02/23	07:25:28	46.2
830	2018/02/23	07:25:29	45.8
831	2018/02/23	07:25:30	46.7
832	2018/02/23	07:25:31	49.3
833	2018/02/23	07:25:32	47.9
834	2018/02/23	07:25:33	46.2
835	2018/02/23	07:25:34	46.1
836	2018/02/23	07:25:35	46.3
837	2018/02/23	07:25:36	48.0
838	2018/02/23	07:25:37	46.3
839	2018/02/23	07:25:38	46.3
840	2018/02/23	07:25:39	46.5
841	2018/02/23	07:25:40	46.4
842	2018/02/23	07:25:41	46.1
843	2018/02/23	07:25:42	48.1
844	2018/02/23	07:25:43	48.0
845	2018/02/23	07:25:44	47.3
846	2018/02/23	07:25:45	47.0
847	2018/02/23	07:25:46	47.3
848	2018/02/23	07:25:47	46.4
849	2018/02/23	07:25:48	47.4
850	2018/02/23	07:25:49	46.7
851	2018/02/23	07:25:50	47.3
852	2018/02/23	07:25:51	47.7
853	2018/02/23	07:25:52	47.8
854	2018/02/23	07:25:53	47.4
855	2018/02/23	07:25:54	46.9
856	2018/02/23	07:25:55	47.8
857	2018/02/23	07:25:56	49.8
858	2018/02/23	07:25:57	47.8
859	2018/02/23	07:25:58	46.8
860	2018/02/23	07:25:59	45.9
861	2018/02/23	07:26:00	46.1
862	2018/02/23	07:26:01	46.9
863	2018/02/23	07:26:02	45.6
864	2018/02/23	07:26:03	46.9
865	2018/02/23	07:26:04	47.7
866	2018/02/23	07:26:05	47.4
867	2018/02/23	07:26:06	47.7
868	2018/02/23	07:26:07	48.3
869	2018/02/23	07:26:08	48.1
870	2018/02/23	07:26:09	48.6
871	2018/02/23	07:26:10	48.3
872	2018/02/23	07:26:11	47.6
873	2018/02/23	07:26:12	47.6
874	2018/02/23	07:26:13	46.3
875	2018/02/23	07:26:14	46.0
876	2018/02/23	07:26:15	46.8
877	2018/02/23	07:26:16	47.8

878	2018/02/23	07:26:17	48.6
879	2018/02/23	07:26:18	48.5
880	2018/02/23	07:26:19	47.9
881	2018/02/23	07:26:20	48.1
882	2018/02/23	07:26:21	48.9
883	2018/02/23	07:26:22	49.0
884	2018/02/23	07:26:23	50.2
885	2018/02/23	07:26:24	50.1
886	2018/02/23	07:26:25	49.8
887	2018/02/23	07:26:26	49.7
888	2018/02/23	07:26:27	49.5
889	2018/02/23	07:26:28	51.6
890	2018/02/23	07:26:29	48.2
891	2018/02/23	07:26:30	46.7
892	2018/02/23	07:26:31	47.8
893	2018/02/23	07:26:32	48.1
894	2018/02/23	07:26:33	48.7
895	2018/02/23	07:26:34	47.1
896	2018/02/23	07:26:35	46.7
897	2018/02/23	07:26:36	47.4
898	2018/02/23	07:26:37	46.9
899	2018/02/23	07:26:38	48.0
900	2018/02/23	07:26:39	49.2

Freq Weight : A
 Time Weight : FAST
 Level Range : 40-100
 Max dB : 77.0 - 2018/02/23 07:48:33
 Level Range : 40-100
 SEL : 90.9
 Leq : 61.4

No.s	Date Time	(dB)
1	2018/02/23 07:37:06	50.7
2	2018/02/23 07:37:07	50.9
3	2018/02/23 07:37:08	51.5
4	2018/02/23 07:37:09	52.8
5	2018/02/23 07:37:10	55.0
6	2018/02/23 07:37:11	57.1
7	2018/02/23 07:37:12	58.8
8	2018/02/23 07:37:13	64.2
9	2018/02/23 07:37:14	67.6
10	2018/02/23 07:37:15	63.6
11	2018/02/23 07:37:16	58.4
12	2018/02/23 07:37:17	56.3
13	2018/02/23 07:37:18	56.2
14	2018/02/23 07:37:19	56.6
15	2018/02/23 07:37:20	53.5
16	2018/02/23 07:37:21	52.2
17	2018/02/23 07:37:22	51.7
18	2018/02/23 07:37:23	49.7
19	2018/02/23 07:37:24	48.5
20	2018/02/23 07:37:25	48.5
21	2018/02/23 07:37:26	48.0
22	2018/02/23 07:37:27	47.2
23	2018/02/23 07:37:28	46.4
24	2018/02/23 07:37:29	46.3
25	2018/02/23 07:37:30	46.6
26	2018/02/23 07:37:31	46.5
27	2018/02/23 07:37:32	47.3
28	2018/02/23 07:37:33	46.6
29	2018/02/23 07:37:34	47.4
30	2018/02/23 07:37:35	46.9
31	2018/02/23 07:37:36	48.0
32	2018/02/23 07:37:37	46.2
33	2018/02/23 07:37:38	46.1
34	2018/02/23 07:37:39	46.8
35	2018/02/23 07:37:40	46.0
36	2018/02/23 07:37:41	45.9
37	2018/02/23 07:37:42	46.7
38	2018/02/23 07:37:43	46.4
39	2018/02/23 07:37:44	46.3
40	2018/02/23 07:37:45	46.0
41	2018/02/23 07:37:46	48.2
42	2018/02/23 07:37:47	45.5
43	2018/02/23 07:37:48	46.0
44	2018/02/23 07:37:49	45.3
45	2018/02/23 07:37:50	45.9
46	2018/02/23 07:37:51	46.5
47	2018/02/23 07:37:52	46.0
48	2018/02/23 07:37:53	46.0
49	2018/02/23 07:37:54	46.5
50	2018/02/23 07:37:55	47.4
51	2018/02/23 07:37:56	46.1
52	2018/02/23 07:37:57	46.1
53	2018/02/23 07:37:58	46.9
54	2018/02/23 07:37:59	46.0
55	2018/02/23 07:38:00	46.0
56	2018/02/23 07:38:01	45.5
57	2018/02/23 07:38:02	46.9
58	2018/02/23 07:38:03	48.1
59	2018/02/23 07:38:04	47.8
60	2018/02/23 07:38:05	48.6
61	2018/02/23 07:38:06	49.3
62	2018/02/23 07:38:07	50.3
63	2018/02/23 07:38:08	52.5
64	2018/02/23 07:38:09	54.1
65	2018/02/23 07:38:10	55.4
66	2018/02/23 07:38:11	57.3
67	2018/02/23 07:38:12	60.2
68	2018/02/23 07:38:13	63.6
69	2018/02/23 07:38:14	66.5
70	2018/02/23 07:38:15	64.1
71	2018/02/23 07:38:16	59.5
72	2018/02/23 07:38:17	56.0
73	2018/02/23 07:38:18	53.7
74	2018/02/23 07:38:19	51.7
75	2018/02/23 07:38:20	52.0
76	2018/02/23 07:38:21	52.6
77	2018/02/23 07:38:22	51.3
78	2018/02/23 07:38:23	50.6
79	2018/02/23 07:38:24	49.8
80	2018/02/23 07:38:25	50.1
81	2018/02/23 07:38:26	49.9
82	2018/02/23 07:38:27	48.6
83	2018/02/23 07:38:28	46.4
84	2018/02/23 07:38:29	47.0
85	2018/02/23 07:38:30	45.7

86	2018/02/23	07:38:31	44.2
87	2018/02/23	07:38:32	46.1
88	2018/02/23	07:38:33	45.1
89	2018/02/23	07:38:34	46.6
90	2018/02/23	07:38:35	44.5
91	2018/02/23	07:38:36	45.1
92	2018/02/23	07:38:37	45.8
93	2018/02/23	07:38:38	45.2
94	2018/02/23	07:38:39	45.9
95	2018/02/23	07:38:40	46.2
96	2018/02/23	07:38:41	46.6
97	2018/02/23	07:38:42	45.9
98	2018/02/23	07:38:43	46.3
99	2018/02/23	07:38:44	46.9
100	2018/02/23	07:38:45	46.4
101	2018/02/23	07:38:46	46.2
102	2018/02/23	07:38:47	47.7
103	2018/02/23	07:38:48	46.3
104	2018/02/23	07:38:49	46.5
105	2018/02/23	07:38:50	46.8
106	2018/02/23	07:38:51	45.7
107	2018/02/23	07:38:52	45.7
108	2018/02/23	07:38:53	46.4
109	2018/02/23	07:38:54	46.2
110	2018/02/23	07:38:55	45.5
111	2018/02/23	07:38:56	45.6
112	2018/02/23	07:38:57	46.2
113	2018/02/23	07:38:58	48.2
114	2018/02/23	07:38:59	46.7
115	2018/02/23	07:39:00	46.0
116	2018/02/23	07:39:01	46.1
117	2018/02/23	07:39:02	46.8
118	2018/02/23	07:39:03	47.5
119	2018/02/23	07:39:04	47.4
120	2018/02/23	07:39:05	48.0
121	2018/02/23	07:39:06	48.8
122	2018/02/23	07:39:07	46.6
123	2018/02/23	07:39:08	47.2
124	2018/02/23	07:39:09	47.4
125	2018/02/23	07:39:10	46.1
126	2018/02/23	07:39:11	46.2
127	2018/02/23	07:39:12	45.7
128	2018/02/23	07:39:13	45.7
129	2018/02/23	07:39:14	46.1
130	2018/02/23	07:39:15	45.6
131	2018/02/23	07:39:16	46.1
132	2018/02/23	07:39:17	46.0
133	2018/02/23	07:39:18	47.4
134	2018/02/23	07:39:19	47.6
135	2018/02/23	07:39:20	47.9
136	2018/02/23	07:39:21	48.7
137	2018/02/23	07:39:22	49.2
138	2018/02/23	07:39:23	50.8
139	2018/02/23	07:39:24	51.2
140	2018/02/23	07:39:25	51.8
141	2018/02/23	07:39:26	52.9
142	2018/02/23	07:39:27	54.2
143	2018/02/23	07:39:28	56.3
144	2018/02/23	07:39:29	59.1
145	2018/02/23	07:39:30	62.7
146	2018/02/23	07:39:31	66.8
147	2018/02/23	07:39:32	70.3
148	2018/02/23	07:39:33	66.5
149	2018/02/23	07:39:34	62.7
150	2018/02/23	07:39:35	57.4
151	2018/02/23	07:39:36	56.9
152	2018/02/23	07:39:37	57.5
153	2018/02/23	07:39:38	54.8
154	2018/02/23	07:39:39	53.2
155	2018/02/23	07:39:40	53.1
156	2018/02/23	07:39:41	52.6
157	2018/02/23	07:39:42	51.9
158	2018/02/23	07:39:43	49.9
159	2018/02/23	07:39:44	47.7
160	2018/02/23	07:39:45	48.9
161	2018/02/23	07:39:46	50.8
162	2018/02/23	07:39:47	51.7
163	2018/02/23	07:39:48	53.3
164	2018/02/23	07:39:49	55.2
165	2018/02/23	07:39:50	56.9
166	2018/02/23	07:39:51	59.5
167	2018/02/23	07:39:52	62.2
168	2018/02/23	07:39:53	63.4
169	2018/02/23	07:39:54	63.1
170	2018/02/23	07:39:55	64.3
171	2018/02/23	07:39:56	72.3
172	2018/02/23	07:39:57	69.2
173	2018/02/23	07:39:58	62.1
174	2018/02/23	07:39:59	60.1
175	2018/02/23	07:40:00	61.4
176	2018/02/23	07:40:01	61.4
177	2018/02/23	07:40:02	57.4
178	2018/02/23	07:40:03	55.1
179	2018/02/23	07:40:04	55.6
180	2018/02/23	07:40:05	54.0
181	2018/02/23	07:40:06	55.5
182	2018/02/23	07:40:07	55.8
183	2018/02/23	07:40:08	55.1
184	2018/02/23	07:40:09	53.0

185	2018/02/23	07:40:10	51.2
186	2018/02/23	07:40:11	50.4
187	2018/02/23	07:40:12	47.5
188	2018/02/23	07:40:13	46.6
189	2018/02/23	07:40:14	47.1
190	2018/02/23	07:40:15	49.0
191	2018/02/23	07:40:16	46.7
192	2018/02/23	07:40:17	47.6
193	2018/02/23	07:40:18	48.0
194	2018/02/23	07:40:19	49.1
195	2018/02/23	07:40:20	48.5
196	2018/02/23	07:40:21	48.2
197	2018/02/23	07:40:22	48.7
198	2018/02/23	07:40:23	48.4
199	2018/02/23	07:40:24	46.7
200	2018/02/23	07:40:25	49.1
201	2018/02/23	07:40:26	46.3
202	2018/02/23	07:40:27	44.7
203	2018/02/23	07:40:28	45.8
204	2018/02/23	07:40:29	45.3
205	2018/02/23	07:40:30	45.2
206	2018/02/23	07:40:31	44.5
207	2018/02/23	07:40:32	45.3
208	2018/02/23	07:40:33	46.0
209	2018/02/23	07:40:34	45.0
210	2018/02/23	07:40:35	45.8
211	2018/02/23	07:40:36	45.0
212	2018/02/23	07:40:37	45.9
213	2018/02/23	07:40:38	45.4
214	2018/02/23	07:40:39	46.2
215	2018/02/23	07:40:40	47.2
216	2018/02/23	07:40:41	48.6
217	2018/02/23	07:40:42	48.8
218	2018/02/23	07:40:43	50.0
219	2018/02/23	07:40:44	49.0
220	2018/02/23	07:40:45	50.4
221	2018/02/23	07:40:46	52.6
222	2018/02/23	07:40:47	54.6
223	2018/02/23	07:40:48	56.7
224	2018/02/23	07:40:49	59.1
225	2018/02/23	07:40:50	62.3
226	2018/02/23	07:40:51	66.0
227	2018/02/23	07:40:52	65.3
228	2018/02/23	07:40:53	61.4
229	2018/02/23	07:40:54	61.7
230	2018/02/23	07:40:55	65.3
231	2018/02/23	07:40:56	68.9
232	2018/02/23	07:40:57	65.8
233	2018/02/23	07:40:58	61.1
234	2018/02/23	07:40:59	59.1
235	2018/02/23	07:41:00	57.8
236	2018/02/23	07:41:01	60.2
237	2018/02/23	07:41:02	63.5
238	2018/02/23	07:41:03	65.8
239	2018/02/23	07:41:04	64.9
240	2018/02/23	07:41:05	61.3
241	2018/02/23	07:41:06	57.6
242	2018/02/23	07:41:07	54.3
243	2018/02/23	07:41:08	54.3
244	2018/02/23	07:41:09	55.1
245	2018/02/23	07:41:10	52.9
246	2018/02/23	07:41:11	51.7
247	2018/02/23	07:41:12	51.3
248	2018/02/23	07:41:13	52.7
249	2018/02/23	07:41:14	53.3
250	2018/02/23	07:41:15	51.4
251	2018/02/23	07:41:16	51.4
252	2018/02/23	07:41:17	51.8
253	2018/02/23	07:41:18	53.8
254	2018/02/23	07:41:19	54.1
255	2018/02/23	07:41:20	57.3
256	2018/02/23	07:41:21	58.8
257	2018/02/23	07:41:22	58.6
258	2018/02/23	07:41:23	59.1
259	2018/02/23	07:41:24	57.7
260	2018/02/23	07:41:25	54.0
261	2018/02/23	07:41:26	52.8
262	2018/02/23	07:41:27	52.7
263	2018/02/23	07:41:28	55.7
264	2018/02/23	07:41:29	54.2
265	2018/02/23	07:41:30	55.8
266	2018/02/23	07:41:31	55.8
267	2018/02/23	07:41:32	56.6
268	2018/02/23	07:41:33	55.7
269	2018/02/23	07:41:34	53.5
270	2018/02/23	07:41:35	52.9
271	2018/02/23	07:41:36	53.3
272	2018/02/23	07:41:37	54.4
273	2018/02/23	07:41:38	54.7
274	2018/02/23	07:41:39	54.6
275	2018/02/23	07:41:40	53.6
276	2018/02/23	07:41:41	51.3
277	2018/02/23	07:41:42	50.4
278	2018/02/23	07:41:43	49.6
279	2018/02/23	07:41:44	50.4
280	2018/02/23	07:41:45	51.5
281	2018/02/23	07:41:46	52.3
282	2018/02/23	07:41:47	53.1
283	2018/02/23	07:41:48	52.9

284	2018/02/23	07:41:49	53.7
285	2018/02/23	07:41:50	56.8
286	2018/02/23	07:41:51	63.2
287	2018/02/23	07:41:52	65.4
288	2018/02/23	07:41:53	69.2
289	2018/02/23	07:41:54	67.2
290	2018/02/23	07:41:55	66.1
291	2018/02/23	07:41:56	60.4
292	2018/02/23	07:41:57	58.5
293	2018/02/23	07:41:58	59.6
294	2018/02/23	07:41:59	64.9
295	2018/02/23	07:42:00	67.2
296	2018/02/23	07:42:01	64.4
297	2018/02/23	07:42:02	61.3
298	2018/02/23	07:42:03	58.8
299	2018/02/23	07:42:04	63.4
300	2018/02/23	07:42:05	60.8
301	2018/02/23	07:42:06	61.4
302	2018/02/23	07:42:07	64.2
303	2018/02/23	07:42:08	61.5
304	2018/02/23	07:42:09	63.3
305	2018/02/23	07:42:10	56.5
306	2018/02/23	07:42:11	56.2
307	2018/02/23	07:42:12	58.9
308	2018/02/23	07:42:13	64.6
309	2018/02/23	07:42:14	68.1
310	2018/02/23	07:42:15	62.2
311	2018/02/23	07:42:16	60.3
312	2018/02/23	07:42:17	61.4
313	2018/02/23	07:42:18	64.5
314	2018/02/23	07:42:19	71.5
315	2018/02/23	07:42:20	75.2
316	2018/02/23	07:42:21	66.2
317	2018/02/23	07:42:22	63.7
318	2018/02/23	07:42:23	66.6
319	2018/02/23	07:42:24	73.3
320	2018/02/23	07:42:25	67.3
321	2018/02/23	07:42:26	61.0
322	2018/02/23	07:42:27	60.5
323	2018/02/23	07:42:28	59.5
324	2018/02/23	07:42:29	59.0
325	2018/02/23	07:42:30	58.5
326	2018/02/23	07:42:31	58.9
327	2018/02/23	07:42:32	61.8
328	2018/02/23	07:42:33	64.8
329	2018/02/23	07:42:34	64.9
330	2018/02/23	07:42:35	61.2
331	2018/02/23	07:42:36	58.2
332	2018/02/23	07:42:37	56.3
333	2018/02/23	07:42:38	53.9
334	2018/02/23	07:42:39	53.0
335	2018/02/23	07:42:40	52.3
336	2018/02/23	07:42:41	51.8
337	2018/02/23	07:42:42	51.1
338	2018/02/23	07:42:43	50.8
339	2018/02/23	07:42:44	50.7
340	2018/02/23	07:42:45	51.4
341	2018/02/23	07:42:46	51.1
342	2018/02/23	07:42:47	49.0
343	2018/02/23	07:42:48	49.1
344	2018/02/23	07:42:49	48.6
345	2018/02/23	07:42:50	49.3
346	2018/02/23	07:42:51	48.9
347	2018/02/23	07:42:52	49.8
348	2018/02/23	07:42:53	50.7
349	2018/02/23	07:42:54	50.9
350	2018/02/23	07:42:55	49.6
351	2018/02/23	07:42:56	49.2
352	2018/02/23	07:42:57	48.9
353	2018/02/23	07:42:58	49.3
354	2018/02/23	07:42:59	47.8
355	2018/02/23	07:43:00	48.7
356	2018/02/23	07:43:01	48.4
357	2018/02/23	07:43:02	46.8
358	2018/02/23	07:43:03	46.9
359	2018/02/23	07:43:04	47.8
360	2018/02/23	07:43:05	48.4
361	2018/02/23	07:43:06	48.9
362	2018/02/23	07:43:07	49.2
363	2018/02/23	07:43:08	50.6
364	2018/02/23	07:43:09	50.9
365	2018/02/23	07:43:10	51.6
366	2018/02/23	07:43:11	52.4
367	2018/02/23	07:43:12	53.7
368	2018/02/23	07:43:13	57.0
369	2018/02/23	07:43:14	59.3
370	2018/02/23	07:43:15	63.9
371	2018/02/23	07:43:16	70.7
372	2018/02/23	07:43:17	62.5
373	2018/02/23	07:43:18	56.6
374	2018/02/23	07:43:19	55.2
375	2018/02/23	07:43:20	54.7
376	2018/02/23	07:43:21	54.5
377	2018/02/23	07:43:22	53.6
378	2018/02/23	07:43:23	54.4
379	2018/02/23	07:43:24	55.8
380	2018/02/23	07:43:25	57.6
381	2018/02/23	07:43:26	60.4
382	2018/02/23	07:43:27	60.8

383	2018/02/23	07:43:28	64.3
384	2018/02/23	07:43:29	67.7
385	2018/02/23	07:43:30	65.4
386	2018/02/23	07:43:31	59.7
387	2018/02/23	07:43:32	55.9
388	2018/02/23	07:43:33	54.9
389	2018/02/23	07:43:34	54.9
390	2018/02/23	07:43:35	54.2
391	2018/02/23	07:43:36	53.9
392	2018/02/23	07:43:37	54.6
393	2018/02/23	07:43:38	56.2
394	2018/02/23	07:43:39	58.2
395	2018/02/23	07:43:40	61.3
396	2018/02/23	07:43:41	65.5
397	2018/02/23	07:43:42	70.2
398	2018/02/23	07:43:43	68.2
399	2018/02/23	07:43:44	62.6
400	2018/02/23	07:43:45	59.7
401	2018/02/23	07:43:46	57.1
402	2018/02/23	07:43:47	56.3
403	2018/02/23	07:43:48	55.6
404	2018/02/23	07:43:49	54.9
405	2018/02/23	07:43:50	55.6
406	2018/02/23	07:43:51	55.1
407	2018/02/23	07:43:52	55.9
408	2018/02/23	07:43:53	57.2
409	2018/02/23	07:43:54	61.9
410	2018/02/23	07:43:55	64.7
411	2018/02/23	07:43:56	63.7
412	2018/02/23	07:43:57	65.3
413	2018/02/23	07:43:58	64.0
414	2018/02/23	07:43:59	65.3
415	2018/02/23	07:44:00	64.0
416	2018/02/23	07:44:01	60.4
417	2018/02/23	07:44:02	56.7
418	2018/02/23	07:44:03	58.2
419	2018/02/23	07:44:04	58.5
420	2018/02/23	07:44:05	58.6
421	2018/02/23	07:44:06	57.7
422	2018/02/23	07:44:07	57.6
423	2018/02/23	07:44:08	57.5
424	2018/02/23	07:44:09	58.2
425	2018/02/23	07:44:10	59.1
426	2018/02/23	07:44:11	61.4
427	2018/02/23	07:44:12	65.3
428	2018/02/23	07:44:13	68.9
429	2018/02/23	07:44:14	67.9
430	2018/02/23	07:44:15	64.3
431	2018/02/23	07:44:16	67.4
432	2018/02/23	07:44:17	72.7
433	2018/02/23	07:44:18	69.4
434	2018/02/23	07:44:19	62.9
435	2018/02/23	07:44:20	60.9
436	2018/02/23	07:44:21	58.9
437	2018/02/23	07:44:22	57.2
438	2018/02/23	07:44:23	56.8
439	2018/02/23	07:44:24	58.1
440	2018/02/23	07:44:25	60.3
441	2018/02/23	07:44:26	63.8
442	2018/02/23	07:44:27	67.4
443	2018/02/23	07:44:28	64.1
444	2018/02/23	07:44:29	59.2
445	2018/02/23	07:44:30	56.0
446	2018/02/23	07:44:31	55.3
447	2018/02/23	07:44:32	54.7
448	2018/02/23	07:44:33	53.2
449	2018/02/23	07:44:34	52.2
450	2018/02/23	07:44:35	53.4
451	2018/02/23	07:44:36	52.2
452	2018/02/23	07:44:37	50.8
453	2018/02/23	07:44:38	52.1
454	2018/02/23	07:44:39	52.9
455	2018/02/23	07:44:40	51.2
456	2018/02/23	07:44:41	56.6
457	2018/02/23	07:44:42	49.9
458	2018/02/23	07:44:43	47.8
459	2018/02/23	07:44:44	54.9
460	2018/02/23	07:44:45	49.3
461	2018/02/23	07:44:46	48.3
462	2018/02/23	07:44:47	49.2
463	2018/02/23	07:44:48	47.7
464	2018/02/23	07:44:49	48.8
465	2018/02/23	07:44:50	47.8
466	2018/02/23	07:44:51	47.7
467	2018/02/23	07:44:52	47.8
468	2018/02/23	07:44:53	46.8
469	2018/02/23	07:44:54	46.0
470	2018/02/23	07:44:55	46.5
471	2018/02/23	07:44:56	47.2
472	2018/02/23	07:44:57	47.1
473	2018/02/23	07:44:58	51.3
474	2018/02/23	07:44:59	48.2
475	2018/02/23	07:45:00	46.5
476	2018/02/23	07:45:01	45.2
477	2018/02/23	07:45:02	44.5
478	2018/02/23	07:45:03	45.5
479	2018/02/23	07:45:04	46.1
480	2018/02/23	07:45:05	45.9
481	2018/02/23	07:45:06	46.5

482	2018/02/23	07:45:07	45.5
483	2018/02/23	07:45:08	47.2
484	2018/02/23	07:45:09	45.6
485	2018/02/23	07:45:10	45.9
486	2018/02/23	07:45:11	46.4
487	2018/02/23	07:45:12	45.9
488	2018/02/23	07:45:13	45.5
489	2018/02/23	07:45:14	45.4
490	2018/02/23	07:45:15	45.4
491	2018/02/23	07:45:16	45.8
492	2018/02/23	07:45:17	51.1
493	2018/02/23	07:45:18	48.6
494	2018/02/23	07:45:19	44.8
495	2018/02/23	07:45:20	45.5
496	2018/02/23	07:45:21	45.6
497	2018/02/23	07:45:22	44.9
498	2018/02/23	07:45:23	45.4
499	2018/02/23	07:45:24	45.6
500	2018/02/23	07:45:25	47.6
501	2018/02/23	07:45:26	48.7
502	2018/02/23	07:45:27	50.1
503	2018/02/23	07:45:28	51.1
504	2018/02/23	07:45:29	51.3
505	2018/02/23	07:45:30	51.3
506	2018/02/23	07:45:31	52.6
507	2018/02/23	07:45:32	53.9
508	2018/02/23	07:45:33	57.1
509	2018/02/23	07:45:34	59.0
510	2018/02/23	07:45:35	63.9
511	2018/02/23	07:45:36	71.1
512	2018/02/23	07:45:37	69.2
513	2018/02/23	07:45:38	61.4
514	2018/02/23	07:45:39	57.0
515	2018/02/23	07:45:40	55.2
516	2018/02/23	07:45:41	56.1
517	2018/02/23	07:45:42	56.0
518	2018/02/23	07:45:43	56.3
519	2018/02/23	07:45:44	56.5
520	2018/02/23	07:45:45	56.8
521	2018/02/23	07:45:46	55.4
522	2018/02/23	07:45:47	56.4
523	2018/02/23	07:45:48	56.9
524	2018/02/23	07:45:49	57.9
525	2018/02/23	07:45:50	58.4
526	2018/02/23	07:45:51	61.3
527	2018/02/23	07:45:52	65.4
528	2018/02/23	07:45:53	69.7
529	2018/02/23	07:45:54	68.2
530	2018/02/23	07:45:55	63.3
531	2018/02/23	07:45:56	60.2
532	2018/02/23	07:45:57	58.7
533	2018/02/23	07:45:58	62.0
534	2018/02/23	07:45:59	65.8
535	2018/02/23	07:46:00	67.9
536	2018/02/23	07:46:01	64.0
537	2018/02/23	07:46:02	58.2
538	2018/02/23	07:46:03	56.1
539	2018/02/23	07:46:04	55.2
540	2018/02/23	07:46:05	56.4
541	2018/02/23	07:46:06	55.3
542	2018/02/23	07:46:07	54.2
543	2018/02/23	07:46:08	54.8
544	2018/02/23	07:46:09	57.8
545	2018/02/23	07:46:10	61.0
546	2018/02/23	07:46:11	65.3
547	2018/02/23	07:46:12	65.9
548	2018/02/23	07:46:13	66.0
549	2018/02/23	07:46:14	71.1
550	2018/02/23	07:46:15	69.4
551	2018/02/23	07:46:16	67.5
552	2018/02/23	07:46:17	67.0
553	2018/02/23	07:46:18	70.1
554	2018/02/23	07:46:19	69.2
555	2018/02/23	07:46:20	65.3
556	2018/02/23	07:46:21	61.9
557	2018/02/23	07:46:22	59.7
558	2018/02/23	07:46:23	57.8
559	2018/02/23	07:46:24	56.7
560	2018/02/23	07:46:25	55.5
561	2018/02/23	07:46:26	54.4
562	2018/02/23	07:46:27	54.0
563	2018/02/23	07:46:28	53.7
564	2018/02/23	07:46:29	52.8
565	2018/02/23	07:46:30	51.8
566	2018/02/23	07:46:31	53.0
567	2018/02/23	07:46:32	53.6
568	2018/02/23	07:46:33	54.1
569	2018/02/23	07:46:34	57.2
570	2018/02/23	07:46:35	60.4
571	2018/02/23	07:46:36	67.3
572	2018/02/23	07:46:37	70.6
573	2018/02/23	07:46:38	63.8
574	2018/02/23	07:46:39	56.9
575	2018/02/23	07:46:40	55.1
576	2018/02/23	07:46:41	54.5
577	2018/02/23	07:46:42	54.1
578	2018/02/23	07:46:43	54.0
579	2018/02/23	07:46:44	54.4
580	2018/02/23	07:46:45	54.8

581	2018/02/23	07:46:46	52.6
582	2018/02/23	07:46:47	51.9
583	2018/02/23	07:46:48	51.5
584	2018/02/23	07:46:49	52.4
585	2018/02/23	07:46:50	52.6
586	2018/02/23	07:46:51	53.6
587	2018/02/23	07:46:52	55.2
588	2018/02/23	07:46:53	55.8
589	2018/02/23	07:46:54	58.1
590	2018/02/23	07:46:55	57.2
591	2018/02/23	07:46:56	59.1
592	2018/02/23	07:46:57	64.3
593	2018/02/23	07:46:58	72.8
594	2018/02/23	07:46:59	70.6
595	2018/02/23	07:47:00	62.2
596	2018/02/23	07:47:01	63.2
597	2018/02/23	07:47:02	66.7
598	2018/02/23	07:47:03	68.8
599	2018/02/23	07:47:04	69.1
600	2018/02/23	07:47:05	68.9
601	2018/02/23	07:47:06	65.2
602	2018/02/23	07:47:07	61.8
603	2018/02/23	07:47:08	61.0
604	2018/02/23	07:47:09	60.7
605	2018/02/23	07:47:10	61.8
606	2018/02/23	07:47:11	63.0
607	2018/02/23	07:47:12	68.8
608	2018/02/23	07:47:13	74.4
609	2018/02/23	07:47:14	64.2
610	2018/02/23	07:47:15	59.4
611	2018/02/23	07:47:16	57.5
612	2018/02/23	07:47:17	58.1
613	2018/02/23	07:47:18	57.1
614	2018/02/23	07:47:19	57.4
615	2018/02/23	07:47:20	57.0
616	2018/02/23	07:47:21	55.9
617	2018/02/23	07:47:22	57.6
618	2018/02/23	07:47:23	57.7
619	2018/02/23	07:47:24	54.9
620	2018/02/23	07:47:25	54.3
621	2018/02/23	07:47:26	55.3
622	2018/02/23	07:47:27	49.9
623	2018/02/23	07:47:28	46.2
624	2018/02/23	07:47:29	53.1
625	2018/02/23	07:47:30	47.9
626	2018/02/23	07:47:31	48.1
627	2018/02/23	07:47:32	45.6
628	2018/02/23	07:47:33	45.9
629	2018/02/23	07:47:34	54.5
630	2018/02/23	07:47:35	46.1
631	2018/02/23	07:47:36	50.4
632	2018/02/23	07:47:37	49.5
633	2018/02/23	07:47:38	58.9
634	2018/02/23	07:47:39	54.4
635	2018/02/23	07:47:40	54.4
636	2018/02/23	07:47:41	51.1
637	2018/02/23	07:47:42	50.9
638	2018/02/23	07:47:43	52.2
639	2018/02/23	07:47:44	46.8
640	2018/02/23	07:47:45	45.6
641	2018/02/23	07:47:46	52.0
642	2018/02/23	07:47:47	50.5
643	2018/02/23	07:47:48	51.1
644	2018/02/23	07:47:49	47.4
645	2018/02/23	07:47:50	53.8
646	2018/02/23	07:47:51	47.0
647	2018/02/23	07:47:52	47.5
648	2018/02/23	07:47:53	54.2
649	2018/02/23	07:47:54	49.3
650	2018/02/23	07:47:55	48.9
651	2018/02/23	07:47:56	48.2
652	2018/02/23	07:47:57	48.9
653	2018/02/23	07:47:58	49.6
654	2018/02/23	07:47:59	50.6
655	2018/02/23	07:48:00	56.0
656	2018/02/23	07:48:01	53.2
657	2018/02/23	07:48:02	53.1
658	2018/02/23	07:48:03	52.9
659	2018/02/23	07:48:04	55.5
660	2018/02/23	07:48:05	57.4
661	2018/02/23	07:48:06	61.2
662	2018/02/23	07:48:07	63.1
663	2018/02/23	07:48:08	64.6
664	2018/02/23	07:48:09	65.8
665	2018/02/23	07:48:10	68.5
666	2018/02/23	07:48:11	68.0
667	2018/02/23	07:48:12	61.7
668	2018/02/23	07:48:13	62.0
669	2018/02/23	07:48:14	60.0
670	2018/02/23	07:48:15	59.9
671	2018/02/23	07:48:16	60.0
672	2018/02/23	07:48:17	59.1
673	2018/02/23	07:48:18	60.6
674	2018/02/23	07:48:19	61.0
675	2018/02/23	07:48:20	61.2
676	2018/02/23	07:48:21	65.7
677	2018/02/23	07:48:22	70.4
678	2018/02/23	07:48:23	70.0
679	2018/02/23	07:48:24	65.3

680	2018/02/23	07:48:25	64.3
681	2018/02/23	07:48:26	64.3
682	2018/02/23	07:48:27	70.2
683	2018/02/23	07:48:28	73.3
684	2018/02/23	07:48:29	66.0
685	2018/02/23	07:48:30	64.2
686	2018/02/23	07:48:31	68.4
687	2018/02/23	07:48:32	75.0
688	2018/02/23	07:48:33	72.8
689	2018/02/23	07:48:34	69.2
690	2018/02/23	07:48:35	65.6
691	2018/02/23	07:48:36	62.6
692	2018/02/23	07:48:37	59.0
693	2018/02/23	07:48:38	55.7
694	2018/02/23	07:48:39	54.4
695	2018/02/23	07:48:40	54.6
696	2018/02/23	07:48:41	54.7
697	2018/02/23	07:48:42	54.5
698	2018/02/23	07:48:43	55.5
699	2018/02/23	07:48:44	54.5
700	2018/02/23	07:48:45	53.7
701	2018/02/23	07:48:46	55.0
702	2018/02/23	07:48:47	58.0
703	2018/02/23	07:48:48	62.3
704	2018/02/23	07:48:49	68.9
705	2018/02/23	07:48:50	66.1
706	2018/02/23	07:48:51	57.7
707	2018/02/23	07:48:52	53.6
708	2018/02/23	07:48:53	53.2
709	2018/02/23	07:48:54	52.7
710	2018/02/23	07:48:55	51.4
711	2018/02/23	07:48:56	50.2
712	2018/02/23	07:48:57	50.3
713	2018/02/23	07:48:58	53.4
714	2018/02/23	07:48:59	48.8
715	2018/02/23	07:49:00	48.3
716	2018/02/23	07:49:01	47.6
717	2018/02/23	07:49:02	47.8
718	2018/02/23	07:49:03	48.2
719	2018/02/23	07:49:04	50.0
720	2018/02/23	07:49:05	52.4
721	2018/02/23	07:49:06	48.6
722	2018/02/23	07:49:07	47.5
723	2018/02/23	07:49:08	47.9
724	2018/02/23	07:49:09	46.0
725	2018/02/23	07:49:10	47.2
726	2018/02/23	07:49:11	47.8
727	2018/02/23	07:49:12	53.9
728	2018/02/23	07:49:13	55.6
729	2018/02/23	07:49:14	51.2
730	2018/02/23	07:49:15	51.4
731	2018/02/23	07:49:16	51.0
732	2018/02/23	07:49:17	50.3
733	2018/02/23	07:49:18	50.3
734	2018/02/23	07:49:19	50.5
735	2018/02/23	07:49:20	53.2
736	2018/02/23	07:49:21	56.4
737	2018/02/23	07:49:22	59.7
738	2018/02/23	07:49:23	61.3
739	2018/02/23	07:49:24	61.4
740	2018/02/23	07:49:25	57.5
741	2018/02/23	07:49:26	53.1
742	2018/02/23	07:49:27	49.7
743	2018/02/23	07:49:28	47.8
744	2018/02/23	07:49:29	48.6
745	2018/02/23	07:49:30	49.7
746	2018/02/23	07:49:31	49.7
747	2018/02/23	07:49:32	49.8
748	2018/02/23	07:49:33	50.7
749	2018/02/23	07:49:34	49.7
750	2018/02/23	07:49:35	49.6
751	2018/02/23	07:49:36	54.4
752	2018/02/23	07:49:37	50.6
753	2018/02/23	07:49:38	51.6
754	2018/02/23	07:49:39	52.3
755	2018/02/23	07:49:40	54.3
756	2018/02/23	07:49:41	56.6
757	2018/02/23	07:49:42	62.6
758	2018/02/23	07:49:43	67.8
759	2018/02/23	07:49:44	62.2
760	2018/02/23	07:49:45	59.4
761	2018/02/23	07:49:46	57.2
762	2018/02/23	07:49:47	56.6
763	2018/02/23	07:49:48	54.5
764	2018/02/23	07:49:49	52.9
765	2018/02/23	07:49:50	52.4
766	2018/02/23	07:49:51	52.0
767	2018/02/23	07:49:52	54.3
768	2018/02/23	07:49:53	52.9
769	2018/02/23	07:49:54	48.5
770	2018/02/23	07:49:55	48.4
771	2018/02/23	07:49:56	48.6
772	2018/02/23	07:49:57	47.6
773	2018/02/23	07:49:58	47.9
774	2018/02/23	07:49:59	48.5
775	2018/02/23	07:50:00	48.7
776	2018/02/23	07:50:01	49.1
777	2018/02/23	07:50:02	48.5
778	2018/02/23	07:50:03	49.6

779	2018/02/23	07:50:04	50.6
780	2018/02/23	07:50:05	51.5
781	2018/02/23	07:50:06	52.6
782	2018/02/23	07:50:07	54.4
783	2018/02/23	07:50:08	56.8
784	2018/02/23	07:50:09	57.8
785	2018/02/23	07:50:10	60.8
786	2018/02/23	07:50:11	65.2
787	2018/02/23	07:50:12	70.7
788	2018/02/23	07:50:13	69.9
789	2018/02/23	07:50:14	63.7
790	2018/02/23	07:50:15	59.3
791	2018/02/23	07:50:16	55.1
792	2018/02/23	07:50:17	54.2
793	2018/02/23	07:50:18	55.1
794	2018/02/23	07:50:19	55.6
795	2018/02/23	07:50:20	53.7
796	2018/02/23	07:50:21	52.5
797	2018/02/23	07:50:22	53.7
798	2018/02/23	07:50:23	54.4
799	2018/02/23	07:50:24	56.0
800	2018/02/23	07:50:25	57.8
801	2018/02/23	07:50:26	61.0
802	2018/02/23	07:50:27	65.5
803	2018/02/23	07:50:28	69.5
804	2018/02/23	07:50:29	67.6
805	2018/02/23	07:50:30	63.7
806	2018/02/23	07:50:31	64.6
807	2018/02/23	07:50:32	67.1
808	2018/02/23	07:50:33	66.2
809	2018/02/23	07:50:34	69.2
810	2018/02/23	07:50:35	70.0
811	2018/02/23	07:50:36	65.7
812	2018/02/23	07:50:37	60.9
813	2018/02/23	07:50:38	58.9
814	2018/02/23	07:50:39	57.5
815	2018/02/23	07:50:40	57.1
816	2018/02/23	07:50:41	55.4
817	2018/02/23	07:50:42	54.5
818	2018/02/23	07:50:43	55.4
819	2018/02/23	07:50:44	54.1
820	2018/02/23	07:50:45	49.3
821	2018/02/23	07:50:46	47.3
822	2018/02/23	07:50:47	45.5
823	2018/02/23	07:50:48	44.7
824	2018/02/23	07:50:49	46.6
825	2018/02/23	07:50:50	49.0
826	2018/02/23	07:50:51	50.1
827	2018/02/23	07:50:52	52.0
828	2018/02/23	07:50:53	54.4
829	2018/02/23	07:50:54	54.7
830	2018/02/23	07:50:55	54.8
831	2018/02/23	07:50:56	53.2
832	2018/02/23	07:50:57	52.7
833	2018/02/23	07:50:58	52.5
834	2018/02/23	07:50:59	53.7
835	2018/02/23	07:51:00	57.9
836	2018/02/23	07:51:01	65.9
837	2018/02/23	07:51:02	68.3
838	2018/02/23	07:51:03	66.2
839	2018/02/23	07:51:04	67.8
840	2018/02/23	07:51:05	63.5
841	2018/02/23	07:51:06	59.9
842	2018/02/23	07:51:07	58.0
843	2018/02/23	07:51:08	57.8
844	2018/02/23	07:51:09	57.1
845	2018/02/23	07:51:10	56.9
846	2018/02/23	07:51:11	56.2
847	2018/02/23	07:51:12	55.3
848	2018/02/23	07:51:13	57.0
849	2018/02/23	07:51:14	57.0
850	2018/02/23	07:51:15	56.0
851	2018/02/23	07:51:16	56.4
852	2018/02/23	07:51:17	58.0
853	2018/02/23	07:51:18	60.3
854	2018/02/23	07:51:19	63.5
855	2018/02/23	07:51:20	67.8
856	2018/02/23	07:51:21	66.0
857	2018/02/23	07:51:22	58.6
858	2018/02/23	07:51:23	55.1
859	2018/02/23	07:51:24	54.4
860	2018/02/23	07:51:25	54.5
861	2018/02/23	07:51:26	57.1
862	2018/02/23	07:51:27	59.2
863	2018/02/23	07:51:28	61.4
864	2018/02/23	07:51:29	65.2
865	2018/02/23	07:51:30	70.0
866	2018/02/23	07:51:31	66.6
867	2018/02/23	07:51:32	70.8
868	2018/02/23	07:51:33	66.3
869	2018/02/23	07:51:34	61.8
870	2018/02/23	07:51:35	61.0
871	2018/02/23	07:51:36	60.3
872	2018/02/23	07:51:37	57.3
873	2018/02/23	07:51:38	56.8
874	2018/02/23	07:51:39	56.6
875	2018/02/23	07:51:40	57.4
876	2018/02/23	07:51:41	56.4
877	2018/02/23	07:51:42	55.6

878	2018/02/23	07:51:43	55.7
879	2018/02/23	07:51:44	56.5
880	2018/02/23	07:51:45	57.1
881	2018/02/23	07:51:46	58.9
882	2018/02/23	07:51:47	60.4
883	2018/02/23	07:51:48	65.4
884	2018/02/23	07:51:49	70.1
885	2018/02/23	07:51:50	73.9
886	2018/02/23	07:51:51	66.6
887	2018/02/23	07:51:52	62.1
888	2018/02/23	07:51:53	60.3
889	2018/02/23	07:51:54	58.0
890	2018/02/23	07:51:55	58.1
891	2018/02/23	07:51:56	57.3
892	2018/02/23	07:51:57	56.8
893	2018/02/23	07:51:58	56.5
894	2018/02/23	07:51:59	55.5
895	2018/02/23	07:52:00	53.3
896	2018/02/23	07:52:01	53.6
897	2018/02/23	07:52:02	53.1
898	2018/02/23	07:52:03	54.2
899	2018/02/23	07:52:04	53.4
900	2018/02/23	07:52:05	54.4

Freq Weight : A
 Time Weight : FAST
 Level Range : 40-100
 Max dB : 72.5 - 2018/02/23 08:15:36
 Level Range : 40-100
 SEL : 81.8
 Leq : 52.3

No.s	Date Time	(dB)
1	2018/02/23 08:03:42	42.8
2	2018/02/23 08:03:43	40.8
3	2018/02/23 08:03:44	43.0
4	2018/02/23 08:03:45	42.8
5	2018/02/23 08:03:46	42.8
6	2018/02/23 08:03:47	39.4
7	2018/02/23 08:03:48	39.1
8	2018/02/23 08:03:49	39.8
9	2018/02/23 08:03:50	39.7
10	2018/02/23 08:03:51	40.7
11	2018/02/23 08:03:52	41.4
12	2018/02/23 08:03:53	41.1
13	2018/02/23 08:03:54	41.2
14	2018/02/23 08:03:55	40.3
15	2018/02/23 08:03:56	40.2
16	2018/02/23 08:03:57	41.1
17	2018/02/23 08:03:58	41.3
18	2018/02/23 08:03:59	41.4
19	2018/02/23 08:04:00	40.4
20	2018/02/23 08:04:01	39.5
21	2018/02/23 08:04:02	40.2
22	2018/02/23 08:04:03	44.2
23	2018/02/23 08:04:04	41.0
24	2018/02/23 08:04:05	40.3
25	2018/02/23 08:04:06	39.9
26	2018/02/23 08:04:07	40.5
27	2018/02/23 08:04:08	40.2
28	2018/02/23 08:04:09	40.4
29	2018/02/23 08:04:10	40.4
30	2018/02/23 08:04:11	40.4
31	2018/02/23 08:04:12	41.4
32	2018/02/23 08:04:13	42.7
33	2018/02/23 08:04:14	43.3
34	2018/02/23 08:04:15	41.2
35	2018/02/23 08:04:16	41.4
36	2018/02/23 08:04:17	40.6
37	2018/02/23 08:04:18	41.7
38	2018/02/23 08:04:19	40.7
39	2018/02/23 08:04:20	41.9
40	2018/02/23 08:04:21	42.8
41	2018/02/23 08:04:22	40.8
42	2018/02/23 08:04:23	41.8
43	2018/02/23 08:04:24	43.4
44	2018/02/23 08:04:25	41.0
45	2018/02/23 08:04:26	40.6
46	2018/02/23 08:04:27	40.1
47	2018/02/23 08:04:28	40.2
48	2018/02/23 08:04:29	41.7
49	2018/02/23 08:04:30	40.0
50	2018/02/23 08:04:31	40.6
51	2018/02/23 08:04:32	40.7
52	2018/02/23 08:04:33	43.3
53	2018/02/23 08:04:34	39.8
54	2018/02/23 08:04:35	42.1
55	2018/02/23 08:04:36	39.9
56	2018/02/23 08:04:37	40.1
57	2018/02/23 08:04:38	41.1
58	2018/02/23 08:04:39	40.9
59	2018/02/23 08:04:40	41.4
60	2018/02/23 08:04:41	41.0
61	2018/02/23 08:04:42	41.0
62	2018/02/23 08:04:43	41.6
63	2018/02/23 08:04:44	41.6
64	2018/02/23 08:04:45	41.2
65	2018/02/23 08:04:46	42.5
66	2018/02/23 08:04:47	42.5
67	2018/02/23 08:04:48	41.1
68	2018/02/23 08:04:49	48.3
69	2018/02/23 08:04:50	39.8
70	2018/02/23 08:04:51	41.0
71	2018/02/23 08:04:52	42.1
72	2018/02/23 08:04:53	42.0
73	2018/02/23 08:04:54	44.3
74	2018/02/23 08:04:55	43.9
75	2018/02/23 08:04:56	42.4
76	2018/02/23 08:04:57	42.0
77	2018/02/23 08:04:58	41.6
78	2018/02/23 08:04:59	41.7
79	2018/02/23 08:05:00	41.4
80	2018/02/23 08:05:01	41.5
81	2018/02/23 08:05:02	41.0
82	2018/02/23 08:05:03	43.1
83	2018/02/23 08:05:04	46.3
84	2018/02/23 08:05:05	50.3
85	2018/02/23 08:05:06	52.4

86	2018/02/23	08:05:07	55.7
87	2018/02/23	08:05:08	61.8
88	2018/02/23	08:05:09	70.2
89	2018/02/23	08:05:10	66.0
90	2018/02/23	08:05:11	59.2
91	2018/02/23	08:05:12	55.2
92	2018/02/23	08:05:13	53.7
93	2018/02/23	08:05:14	52.3
94	2018/02/23	08:05:15	52.2
95	2018/02/23	08:05:16	48.3
96	2018/02/23	08:05:17	46.5
97	2018/02/23	08:05:18	45.8
98	2018/02/23	08:05:19	46.0
99	2018/02/23	08:05:20	43.7
100	2018/02/23	08:05:21	43.3
101	2018/02/23	08:05:22	41.9
102	2018/02/23	08:05:23	41.6
103	2018/02/23	08:05:24	41.4
104	2018/02/23	08:05:25	40.9
105	2018/02/23	08:05:26	41.2
106	2018/02/23	08:05:27	43.7
107	2018/02/23	08:05:28	41.6
108	2018/02/23	08:05:29	42.6
109	2018/02/23	08:05:30	41.5
110	2018/02/23	08:05:31	42.0
111	2018/02/23	08:05:32	40.9
112	2018/02/23	08:05:33	41.3
113	2018/02/23	08:05:34	41.1
114	2018/02/23	08:05:35	40.2
115	2018/02/23	08:05:36	40.0
116	2018/02/23	08:05:37	39.5
117	2018/02/23	08:05:38	39.2
118	2018/02/23	08:05:39	40.4
119	2018/02/23	08:05:40	39.7
120	2018/02/23	08:05:41	40.4
121	2018/02/23	08:05:42	39.6
122	2018/02/23	08:05:43	39.9
123	2018/02/23	08:05:44	43.0
124	2018/02/23	08:05:45	40.2
125	2018/02/23	08:05:46	40.1
126	2018/02/23	08:05:47	39.5
127	2018/02/23	08:05:48	39.8
128	2018/02/23	08:05:49	40.1
129	2018/02/23	08:05:50	39.3
130	2018/02/23	08:05:51	39.4
131	2018/02/23	08:05:52	43.4
132	2018/02/23	08:05:53	39.6
133	2018/02/23	08:05:54	40.2
134	2018/02/23	08:05:55	39.2
135	2018/02/23	08:05:56	40.4
136	2018/02/23	08:05:57	39.2
137	2018/02/23	08:05:58	40.5
138	2018/02/23	08:05:59	40.4
139	2018/02/23	08:06:00	40.2
140	2018/02/23	08:06:01	40.4
141	2018/02/23	08:06:02	40.0
142	2018/02/23	08:06:03	39.8
143	2018/02/23	08:06:04	41.0
144	2018/02/23	08:06:05	40.3
145	2018/02/23	08:06:06	43.3
146	2018/02/23	08:06:07	41.7
147	2018/02/23	08:06:08	39.6
148	2018/02/23	08:06:09	39.8
149	2018/02/23	08:06:10	41.8
150	2018/02/23	08:06:11	45.6
151	2018/02/23	08:06:12	42.9
152	2018/02/23	08:06:13	42.5
153	2018/02/23	08:06:14	41.9
154	2018/02/23	08:06:15	43.8
155	2018/02/23	08:06:16	42.7
156	2018/02/23	08:06:17	41.7
157	2018/02/23	08:06:18	40.8
158	2018/02/23	08:06:19	41.4
159	2018/02/23	08:06:20	41.8
160	2018/02/23	08:06:21	42.0
161	2018/02/23	08:06:22	41.9
162	2018/02/23	08:06:23	43.4
163	2018/02/23	08:06:24	41.1
164	2018/02/23	08:06:25	43.0
165	2018/02/23	08:06:26	42.0
166	2018/02/23	08:06:27	43.0
167	2018/02/23	08:06:28	41.7
168	2018/02/23	08:06:29	41.8
169	2018/02/23	08:06:30	42.5
170	2018/02/23	08:06:31	41.0
171	2018/02/23	08:06:32	40.9
172	2018/02/23	08:06:33	41.1
173	2018/02/23	08:06:34	53.2
174	2018/02/23	08:06:35	42.0
175	2018/02/23	08:06:36	41.2
176	2018/02/23	08:06:37	40.6
177	2018/02/23	08:06:38	41.6
178	2018/02/23	08:06:39	42.9
179	2018/02/23	08:06:40	43.2
180	2018/02/23	08:06:41	40.5
181	2018/02/23	08:06:42	42.8
182	2018/02/23	08:06:43	47.7
183	2018/02/23	08:06:44	41.4
184	2018/02/23	08:06:45	42.6

185	2018/02/23	08:06:46	41.9
186	2018/02/23	08:06:47	43.4
187	2018/02/23	08:06:48	41.3
188	2018/02/23	08:06:49	42.9
189	2018/02/23	08:06:50	42.5
190	2018/02/23	08:06:51	42.5
191	2018/02/23	08:06:52	41.3
192	2018/02/23	08:06:53	40.3
193	2018/02/23	08:06:54	40.8
194	2018/02/23	08:06:55	39.2
195	2018/02/23	08:06:56	40.3
196	2018/02/23	08:06:57	39.5
197	2018/02/23	08:06:58	38.7
198	2018/02/23	08:06:59	39.6
199	2018/02/23	08:07:00	42.7
200	2018/02/23	08:07:01	40.3
201	2018/02/23	08:07:02	41.7
202	2018/02/23	08:07:03	41.3
203	2018/02/23	08:07:04	42.8
204	2018/02/23	08:07:05	42.8
205	2018/02/23	08:07:06	40.8
206	2018/02/23	08:07:07	40.5
207	2018/02/23	08:07:08	39.7
208	2018/02/23	08:07:09	39.0
209	2018/02/23	08:07:10	39.6
210	2018/02/23	08:07:11	39.0
211	2018/02/23	08:07:12	43.5
212	2018/02/23	08:07:13	38.3
213	2018/02/23	08:07:14	37.8
214	2018/02/23	08:07:15	39.4
215	2018/02/23	08:07:16	38.2
216	2018/02/23	08:07:17	39.8
217	2018/02/23	08:07:18	42.2
218	2018/02/23	08:07:19	41.6
219	2018/02/23	08:07:20	38.6
220	2018/02/23	08:07:21	39.1
221	2018/02/23	08:07:22	38.2
222	2018/02/23	08:07:23	40.0
223	2018/02/23	08:07:24	39.9
224	2018/02/23	08:07:25	40.0
225	2018/02/23	08:07:26	39.6
226	2018/02/23	08:07:27	38.4
227	2018/02/23	08:07:28	44.3
228	2018/02/23	08:07:29	40.9
229	2018/02/23	08:07:30	39.8
230	2018/02/23	08:07:31	40.2
231	2018/02/23	08:07:32	41.2
232	2018/02/23	08:07:33	42.4
233	2018/02/23	08:07:34	43.0
234	2018/02/23	08:07:35	43.8
235	2018/02/23	08:07:36	43.6
236	2018/02/23	08:07:37	43.7
237	2018/02/23	08:07:38	46.6
238	2018/02/23	08:07:39	48.2
239	2018/02/23	08:07:40	45.7
240	2018/02/23	08:07:41	45.1
241	2018/02/23	08:07:42	46.5
242	2018/02/23	08:07:43	47.5
243	2018/02/23	08:07:44	48.6
244	2018/02/23	08:07:45	49.2
245	2018/02/23	08:07:46	50.3
246	2018/02/23	08:07:47	51.9
247	2018/02/23	08:07:48	53.3
248	2018/02/23	08:07:49	54.1
249	2018/02/23	08:07:50	56.1
250	2018/02/23	08:07:51	57.3
251	2018/02/23	08:07:52	59.5
252	2018/02/23	08:07:53	62.8
253	2018/02/23	08:07:54	62.7
254	2018/02/23	08:07:55	59.8
255	2018/02/23	08:07:56	61.5
256	2018/02/23	08:07:57	55.3
257	2018/02/23	08:07:58	51.8
258	2018/02/23	08:07:59	50.3
259	2018/02/23	08:08:00	48.9
260	2018/02/23	08:08:01	49.2
261	2018/02/23	08:08:02	49.9
262	2018/02/23	08:08:03	49.6
263	2018/02/23	08:08:04	49.5
264	2018/02/23	08:08:05	47.2
265	2018/02/23	08:08:06	46.0
266	2018/02/23	08:08:07	45.2
267	2018/02/23	08:08:08	45.4
268	2018/02/23	08:08:09	44.8
269	2018/02/23	08:08:10	43.8
270	2018/02/23	08:08:11	42.8
271	2018/02/23	08:08:12	44.5
272	2018/02/23	08:08:13	44.3
273	2018/02/23	08:08:14	44.1
274	2018/02/23	08:08:15	44.1
275	2018/02/23	08:08:16	44.7
276	2018/02/23	08:08:17	43.7
277	2018/02/23	08:08:18	44.0
278	2018/02/23	08:08:19	45.4
279	2018/02/23	08:08:20	43.5
280	2018/02/23	08:08:21	44.6
281	2018/02/23	08:08:22	43.7
282	2018/02/23	08:08:23	45.2
283	2018/02/23	08:08:24	44.5

284	2018/02/23	08:08:25	44.4
285	2018/02/23	08:08:26	45.3
286	2018/02/23	08:08:27	44.6
287	2018/02/23	08:08:28	44.6
288	2018/02/23	08:08:29	44.8
289	2018/02/23	08:08:30	45.5
290	2018/02/23	08:08:31	46.3
291	2018/02/23	08:08:32	44.5
292	2018/02/23	08:08:33	45.1
293	2018/02/23	08:08:34	45.7
294	2018/02/23	08:08:35	46.6
295	2018/02/23	08:08:36	46.2
296	2018/02/23	08:08:37	48.0
297	2018/02/23	08:08:38	47.9
298	2018/02/23	08:08:39	44.6
299	2018/02/23	08:08:40	46.6
300	2018/02/23	08:08:41	45.6
301	2018/02/23	08:08:42	43.2
302	2018/02/23	08:08:43	43.3
303	2018/02/23	08:08:44	45.0
304	2018/02/23	08:08:45	44.1
305	2018/02/23	08:08:46	46.9
306	2018/02/23	08:08:47	43.0
307	2018/02/23	08:08:48	43.8
308	2018/02/23	08:08:49	43.3
309	2018/02/23	08:08:50	43.2
310	2018/02/23	08:08:51	43.8
311	2018/02/23	08:08:52	44.3
312	2018/02/23	08:08:53	43.9
313	2018/02/23	08:08:54	43.4
314	2018/02/23	08:08:55	43.7
315	2018/02/23	08:08:56	43.5
316	2018/02/23	08:08:57	43.7
317	2018/02/23	08:08:58	44.2
318	2018/02/23	08:08:59	44.6
319	2018/02/23	08:09:00	44.5
320	2018/02/23	08:09:01	43.8
321	2018/02/23	08:09:02	42.5
322	2018/02/23	08:09:03	42.3
323	2018/02/23	08:09:04	42.6
324	2018/02/23	08:09:05	42.7
325	2018/02/23	08:09:06	42.5
326	2018/02/23	08:09:07	42.3
327	2018/02/23	08:09:08	44.3
328	2018/02/23	08:09:09	44.5
329	2018/02/23	08:09:10	46.4
330	2018/02/23	08:09:11	48.4
331	2018/02/23	08:09:12	49.1
332	2018/02/23	08:09:13	49.7
333	2018/02/23	08:09:14	50.7
334	2018/02/23	08:09:15	53.8
335	2018/02/23	08:09:16	58.4
336	2018/02/23	08:09:17	64.7
337	2018/02/23	08:09:18	60.5
338	2018/02/23	08:09:19	68.6
339	2018/02/23	08:09:20	54.5
340	2018/02/23	08:09:21	60.5
341	2018/02/23	08:09:22	59.1
342	2018/02/23	08:09:23	48.8
343	2018/02/23	08:09:24	51.9
344	2018/02/23	08:09:25	48.4
345	2018/02/23	08:09:26	49.2
346	2018/02/23	08:09:27	54.0
347	2018/02/23	08:09:28	58.2
348	2018/02/23	08:09:29	45.7
349	2018/02/23	08:09:30	39.7
350	2018/02/23	08:09:31	38.6
351	2018/02/23	08:09:32	39.4
352	2018/02/23	08:09:33	39.3
353	2018/02/23	08:09:34	39.7
354	2018/02/23	08:09:35	38.3
355	2018/02/23	08:09:36	39.2
356	2018/02/23	08:09:37	41.5
357	2018/02/23	08:09:38	38.7
358	2018/02/23	08:09:39	39.6
359	2018/02/23	08:09:40	38.8
360	2018/02/23	08:09:41	37.9
361	2018/02/23	08:09:42	38.2
362	2018/02/23	08:09:43	39.8
363	2018/02/23	08:09:44	38.2
364	2018/02/23	08:09:45	37.7
365	2018/02/23	08:09:46	37.9
366	2018/02/23	08:09:47	40.5
367	2018/02/23	08:09:48	38.3
368	2018/02/23	08:09:49	39.1
369	2018/02/23	08:09:50	38.3
370	2018/02/23	08:09:51	39.2
371	2018/02/23	08:09:52	38.6
372	2018/02/23	08:09:53	38.4
373	2018/02/23	08:09:54	38.3
374	2018/02/23	08:09:55	39.4
375	2018/02/23	08:09:56	38.9
376	2018/02/23	08:09:57	38.8
377	2018/02/23	08:09:58	41.3
378	2018/02/23	08:09:59	44.4
379	2018/02/23	08:10:00	39.1
380	2018/02/23	08:10:01	39.7
381	2018/02/23	08:10:02	38.7
382	2018/02/23	08:10:03	40.2

383	2018/02/23	08:10:04	43.7
384	2018/02/23	08:10:05	38.9
385	2018/02/23	08:10:06	39.5
386	2018/02/23	08:10:07	38.6
387	2018/02/23	08:10:08	38.6
388	2018/02/23	08:10:09	39.7
389	2018/02/23	08:10:10	39.7
390	2018/02/23	08:10:11	39.0
391	2018/02/23	08:10:12	39.8
392	2018/02/23	08:10:13	38.2
393	2018/02/23	08:10:14	41.9
394	2018/02/23	08:10:15	39.9
395	2018/02/23	08:10:16	39.9
396	2018/02/23	08:10:17	39.5
397	2018/02/23	08:10:18	42.1
398	2018/02/23	08:10:19	44.1
399	2018/02/23	08:10:20	46.8
400	2018/02/23	08:10:21	47.5
401	2018/02/23	08:10:22	43.4
402	2018/02/23	08:10:23	39.1
403	2018/02/23	08:10:24	42.8
404	2018/02/23	08:10:25	39.2
405	2018/02/23	08:10:26	38.7
406	2018/02/23	08:10:27	39.4
407	2018/02/23	08:10:28	43.5
408	2018/02/23	08:10:29	45.3
409	2018/02/23	08:10:30	38.7
410	2018/02/23	08:10:31	38.8
411	2018/02/23	08:10:32	38.8
412	2018/02/23	08:10:33	42.3
413	2018/02/23	08:10:34	37.3
414	2018/02/23	08:10:35	42.4
415	2018/02/23	08:10:36	40.5
416	2018/02/23	08:10:37	42.0
417	2018/02/23	08:10:38	40.0
418	2018/02/23	08:10:39	40.6
419	2018/02/23	08:10:40	39.6
420	2018/02/23	08:10:41	40.0
421	2018/02/23	08:10:42	39.1
422	2018/02/23	08:10:43	39.3
423	2018/02/23	08:10:44	39.1
424	2018/02/23	08:10:45	40.2
425	2018/02/23	08:10:46	39.0
426	2018/02/23	08:10:47	39.8
427	2018/02/23	08:10:48	39.5
428	2018/02/23	08:10:49	39.1
429	2018/02/23	08:10:50	39.6
430	2018/02/23	08:10:51	40.5
431	2018/02/23	08:10:52	38.7
432	2018/02/23	08:10:53	39.0
433	2018/02/23	08:10:54	40.1
434	2018/02/23	08:10:55	40.8
435	2018/02/23	08:10:56	41.0
436	2018/02/23	08:10:57	42.5
437	2018/02/23	08:10:58	46.4
438	2018/02/23	08:10:59	44.7
439	2018/02/23	08:11:00	46.8
440	2018/02/23	08:11:01	49.6
441	2018/02/23	08:11:02	50.9
442	2018/02/23	08:11:03	52.2
443	2018/02/23	08:11:04	53.7
444	2018/02/23	08:11:05	55.3
445	2018/02/23	08:11:06	60.2
446	2018/02/23	08:11:07	65.7
447	2018/02/23	08:11:08	65.8
448	2018/02/23	08:11:09	58.0
449	2018/02/23	08:11:10	53.6
450	2018/02/23	08:11:11	50.1
451	2018/02/23	08:11:12	48.9
452	2018/02/23	08:11:13	47.9
453	2018/02/23	08:11:14	44.7
454	2018/02/23	08:11:15	45.4
455	2018/02/23	08:11:16	48.2
456	2018/02/23	08:11:17	49.0
457	2018/02/23	08:11:18	51.2
458	2018/02/23	08:11:19	53.9
459	2018/02/23	08:11:20	49.2
460	2018/02/23	08:11:21	50.4
461	2018/02/23	08:11:22	53.1
462	2018/02/23	08:11:23	64.2
463	2018/02/23	08:11:24	57.8
464	2018/02/23	08:11:25	60.9
465	2018/02/23	08:11:26	67.2
466	2018/02/23	08:11:27	66.5
467	2018/02/23	08:11:28	58.8
468	2018/02/23	08:11:29	54.6
469	2018/02/23	08:11:30	55.6
470	2018/02/23	08:11:31	53.9
471	2018/02/23	08:11:32	56.8
472	2018/02/23	08:11:33	53.3
473	2018/02/23	08:11:34	49.1
474	2018/02/23	08:11:35	51.6
475	2018/02/23	08:11:36	45.2
476	2018/02/23	08:11:37	45.6
477	2018/02/23	08:11:38	48.8
478	2018/02/23	08:11:39	48.3
479	2018/02/23	08:11:40	48.5
480	2018/02/23	08:11:41	51.2
481	2018/02/23	08:11:42	69.4

482	2018/02/23	08:11:43	44.9
483	2018/02/23	08:11:44	47.9
484	2018/02/23	08:11:45	47.2
485	2018/02/23	08:11:46	42.3
486	2018/02/23	08:11:47	43.7
487	2018/02/23	08:11:48	42.3
488	2018/02/23	08:11:49	40.8
489	2018/02/23	08:11:50	41.5
490	2018/02/23	08:11:51	44.4
491	2018/02/23	08:11:52	39.6
492	2018/02/23	08:11:53	43.4
493	2018/02/23	08:11:54	44.2
494	2018/02/23	08:11:55	41.8
495	2018/02/23	08:11:56	43.6
496	2018/02/23	08:11:57	40.8
497	2018/02/23	08:11:58	42.5
498	2018/02/23	08:11:59	38.8
499	2018/02/23	08:12:00	40.6
500	2018/02/23	08:12:01	44.1
501	2018/02/23	08:12:02	45.9
502	2018/02/23	08:12:03	40.2
503	2018/02/23	08:12:04	39.5
504	2018/02/23	08:12:05	42.1
505	2018/02/23	08:12:06	39.0
506	2018/02/23	08:12:07	39.6
507	2018/02/23	08:12:08	42.1
508	2018/02/23	08:12:09	42.0
509	2018/02/23	08:12:10	39.5
510	2018/02/23	08:12:11	38.5
511	2018/02/23	08:12:12	49.1
512	2018/02/23	08:12:13	52.0
513	2018/02/23	08:12:14	51.1
514	2018/02/23	08:12:15	38.0
515	2018/02/23	08:12:16	40.2
516	2018/02/23	08:12:17	53.1
517	2018/02/23	08:12:18	43.7
518	2018/02/23	08:12:19	46.8
519	2018/02/23	08:12:20	41.9
520	2018/02/23	08:12:21	39.0
521	2018/02/23	08:12:22	38.0
522	2018/02/23	08:12:23	39.3
523	2018/02/23	08:12:24	55.1
524	2018/02/23	08:12:25	42.9
525	2018/02/23	08:12:26	40.0
526	2018/02/23	08:12:27	39.8
527	2018/02/23	08:12:28	48.6
528	2018/02/23	08:12:29	38.5
529	2018/02/23	08:12:30	43.4
530	2018/02/23	08:12:31	37.7
531	2018/02/23	08:12:32	39.7
532	2018/02/23	08:12:33	57.8
533	2018/02/23	08:12:34	38.2
534	2018/02/23	08:12:35	37.3
535	2018/02/23	08:12:36	37.6
536	2018/02/23	08:12:37	41.6
537	2018/02/23	08:12:38	39.2
538	2018/02/23	08:12:39	38.4
539	2018/02/23	08:12:40	37.2
540	2018/02/23	08:12:41	40.0
541	2018/02/23	08:12:42	39.1
542	2018/02/23	08:12:43	45.8
543	2018/02/23	08:12:44	38.4
544	2018/02/23	08:12:45	39.2
545	2018/02/23	08:12:46	41.3
546	2018/02/23	08:12:47	38.8
547	2018/02/23	08:12:48	38.8
548	2018/02/23	08:12:49	39.8
549	2018/02/23	08:12:50	39.3
550	2018/02/23	08:12:51	40.8
551	2018/02/23	08:12:52	45.7
552	2018/02/23	08:12:53	44.6
553	2018/02/23	08:12:54	47.5
554	2018/02/23	08:12:55	45.0
555	2018/02/23	08:12:56	39.9
556	2018/02/23	08:12:57	40.5
557	2018/02/23	08:12:58	38.1
558	2018/02/23	08:12:59	38.6
559	2018/02/23	08:13:00	40.3
560	2018/02/23	08:13:01	40.9
561	2018/02/23	08:13:02	40.0
562	2018/02/23	08:13:03	39.4
563	2018/02/23	08:13:04	39.6
564	2018/02/23	08:13:05	38.8
565	2018/02/23	08:13:06	39.5
566	2018/02/23	08:13:07	41.6
567	2018/02/23	08:13:08	39.1
568	2018/02/23	08:13:09	39.4
569	2018/02/23	08:13:10	40.4
570	2018/02/23	08:13:11	37.8
571	2018/02/23	08:13:12	40.1
572	2018/02/23	08:13:13	39.0
573	2018/02/23	08:13:14	39.1
574	2018/02/23	08:13:15	39.7
575	2018/02/23	08:13:16	38.7
576	2018/02/23	08:13:17	37.2
577	2018/02/23	08:13:18	37.1
578	2018/02/23	08:13:19	43.7
579	2018/02/23	08:13:20	41.5
580	2018/02/23	08:13:21	40.3

581	2018/02/23	08:13:22	40.5
582	2018/02/23	08:13:23	38.2
583	2018/02/23	08:13:24	41.8
584	2018/02/23	08:13:25	41.7
585	2018/02/23	08:13:26	40.0
586	2018/02/23	08:13:27	41.4
587	2018/02/23	08:13:28	39.0
588	2018/02/23	08:13:29	40.3
589	2018/02/23	08:13:30	41.6
590	2018/02/23	08:13:31	40.7
591	2018/02/23	08:13:32	40.3
592	2018/02/23	08:13:33	45.2
593	2018/02/23	08:13:34	42.8
594	2018/02/23	08:13:35	42.2
595	2018/02/23	08:13:36	40.5
596	2018/02/23	08:13:37	41.1
597	2018/02/23	08:13:38	39.8
598	2018/02/23	08:13:39	38.9
599	2018/02/23	08:13:40	39.5
600	2018/02/23	08:13:41	39.5
601	2018/02/23	08:13:42	40.1
602	2018/02/23	08:13:43	43.4
603	2018/02/23	08:13:44	43.6
604	2018/02/23	08:13:45	44.4
605	2018/02/23	08:13:46	41.3
606	2018/02/23	08:13:47	41.4
607	2018/02/23	08:13:48	44.0
608	2018/02/23	08:13:49	48.3
609	2018/02/23	08:13:50	47.7
610	2018/02/23	08:13:51	43.7
611	2018/02/23	08:13:52	42.6
612	2018/02/23	08:13:53	45.1
613	2018/02/23	08:13:54	41.2
614	2018/02/23	08:13:55	43.6
615	2018/02/23	08:13:56	40.9
616	2018/02/23	08:13:57	42.1
617	2018/02/23	08:13:58	39.7
618	2018/02/23	08:13:59	39.9
619	2018/02/23	08:14:00	43.5
620	2018/02/23	08:14:01	42.7
621	2018/02/23	08:14:02	42.3
622	2018/02/23	08:14:03	45.2
623	2018/02/23	08:14:04	43.0
624	2018/02/23	08:14:05	44.0
625	2018/02/23	08:14:06	39.8
626	2018/02/23	08:14:07	40.5
627	2018/02/23	08:14:08	46.0
628	2018/02/23	08:14:09	42.9
629	2018/02/23	08:14:10	43.5
630	2018/02/23	08:14:11	39.2
631	2018/02/23	08:14:12	37.8
632	2018/02/23	08:14:13	36.5
633	2018/02/23	08:14:14	42.0
634	2018/02/23	08:14:15	38.9
635	2018/02/23	08:14:16	41.7
636	2018/02/23	08:14:17	36.9
637	2018/02/23	08:14:18	43.1
638	2018/02/23	08:14:19	39.7
639	2018/02/23	08:14:20	38.0
640	2018/02/23	08:14:21	37.6
641	2018/02/23	08:14:22	40.0
642	2018/02/23	08:14:23	39.7
643	2018/02/23	08:14:24	38.0
644	2018/02/23	08:14:25	37.1
645	2018/02/23	08:14:26	40.7
646	2018/02/23	08:14:27	41.0
647	2018/02/23	08:14:28	38.6
648	2018/02/23	08:14:29	40.1
649	2018/02/23	08:14:30	37.0
650	2018/02/23	08:14:31	36.9
651	2018/02/23	08:14:32	37.4
652	2018/02/23	08:14:33	38.2
653	2018/02/23	08:14:34	38.1
654	2018/02/23	08:14:35	38.4
655	2018/02/23	08:14:36	37.7
656	2018/02/23	08:14:37	40.1
657	2018/02/23	08:14:38	40.0
658	2018/02/23	08:14:39	38.2
659	2018/02/23	08:14:40	38.5
660	2018/02/23	08:14:41	38.0
661	2018/02/23	08:14:42	46.1
662	2018/02/23	08:14:43	41.7
663	2018/02/23	08:14:44	41.6
664	2018/02/23	08:14:45	44.7
665	2018/02/23	08:14:46	47.4
666	2018/02/23	08:14:47	48.8
667	2018/02/23	08:14:48	49.1
668	2018/02/23	08:14:49	49.9
669	2018/02/23	08:14:50	51.9
670	2018/02/23	08:14:51	53.9
671	2018/02/23	08:14:52	54.5
672	2018/02/23	08:14:53	55.2
673	2018/02/23	08:14:54	57.6
674	2018/02/23	08:14:55	63.7
675	2018/02/23	08:14:56	69.6
676	2018/02/23	08:14:57	63.5
677	2018/02/23	08:14:58	58.0
678	2018/02/23	08:14:59	53.1
679	2018/02/23	08:15:00	51.2

680	2018/02/23	08:15:01	49.1
681	2018/02/23	08:15:02	46.2
682	2018/02/23	08:15:03	42.3
683	2018/02/23	08:15:04	40.4
684	2018/02/23	08:15:05	38.8
685	2018/02/23	08:15:06	45.9
686	2018/02/23	08:15:07	45.5
687	2018/02/23	08:15:08	36.9
688	2018/02/23	08:15:09	36.9
689	2018/02/23	08:15:10	36.9
690	2018/02/23	08:15:11	36.9
691	2018/02/23	08:15:12	37.2
692	2018/02/23	08:15:13	37.2
693	2018/02/23	08:15:14	41.0
694	2018/02/23	08:15:15	37.8
695	2018/02/23	08:15:16	37.3
696	2018/02/23	08:15:17	37.6
697	2018/02/23	08:15:18	37.7
698	2018/02/23	08:15:19	37.6
699	2018/02/23	08:15:20	37.0
700	2018/02/23	08:15:21	39.0
701	2018/02/23	08:15:22	40.2
702	2018/02/23	08:15:23	37.4
703	2018/02/23	08:15:24	50.5
704	2018/02/23	08:15:25	61.1
705	2018/02/23	08:15:26	69.0
706	2018/02/23	08:15:27	60.9
707	2018/02/23	08:15:28	51.2
708	2018/02/23	08:15:29	42.4
709	2018/02/23	08:15:30	44.2
710	2018/02/23	08:15:31	47.8
711	2018/02/23	08:15:32	60.8
712	2018/02/23	08:15:33	67.8
713	2018/02/23	08:15:34	60.5
714	2018/02/23	08:15:35	65.0
715	2018/02/23	08:15:36	71.7
716	2018/02/23	08:15:37	63.6
717	2018/02/23	08:15:38	58.3
718	2018/02/23	08:15:39	55.0
719	2018/02/23	08:15:40	55.0
720	2018/02/23	08:15:41	65.3
721	2018/02/23	08:15:42	55.2
722	2018/02/23	08:15:43	51.9
723	2018/02/23	08:15:44	48.1
724	2018/02/23	08:15:45	45.5
725	2018/02/23	08:15:46	46.1
726	2018/02/23	08:15:47	44.3
727	2018/02/23	08:15:48	43.0
728	2018/02/23	08:15:49	41.8
729	2018/02/23	08:15:50	43.4
730	2018/02/23	08:15:51	42.4
731	2018/02/23	08:15:52	40.8
732	2018/02/23	08:15:53	41.8
733	2018/02/23	08:15:54	40.3
734	2018/02/23	08:15:55	47.4
735	2018/02/23	08:15:56	50.9
736	2018/02/23	08:15:57	43.4
737	2018/02/23	08:15:58	43.7
738	2018/02/23	08:15:59	48.2
739	2018/02/23	08:16:00	42.1
740	2018/02/23	08:16:01	42.0
741	2018/02/23	08:16:02	40.4
742	2018/02/23	08:16:03	39.0
743	2018/02/23	08:16:04	39.1
744	2018/02/23	08:16:05	40.0
745	2018/02/23	08:16:06	41.4
746	2018/02/23	08:16:07	40.4
747	2018/02/23	08:16:08	42.6
748	2018/02/23	08:16:09	40.4
749	2018/02/23	08:16:10	42.1
750	2018/02/23	08:16:11	40.8
751	2018/02/23	08:16:12	40.9
752	2018/02/23	08:16:13	41.5
753	2018/02/23	08:16:14	39.8
754	2018/02/23	08:16:15	39.1
755	2018/02/23	08:16:16	41.7
756	2018/02/23	08:16:17	40.1
757	2018/02/23	08:16:18	41.8
758	2018/02/23	08:16:19	40.6
759	2018/02/23	08:16:20	41.8
760	2018/02/23	08:16:21	41.1
761	2018/02/23	08:16:22	40.5
762	2018/02/23	08:16:23	41.9
763	2018/02/23	08:16:24	38.4
764	2018/02/23	08:16:25	40.3
765	2018/02/23	08:16:26	38.9
766	2018/02/23	08:16:27	38.1
767	2018/02/23	08:16:28	38.5
768	2018/02/23	08:16:29	37.8
769	2018/02/23	08:16:30	39.6
770	2018/02/23	08:16:31	37.7
771	2018/02/23	08:16:32	37.3
772	2018/02/23	08:16:33	52.5
773	2018/02/23	08:16:34	41.5
774	2018/02/23	08:16:35	38.1
775	2018/02/23	08:16:36	42.9
776	2018/02/23	08:16:37	38.9
777	2018/02/23	08:16:38	39.0
778	2018/02/23	08:16:39	44.6

779	2018/02/23	08:16:40	39.0
780	2018/02/23	08:16:41	40.9
781	2018/02/23	08:16:42	39.1
782	2018/02/23	08:16:43	37.5
783	2018/02/23	08:16:44	37.2
784	2018/02/23	08:16:45	36.6
785	2018/02/23	08:16:46	37.7
786	2018/02/23	08:16:47	36.9
787	2018/02/23	08:16:48	37.4
788	2018/02/23	08:16:49	36.9
789	2018/02/23	08:16:50	37.4
790	2018/02/23	08:16:51	36.8
791	2018/02/23	08:16:52	37.0
792	2018/02/23	08:16:53	36.8
793	2018/02/23	08:16:54	36.5
794	2018/02/23	08:16:55	36.6
795	2018/02/23	08:16:56	38.4
796	2018/02/23	08:16:57	38.7
797	2018/02/23	08:16:58	37.4
798	2018/02/23	08:16:59	38.2
799	2018/02/23	08:17:00	37.8
800	2018/02/23	08:17:01	39.2
801	2018/02/23	08:17:02	38.0
802	2018/02/23	08:17:03	36.9
803	2018/02/23	08:17:04	37.1
804	2018/02/23	08:17:05	36.8
805	2018/02/23	08:17:06	36.1
806	2018/02/23	08:17:07	36.6
807	2018/02/23	08:17:08	36.8
808	2018/02/23	08:17:09	37.1
809	2018/02/23	08:17:10	37.1
810	2018/02/23	08:17:11	38.3
811	2018/02/23	08:17:12	37.6
812	2018/02/23	08:17:13	36.3
813	2018/02/23	08:17:14	37.6
814	2018/02/23	08:17:15	36.0
815	2018/02/23	08:17:16	36.8
816	2018/02/23	08:17:17	39.0
817	2018/02/23	08:17:18	37.5
818	2018/02/23	08:17:19	36.2
819	2018/02/23	08:17:20	36.6
820	2018/02/23	08:17:21	37.8
821	2018/02/23	08:17:22	37.7
822	2018/02/23	08:17:23	37.9
823	2018/02/23	08:17:24	36.4
824	2018/02/23	08:17:25	39.3
825	2018/02/23	08:17:26	37.9
826	2018/02/23	08:17:27	38.1
827	2018/02/23	08:17:28	38.4
828	2018/02/23	08:17:29	36.1
829	2018/02/23	08:17:30	37.0
830	2018/02/23	08:17:31	36.5
831	2018/02/23	08:17:32	36.6
832	2018/02/23	08:17:33	36.1
833	2018/02/23	08:17:34	35.0
834	2018/02/23	08:17:35	36.4
835	2018/02/23	08:17:36	36.3
836	2018/02/23	08:17:37	37.9
837	2018/02/23	08:17:38	36.5
838	2018/02/23	08:17:39	37.4
839	2018/02/23	08:17:40	35.5
840	2018/02/23	08:17:41	36.9
841	2018/02/23	08:17:42	36.6
842	2018/02/23	08:17:43	35.0
843	2018/02/23	08:17:44	34.6
844	2018/02/23	08:17:45	36.0
845	2018/02/23	08:17:46	35.5
846	2018/02/23	08:17:47	37.9
847	2018/02/23	08:17:48	35.5
848	2018/02/23	08:17:49	35.3
849	2018/02/23	08:17:50	36.1
850	2018/02/23	08:17:51	36.6
851	2018/02/23	08:17:52	36.7
852	2018/02/23	08:17:53	35.6
853	2018/02/23	08:17:54	39.1
854	2018/02/23	08:17:55	36.1
855	2018/02/23	08:17:56	38.2
856	2018/02/23	08:17:57	35.9
857	2018/02/23	08:17:58	36.1
858	2018/02/23	08:17:59	36.8
859	2018/02/23	08:18:00	35.2
860	2018/02/23	08:18:01	35.6
861	2018/02/23	08:18:02	35.4
862	2018/02/23	08:18:03	35.8
863	2018/02/23	08:18:04	36.9
864	2018/02/23	08:18:05	36.0
865	2018/02/23	08:18:06	36.4
866	2018/02/23	08:18:07	37.3
867	2018/02/23	08:18:08	38.6
868	2018/02/23	08:18:09	36.2
869	2018/02/23	08:18:10	37.3
870	2018/02/23	08:18:11	37.4
871	2018/02/23	08:18:12	37.0
872	2018/02/23	08:18:13	38.5
873	2018/02/23	08:18:14	58.5
874	2018/02/23	08:18:15	55.8
875	2018/02/23	08:18:16	44.1
876	2018/02/23	08:18:17	40.6
877	2018/02/23	08:18:18	37.7

878	2018/02/23	08:18:19	41.7
879	2018/02/23	08:18:20	40.7
880	2018/02/23	08:18:21	40.9
881	2018/02/23	08:18:22	37.7
882	2018/02/23	08:18:23	39.4
883	2018/02/23	08:18:24	38.6
884	2018/02/23	08:18:25	41.6
885	2018/02/23	08:18:26	39.3
886	2018/02/23	08:18:27	37.8
887	2018/02/23	08:18:28	37.2
888	2018/02/23	08:18:29	35.9
889	2018/02/23	08:18:30	37.7
890	2018/02/23	08:18:31	36.1
891	2018/02/23	08:18:32	37.9
892	2018/02/23	08:18:33	38.8
893	2018/02/23	08:18:34	40.9
894	2018/02/23	08:18:35	49.6
895	2018/02/23	08:18:36	41.6
896	2018/02/23	08:18:37	37.9
897	2018/02/23	08:18:38	36.5
898	2018/02/23	08:18:39	37.8
899	2018/02/23	08:18:40	37.9
900	2018/02/23	08:18:41	37.2

Appendix C

Construction Noise Modeling

Roadway Construction Noise Model (RCNM),Version 1.1

Report date: #####

Case Description: Parker Flats - site prep

---- Receptor #1 ----

Baselines (dBA)

Description	Land Use	Daytime	Evening	Night
medical/ed	Residential	61.4	61.4	61.4

Equipment

Description	Impact	Device	Usage(%)	Spec	Actual	Receptor	Estimated
				Lmax (dBA)	Lmax (dBA)	Distance (feet)	Shielding (dBA)
Dozer	No		40		81.7	150	0
Dozer	No		40		81.7	150	0
Dozer	No		40		81.7	150	0
Backhoe	No		40		77.6	150	0
Backhoe	No		40		77.6	150	0
Tractor	No		40	84		150	0
Tractor	No		40	84		150	0

Results

Calculated (dBA)

Noise Limits (dBA)

Equipment	Calculated (dBA)		Day		Evening		Night
	*Lmax	Leq	Lmax	Leq	Lmax	Leq	Lmax
Dozer	72.1	68.1	N/A	N/A	N/A	N/A	N/A
Dozer	72.1	68.1	N/A	N/A	N/A	N/A	N/A
Dozer	72.1	68.1	N/A	N/A	N/A	N/A	N/A
Backhoe	68	64	N/A	N/A	N/A	N/A	N/A
Backhoe	68	64	N/A	N/A	N/A	N/A	N/A
Tractor	74.5	70.5	N/A	N/A	N/A	N/A	N/A
Tractor	74.5	70.5	N/A	N/A	N/A	N/A	N/A
Total	74.5	76.7	N/A	N/A	N/A	N/A	N/A

*Calculated Lmax is the Loudest value.

Noise Limit Exceedance (dBA)						
	Day		Evening		Night	
Leq	Lmax	Leq	Lmax	Leq	Lmax	Leq
N/A	N/A	N/A	N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A	N/A	N/A	N/A

Roadway Construction Noise Model (RCNM),Version 1.1

Report date: #####

Case Description: Parker Flats - Grading

---- Receptor #1 ----

Baselines (dBA)

Description	Land Use	Daytime	Evening	Night
Medical/Ec	Residential	61.4	61.4	61.4

Equipment

Description	Impact	Device	Usage(%)	Spec	Actual	Receptor	Estimated
				Lmax (dBA)	Lmax (dBA)	Distance (feet)	Shielding (dBA)
Excavator	No		40		80.7	150	0
Grader	No		40	85		150	0
Dozer	No		40		81.7	150	0
Backhoe	No		40		77.6	150	0
Backhoe	No		40		77.6	150	0
Tractor	No		40	84		150	0

Results

Calculated (dBA)

Noise Limits (dBA)

Equipment	Calculated (dBA)		Day		Evening		Night
	*Lmax	Leq	Lmax	Leq	Lmax	Leq	Lmax
Excavator	71.2	67.2	N/A	N/A	N/A	N/A	N/A
Grader	75.5	71.5	N/A	N/A	N/A	N/A	N/A
Dozer	72.1	68.1	N/A	N/A	N/A	N/A	N/A
Backhoe	68	64	N/A	N/A	N/A	N/A	N/A
Backhoe	68	64	N/A	N/A	N/A	N/A	N/A
Tractor	74.5	70.5	N/A	N/A	N/A	N/A	N/A
Total	75.5	76.2	N/A	N/A	N/A	N/A	N/A

*Calculated Lmax is the Loudest value.

Noise Limit Exceedance (dBA)						
	Day		Evening		Night	
Leq	Lmax	Leq	Lmax	Leq	Lmax	Leq
N/A	N/A	N/A	N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A	N/A	N/A	N/A

Roadway Construction Noise Model (RCNM),Version 1.1

Report date: #####

Case Description: Parker Flats - Renovation

---- Receptor #1 ----

Baselines (dBA)

Description	Land Use	Daytime	Evening	Night
Medical/Ec	Residential	61.4	61.4	61.4

Equipment

Description	Impact Device	Usage(%)	Spec	Actual	Receptor	Estimated
			Lmax (dBA)	Lmax (dBA)	Distance (feet)	Shielding (dBA)
Crane	No	16		80.6	150	0
Man Lift	No	20		74.7	150	0
Man Lift	No	20		74.7	150	0
Man Lift	No	20		74.7	150	0
Generator	No	50		80.6	150	0
Tractor	No	40	84		150	0
Tractor	No	40	84		150	0
Backhoe	No	40		77.6	150	0
Welder / Torch	No	40		74	150	0

Results

Calculated (dBA)

Noise Limits (dBA)

Equipment			Day		Evening		Night
	*Lmax	Leq	Lmax	Leq	Lmax	Leq	Lmax
Crane	71	63	N/A	N/A	N/A	N/A	N/A
Man Lift	65.2	58.2	N/A	N/A	N/A	N/A	N/A
Man Lift	65.2	58.2	N/A	N/A	N/A	N/A	N/A
Man Lift	65.2	58.2	N/A	N/A	N/A	N/A	N/A
Generator	71.1	68.1	N/A	N/A	N/A	N/A	N/A
Tractor	74.5	70.5	N/A	N/A	N/A	N/A	N/A
Tractor	74.5	70.5	N/A	N/A	N/A	N/A	N/A
Backhoe	68	64	N/A	N/A	N/A	N/A	N/A
Welder / Torch	64.5	60.5	N/A	N/A	N/A	N/A	N/A
Total	74.5	75.6	N/A	N/A	N/A	N/A	N/A

*Calculated Lmax is the Loudest value.

Noise Limit Exceedance (dBA)						
	Day		Evening		Night	
Leq	Lmax	Leq	Lmax	Leq	Lmax	Leq
N/A	N/A	N/A	N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A	N/A	N/A	N/A

Roadway Construction Noise Model (RCNM),Version 1.1

Report date: #####

Case Description: Parker Flats - Paving

---- Receptor #1 ----

Baselines (dBA)

Description	Land Use	Daytime	Evening	Night
Medical/Ec	Residential	61.4	61.4	61.4

Equipment

Description	Impact	Device	Usage(%)	Spec	Actual	Receptor	Estimated
				Lmax (dBA)	Lmax (dBA)	Distance (feet)	Shielding (dBA)
Concrete Mixer Truck	No		40		78.8	150	0
Concrete Mixer Truck	No		40		78.8	150	0
Paver	No		50		77.2	150	0
Paver	No		50		77.2	150	0
Paver	No		50		77.2	150	0
Roller	No		20		80	150	0
Roller	No		20		80	150	0
Tractor	No		40	84		150	0

Results

Equipment	Calculated (dBA)			Noise Limits (dBA)			
	*Lmax	Leq	Day	Evening	Night		
			Lmax	Leq	Lmax	Leq	Lmax
Concrete Mixer Truck	69.3	65.3	N/A	N/A	N/A	N/A	N/A
Concrete Mixer Truck	69.3	65.3	N/A	N/A	N/A	N/A	N/A
Paver	67.7	64.7	N/A	N/A	N/A	N/A	N/A
Paver	67.7	64.7	N/A	N/A	N/A	N/A	N/A
Paver	67.7	64.7	N/A	N/A	N/A	N/A	N/A
Roller	70.5	63.5	N/A	N/A	N/A	N/A	N/A
Roller	70.5	63.5	N/A	N/A	N/A	N/A	N/A
Tractor	74.5	70.5	N/A	N/A	N/A	N/A	N/A
Total	74.5	74.9	N/A	N/A	N/A	N/A	N/A

*Calculated Lmax is the Loudest value.

Noise Limit Exceedance (dBA)						
	Day		Evening		Night	
Leq	Lmax	Leq	Lmax	Leq	Lmax	Leq
N/A	N/A	N/A	N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A	N/A	N/A	N/A

Roadway Construction Noise Model (RCNM),Version 1.1

Report date: #####

Case Description: Parker Flats - Arch Coating

---- Receptor #1 ----

		Baselines (dBA)		
Description	Land Use	Daytime	Evening	Night
Medical/Ec	Residential	61.4	61.4	61.4

		Equipment				
		Spec	Actual	Receptor	Estimated	
		Lmax	Lmax	Distance	Shielding	
Description	Impact	Usage(%)	(dBA)	(dBA)	(feet)	(dBA)
Compressor (air)	No	40		77.7	150	0

		Results						
		Calculated (dBA)			Noise Limits (dBA)			
				Day	Evening		Night	
Equipment		*Lmax	Leq	Lmax	Leq	Lmax	Leq	Lmax
Compressor (air)		68.1	64.1	N/A	N/A	N/A	N/A	N/A
Total		68.1	64.1	N/A	N/A	N/A	N/A	N/A

*Calculated Lmax is the Loudest value.

Noise Limit Exceedance (dBA)						
	Day		Evening		Night	
	Leq	Lmax	Leq	Lmax	Leq	Lmax
	N/A	N/A	N/A	N/A	N/A	N/A
	N/A	N/A	N/A	N/A	N/A	N/A

Appendix D

CalEEMod Results

Parker Flats Apartments 2022 AQ revisions - Monterey Bay Unified APCD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Parker Flats Apartments 2022 AQ revisions

Monterey Bay Unified APCD Air District, Annual

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
Parking Lot	84.00	Space	0.00	33,600.00	0
Apartment Mid Rise	42.00	Dwelling Unit	4.90	38,692.00	120

1.2 Other Project Characteristics

Urbanization	Urban	Wind Speed (m/s)	2.8	Precipitation Freq (Days)	53
Climate Zone	4			Operational Year	2023
Utility Company	Pacific Gas and Electric Company				
CO2 Intensity (lb/MWhr)	203.98	CH4 Intensity (lb/MWhr)	0.033	N2O Intensity (lb/MWhr)	0.004

1.3 User Entered Comments & Non-Default Data

Project Characteristics - Parker Flats project is in the city of Seaside and would be served by PG&E

Land Use - 42 DU and 38,692 sf of building space. 84 parking lot spaces. Acreage = 4.9

Construction Phase - Default construction schedule but demolition is removed

Off-road Equipment - Default construction equipment

Vehicle Trips - Default trip generation rates

Woodstoves - Keeping default assumption about natural gas fireplaces, conservative addition

Table Name	Column Name	Default Value	New Value
tblLandUse	LandUseSquareFeet	42,000.00	38,692.00
tblLandUse	LotAcreage	0.76	0.00
tblLandUse	LotAcreage	1.11	4.90

Parker Flats Apartments 2022 AQ revisions - Monterey Bay Unified APCD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied**2.0 Emissions Summary****2.1 Overall Construction****Unmitigated Construction**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	tons/yr										MT/yr					
2023	0.2212	1.9414	2.2444	4.1000e-003	0.1275	0.0911	0.2186	0.0524	0.0855	0.1380	0.0000	357.8496	357.8496	0.0753	4.4800e-003	361.0672
2024	0.2515	0.0153	0.0248	4.0000e-005	7.2000e-004	7.5000e-004	1.4800e-003	1.9000e-004	7.4000e-004	9.3000e-004	0.0000	3.7115	3.7115	4.1000e-004	2.0000e-005	3.7269
Maximum	0.2515	1.9414	2.2444	4.1000e-003	0.1275	0.0911	0.2186	0.0524	0.0855	0.1380	0.0000	357.8496	357.8496	0.0753	4.4800e-003	361.0672

Mitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	tons/yr										MT/yr					
2023	0.2212	1.9414	2.2444	4.1000e-003	0.1275	0.0911	0.2186	0.0524	0.0855	0.1380	0.0000	357.8492	357.8492	0.0753	4.4800e-003	361.0668
2024	0.2515	0.0153	0.0248	4.0000e-005	7.2000e-004	7.5000e-004	1.4800e-003	1.9000e-004	7.4000e-004	9.3000e-004	0.0000	3.7115	3.7115	4.1000e-004	2.0000e-005	3.7269
Maximum	0.2515	1.9414	2.2444	4.1000e-003	0.1275	0.0911	0.2186	0.0524	0.0855	0.1380	0.0000	357.8492	357.8492	0.0753	4.4800e-003	361.0668

Parker Flats Apartments 2022 AQ revisions - Monterey Bay Unified APCD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Quarter	Start Date	End Date	Maximum Unmitigated ROG + NOX (tons/quarter)	Maximum Mitigated ROG + NOX (tons/quarter)
1	1-2-2023	4-1-2023	0.5758	0.5758
2	4-2-2023	7-1-2023	0.5429	0.5429
3	7-2-2023	10-1-2023	0.5489	0.5489
4	10-2-2023	1-1-2024	0.4863	0.4863
5	1-2-2024	4-1-2024	0.2497	0.2497
		Highest	0.5758	0.5758

2.2 Overall Operational**Unmitigated Operational**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Area	0.1914	5.0000e-003	0.4343	2.0000e-005		2.4000e-003	2.4000e-003		2.4000e-003	2.4000e-003	0.0000	0.7096	0.7096	6.9000e-004	0.0000	0.7267
Energy	1.9000e-003	0.0162	6.9000e-003	1.0000e-004		1.3100e-003	1.3100e-003		1.3100e-003	1.3100e-003	0.0000	34.8987	34.8987	2.9700e-003	6.6000e-004	35.1697
Mobile	0.1342	0.1904	1.2732	2.4600e-003	0.2328	2.2800e-003	0.2351	0.0623	2.1400e-003	0.0644	0.0000	229.3461	229.3461	0.0165	0.0119	233.2950
Waste						0.0000	0.0000		0.0000	0.0000	3.9218	0.0000	3.9218	0.2318	0.0000	9.7161
Water						0.0000	0.0000		0.0000	0.0000	0.8682	1.9287	2.7968	0.0895	2.1400e-003	5.6725
Total	0.3274	0.2116	1.7144	2.5800e-003	0.2328	5.9900e-003	0.2388	0.0623	5.8500e-003	0.0681	4.7900	266.8831	271.6730	0.3414	0.0147	284.5800

Parker Flats Apartments 2022 AQ revisions - Monterey Bay Unified APCD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

2.2 Overall Operational

Mitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Area	0.1914	5.0000e-003	0.4343	2.0000e-005		2.4000e-003	2.4000e-003		2.4000e-003	2.4000e-003	0.0000	0.7096	0.7096	6.9000e-004	0.0000	0.7267
Energy	1.9000e-003	0.0162	6.9000e-003	1.0000e-004		1.3100e-003	1.3100e-003		1.3100e-003	1.3100e-003	0.0000	34.8987	34.8987	2.9700e-003	6.6000e-004	35.1697
Mobile	0.1342	0.1904	1.2732	2.4600e-003	0.2328	2.2800e-003	0.2351	0.0623	2.1400e-003	0.0644	0.0000	229.3461	229.3461	0.0165	0.0119	233.2950
Waste						0.0000	0.0000		0.0000	0.0000	3.9218	0.0000	3.9218	0.2318	0.0000	9.7161
Water						0.0000	0.0000		0.0000	0.0000	0.8682	1.9287	2.7968	0.0895	2.1400e-003	5.6725
Total	0.3274	0.2116	1.7144	2.5800e-003	0.2328	5.9900e-003	0.2388	0.0623	5.8500e-003	0.0681	4.7900	266.8831	271.6730	0.3414	0.0147	284.5800

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

3.0 Construction Detail

Construction Phase

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Site Preparation	Site Preparation	1/2/2023	1/6/2023	5	5	
2	Grading	Grading	1/7/2023	1/18/2023	5	8	
3	Renovation/Building Construction	Building Construction	1/19/2023	12/6/2023	5	230	

Parker Flats Apartments 2022 AQ revisions - Monterey Bay Unified APCD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

4	Paving	Paving	12/7/2023	1/1/2024	5	18
5	Architectural Coating	Architectural Coating	1/2/2024	1/25/2024	5	18

Acres of Grading (Site Preparation Phase): 7.5**Acres of Grading (Grading Phase): 8****Acres of Paving: 0****Residential Indoor: 78,351; Residential Outdoor: 26,117; Non-Residential Indoor: 0; Non-Residential Outdoor: 0; Striped Parking Area: 2,016 (Architectural Coating – sqft)****OffRoad Equipment**

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Site Preparation	Rubber Tired Dozers	3	8.00	247	0.40
Site Preparation	Tractors/Loaders/Backhoes	4	8.00	97	0.37
Grading	Excavators	1	8.00	158	0.38
Grading	Graders	1	8.00	187	0.41
Grading	Rubber Tired Dozers	1	8.00	247	0.40
Grading	Tractors/Loaders/Backhoes	3	8.00	97	0.37
Renovation/Building Construction	Cranes	1	7.00	231	0.29
Renovation/Building Construction	Forklifts	3	8.00	89	0.20
Renovation/Building Construction	Generator Sets	1	8.00	84	0.74
Renovation/Building Construction	Tractors/Loaders/Backhoes	3	7.00	97	0.37
Renovation/Building Construction	Welders	1	8.00	46	0.45
Paving	Cement and Mortar Mixers	2	6.00	9	0.56
Paving	Pavers	1	8.00	130	0.42
Paving	Paving Equipment	2	6.00	132	0.36
Paving	Rollers	2	6.00	80	0.38
Paving	Tractors/Loaders/Backhoes	1	8.00	97	0.37
Architectural Coating	Air Compressors	1	6.00	78	0.48

Parker Flats Apartments 2022 AQ revisions - Monterey Bay Unified APCD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied**Trips and VMT**

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Site Preparation	7	18.00	0.00	0.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT
Grading	6	15.00	0.00	0.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT
Renovation/Building Construction	9	44.00	10.00	0.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT
Paving	8	20.00	0.00	0.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	1	9.00	0.00	0.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction**3.2 Site Preparation - 2023****Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.0491	0.0000	0.0491	0.0253	0.0000	0.0253	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	6.6500e-003	0.0688	0.0456	1.0000e-004		3.1700e-003	3.1700e-003		2.9100e-003	2.9100e-003	0.0000	8.3627	8.3627	2.7000e-003	0.0000	8.4303
Total	6.6500e-003	0.0688	0.0456	1.0000e-004	0.0491	3.1700e-003	0.0523	0.0253	2.9100e-003	0.0282	0.0000	8.3627	8.3627	2.7000e-003	0.0000	8.4303

Parker Flats Apartments 2022 AQ revisions - Monterey Bay Unified APCD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied**3.2 Site Preparation - 2023****Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	1.5000e-004	1.1000e-004	1.2600e-003	0.0000	3.6000e-004	0.0000	3.6000e-004	1.0000e-004	0.0000	1.0000e-004	0.0000	0.3011	0.3011	1.0000e-005	1.0000e-005	0.3042
Total	1.5000e-004	1.1000e-004	1.2600e-003	0.0000	3.6000e-004	0.0000	3.6000e-004	1.0000e-004	0.0000	1.0000e-004	0.0000	0.3011	0.3011	1.0000e-005	1.0000e-005	0.3042

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.0491	0.0000	0.0491	0.0253	0.0000	0.0253	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	6.6500e-003	0.0688	0.0456	1.0000e-004		3.1700e-003	3.1700e-003		2.9100e-003	2.9100e-003	0.0000	8.3627	8.3627	2.7000e-003	0.0000	8.4303
Total	6.6500e-003	0.0688	0.0456	1.0000e-004	0.0491	3.1700e-003	0.0523	0.0253	2.9100e-003	0.0282	0.0000	8.3627	8.3627	2.7000e-003	0.0000	8.4303

Parker Flats Apartments 2022 AQ revisions - Monterey Bay Unified APCD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.2 Site Preparation - 2023

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	1.5000e-004	1.1000e-004	1.2600e-003	0.0000	3.6000e-004	0.0000	3.6000e-004	1.0000e-004	0.0000	1.0000e-004	0.0000	0.3011	0.3011	1.0000e-005	1.0000e-005	0.3042
Total	1.5000e-004	1.1000e-004	1.2600e-003	0.0000	3.6000e-004	0.0000	3.6000e-004	1.0000e-004	0.0000	1.0000e-004	0.0000	0.3011	0.3011	1.0000e-005	1.0000e-005	0.3042

3.3 Grading - 2023

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.0283	0.0000	0.0283	0.0137	0.0000	0.0137	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	6.8400e-003	0.0717	0.0590	1.2000e-004		3.1000e-003	3.1000e-003		2.8500e-003	2.8500e-003	0.0000	10.4243	10.4243	3.3700e-003	0.0000	10.5085
Total	6.8400e-003	0.0717	0.0590	1.2000e-004	0.0283	3.1000e-003	0.0314	0.0137	2.8500e-003	0.0166	0.0000	10.4243	10.4243	3.3700e-003	0.0000	10.5085

Parker Flats Apartments 2022 AQ revisions - Monterey Bay Unified APCD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.3 Grading - 2023

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	2.0000e-004	1.5000e-004	1.6800e-003	0.0000	4.8000e-004	0.0000	4.8000e-004	1.3000e-004	0.0000	1.3000e-004	0.0000	0.4015	0.4015	1.0000e-005	1.0000e-005	0.4056
Total	2.0000e-004	1.5000e-004	1.6800e-003	0.0000	4.8000e-004	0.0000	4.8000e-004	1.3000e-004	0.0000	1.3000e-004	0.0000	0.4015	0.4015	1.0000e-005	1.0000e-005	0.4056

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.0283	0.0000	0.0283	0.0137	0.0000	0.0137	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	6.8400e-003	0.0717	0.0590	1.2000e-004		3.1000e-003	3.1000e-003		2.8500e-003	2.8500e-003	0.0000	10.4242	10.4242	3.3700e-003	0.0000	10.5085
Total	6.8400e-003	0.0717	0.0590	1.2000e-004	0.0283	3.1000e-003	0.0314	0.0137	2.8500e-003	0.0166	0.0000	10.4242	10.4242	3.3700e-003	0.0000	10.5085

Parker Flats Apartments 2022 AQ revisions - Monterey Bay Unified APCD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied**3.3 Grading - 2023****Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	2.0000e-004	1.5000e-004	1.6800e-003	0.0000	4.8000e-004	0.0000	4.8000e-004	1.3000e-004	0.0000	1.3000e-004	0.0000	0.4015	0.4015	1.0000e-005	1.0000e-005	0.4056
Total	2.0000e-004	1.5000e-004	1.6800e-003	0.0000	4.8000e-004	0.0000	4.8000e-004	1.3000e-004	0.0000	1.3000e-004	0.0000	0.4015	0.4015	1.0000e-005	1.0000e-005	0.4056

3.4 Renovation/Building Construction - 2023**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.1809	1.6543	1.8681	3.1000e-003		0.0805	0.0805		0.0757	0.0757	0.0000	266.5755	266.5755	0.0634	0.0000	268.1608
Total	0.1809	1.6543	1.8681	3.1000e-003		0.0805	0.0805		0.0757	0.0757	0.0000	266.5755	266.5755	0.0634	0.0000	268.1608

Parker Flats Apartments 2022 AQ revisions - Monterey Bay Unified APCD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied**3.4 Renovation/Building Construction - 2023****Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	1.6300e-003	0.0585	0.0185	2.4000e-004	7.5900e-003	3.7000e-004	7.9600e-003	2.1900e-003	3.6000e-004	2.5500e-003	0.0000	22.8701	22.8701	2.0000e-004	3.3600e-003	23.8762
Worker	0.0165	0.0127	0.1420	3.6000e-004	0.0403	2.6000e-004	0.0405	0.0107	2.4000e-004	0.0110	0.0000	33.8554	33.8554	1.1900e-003	1.0600e-003	34.2014
Total	0.0182	0.0712	0.1604	6.0000e-004	0.0479	6.3000e-004	0.0485	0.0129	6.0000e-004	0.0135	0.0000	56.7254	56.7254	1.3900e-003	4.4200e-003	58.0776

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.1809	1.6543	1.8681	3.1000e-003		0.0805	0.0805		0.0757	0.0757	0.0000	266.5751	266.5751	0.0634	0.0000	268.1605
Total	0.1809	1.6543	1.8681	3.1000e-003		0.0805	0.0805		0.0757	0.0757	0.0000	266.5751	266.5751	0.0634	0.0000	268.1605

Parker Flats Apartments 2022 AQ revisions - Monterey Bay Unified APCD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.4 Renovation/Building Construction - 2023

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	1.6300e-003	0.0585	0.0185	2.4000e-004	7.5900e-003	3.7000e-004	7.9600e-003	2.1900e-003	3.6000e-004	2.5500e-003	0.0000	22.8701	22.8701	2.0000e-004	3.3600e-003	23.8762
Worker	0.0165	0.0127	0.1420	3.6000e-004	0.0403	2.6000e-004	0.0405	0.0107	2.4000e-004	0.0110	0.0000	33.8554	33.8554	1.1900e-003	1.0600e-003	34.2014
Total	0.0182	0.0712	0.1604	6.0000e-004	0.0479	6.3000e-004	0.0485	0.0129	6.0000e-004	0.0135	0.0000	56.7254	56.7254	1.3900e-003	4.4200e-003	58.0776

3.5 Paving - 2023

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	7.8000e-003	0.0747	0.1036	1.6000e-004		3.7000e-003	3.7000e-003		3.4200e-003	3.4200e-003	0.0000	13.9218	13.9218	4.3700e-003	0.0000	14.0312
Paving	0.0000					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	7.8000e-003	0.0747	0.1036	1.6000e-004		3.7000e-003	3.7000e-003		3.4200e-003	3.4200e-003	0.0000	13.9218	13.9218	4.3700e-003	0.0000	14.0312

Parker Flats Apartments 2022 AQ revisions - Monterey Bay Unified APCD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.5 Paving - 2023

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	5.5000e-004	4.3000e-004	4.7700e-003	1.0000e-005	1.3500e-003	1.0000e-005	1.3600e-003	3.6000e-004	1.0000e-005	3.7000e-004	0.0000	1.1374	1.1374	4.0000e-005	4.0000e-005	1.1491
Total	5.5000e-004	4.3000e-004	4.7700e-003	1.0000e-005	1.3500e-003	1.0000e-005	1.3600e-003	3.6000e-004	1.0000e-005	3.7000e-004	0.0000	1.1374	1.1374	4.0000e-005	4.0000e-005	1.1491

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	7.8000e-003	0.0747	0.1036	1.6000e-004		3.7000e-003	3.7000e-003		3.4200e-003	3.4200e-003	0.0000	13.9218	13.9218	4.3700e-003	0.0000	14.0311
Paving	0.0000					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	7.8000e-003	0.0747	0.1036	1.6000e-004		3.7000e-003	3.7000e-003		3.4200e-003	3.4200e-003	0.0000	13.9218	13.9218	4.3700e-003	0.0000	14.0311

Parker Flats Apartments 2022 AQ revisions - Monterey Bay Unified APCD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied**3.5 Paving - 2023****Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	5.5000e-004	4.3000e-004	4.7700e-003	1.0000e-005	1.3500e-003	1.0000e-005	1.3600e-003	3.6000e-004	1.0000e-005	3.7000e-004	0.0000	1.1374	1.1374	4.0000e-005	4.0000e-005	1.1491
Total	5.5000e-004	4.3000e-004	4.7700e-003	1.0000e-005	1.3500e-003	1.0000e-005	1.3600e-003	3.6000e-004	1.0000e-005	3.7000e-004	0.0000	1.1374	1.1374	4.0000e-005	4.0000e-005	1.1491

3.5 Paving - 2024**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	4.4000e-004	4.1400e-003	6.1100e-003	1.0000e-005		2.0000e-004	2.0000e-004		1.8000e-004	1.8000e-004	0.0000	0.8190	0.8190	2.6000e-004	0.0000	0.8255
Paving	0.0000					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	4.4000e-004	4.1400e-003	6.1100e-003	1.0000e-005		2.0000e-004	2.0000e-004		1.8000e-004	1.8000e-004	0.0000	0.8190	0.8190	2.6000e-004	0.0000	0.8255

Parker Flats Apartments 2022 AQ revisions - Monterey Bay Unified APCD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied**3.5 Paving - 2024****Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	3.0000e-005	2.0000e-005	2.6000e-004	0.0000	8.0000e-005	0.0000	8.0000e-005	2.0000e-005	0.0000	2.0000e-005	0.0000	0.0653	0.0653	0.0000	0.0000	0.0660
Total	3.0000e-005	2.0000e-005	2.6000e-004	0.0000	8.0000e-005	0.0000	8.0000e-005	2.0000e-005	0.0000	2.0000e-005	0.0000	0.0653	0.0653	0.0000	0.0000	0.0660

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	4.4000e-004	4.1400e-003	6.1100e-003	1.0000e-005		2.0000e-004	2.0000e-004		1.8000e-004	1.8000e-004	0.0000	0.8190	0.8190	2.6000e-004	0.0000	0.8255
Paving	0.0000					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	4.4000e-004	4.1400e-003	6.1100e-003	1.0000e-005		2.0000e-004	2.0000e-004		1.8000e-004	1.8000e-004	0.0000	0.8190	0.8190	2.6000e-004	0.0000	0.8255

Parker Flats Apartments 2022 AQ revisions - Monterey Bay Unified APCD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied**3.5 Paving - 2024****Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	3.0000e-005	2.0000e-005	2.6000e-004	0.0000	8.0000e-005	0.0000	8.0000e-005	2.0000e-005	0.0000	2.0000e-005	0.0000	0.0653	0.0653	0.0000	0.0000	0.0660
Total	3.0000e-005	2.0000e-005	2.6000e-004	0.0000	8.0000e-005	0.0000	8.0000e-005	2.0000e-005	0.0000	2.0000e-005	0.0000	0.0653	0.0653	0.0000	0.0000	0.0660

3.6 Architectural Coating - 2024**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Archit. Coating	0.2491					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	1.6300e-003	0.0110	0.0163	3.0000e-005		5.5000e-004	5.5000e-004		5.5000e-004	5.5000e-004	0.0000	2.2979	2.2979	1.3000e-004	0.0000	2.3012
Total	0.2507	0.0110	0.0163	3.0000e-005		5.5000e-004	5.5000e-004		5.5000e-004	5.5000e-004	0.0000	2.2979	2.2979	1.3000e-004	0.0000	2.3012

Parker Flats Apartments 2022 AQ revisions - Monterey Bay Unified APCD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.6 Architectural Coating - 2024

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	2.5000e-004	1.8000e-004	2.1000e-003	1.0000e-005	6.4000e-004	0.0000	6.5000e-004	1.7000e-004	0.0000	1.8000e-004	0.0000	0.5292	0.5292	2.0000e-005	2.0000e-005	0.5343
Total	2.5000e-004	1.8000e-004	2.1000e-003	1.0000e-005	6.4000e-004	0.0000	6.5000e-004	1.7000e-004	0.0000	1.8000e-004	0.0000	0.5292	0.5292	2.0000e-005	2.0000e-005	0.5343

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Archit. Coating	0.2491					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	1.6300e-003	0.0110	0.0163	3.0000e-005		5.5000e-004	5.5000e-004		5.5000e-004	5.5000e-004	0.0000	2.2979	2.2979	1.3000e-004	0.0000	2.3012
Total	0.2507	0.0110	0.0163	3.0000e-005		5.5000e-004	5.5000e-004		5.5000e-004	5.5000e-004	0.0000	2.2979	2.2979	1.3000e-004	0.0000	2.3012

Parker Flats Apartments 2022 AQ revisions - Monterey Bay Unified APCD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied**3.6 Architectural Coating - 2024****Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	2.5000e-004	1.8000e-004	2.1000e-003	1.0000e-005	6.4000e-004	0.0000	6.5000e-004	1.7000e-004	0.0000	1.8000e-004	0.0000	0.5292	0.5292	2.0000e-005	2.0000e-005	0.5343
Total	2.5000e-004	1.8000e-004	2.1000e-003	1.0000e-005	6.4000e-004	0.0000	6.5000e-004	1.7000e-004	0.0000	1.8000e-004	0.0000	0.5292	0.5292	2.0000e-005	2.0000e-005	0.5343

4.0 Operational Detail - Mobile**4.1 Mitigation Measures Mobile**

Parker Flats Apartments 2022 AQ revisions - Monterey Bay Unified APCD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Mitigated	0.1342	0.1904	1.2732	2.4600e-003	0.2328	2.2800e-003	0.2351	0.0623	2.1400e-003	0.0644	0.0000	229.3461	229.3461	0.0165	0.0119	233.2950
Unmitigated	0.1342	0.1904	1.2732	2.4600e-003	0.2328	2.2800e-003	0.2351	0.0623	2.1400e-003	0.0644	0.0000	229.3461	229.3461	0.0165	0.0119	233.2950

4.2 Trip Summary Information

	Average Daily Trip Rate			Unmitigated	Mitigated
Land Use	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
Apartments Mid Rise	228.48	206.22	171.78	625,729	625,729
Parking Lot	0.00	0.00	0.00		
Total	228.48	206.22	171.78	625,729	625,729

4.3 Trip Type Information

	Miles			Trip %			Trip Purpose %		
Land Use	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Apartments Mid Rise	10.80	7.30	7.50	44.00	18.80	37.20	86	11	3
Parking Lot	9.50	7.30	7.30	0.00	0.00	0.00	0	0	0

4.4 Fleet Mix

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
Apartments Mid Rise	0.506503	0.051891	0.195413	0.154205	0.030404	0.007208	0.010263	0.009176	0.001229	0.000594	0.027829	0.001330	0.003956
Parking Lot	0.506503	0.051891	0.195413	0.154205	0.030404	0.007208	0.010263	0.009176	0.001229	0.000594	0.027829	0.001330	0.003956

5.0 Energy Detail

Parker Flats Apartments 2022 AQ revisions - Monterey Bay Unified APCD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Historical Energy Use: N

5.1 Mitigation Measures Energy

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Electricity Mitigated						0.0000	0.0000		0.0000	0.0000	0.0000	16.1130	16.1130	2.6100e-003	3.2000e-004	16.2724
Electricity Unmitigated						0.0000	0.0000		0.0000	0.0000	0.0000	16.1130	16.1130	2.6100e-003	3.2000e-004	16.2724
NaturalGas Mitigated	1.9000e-003	0.0162	6.9000e-003	1.0000e-004		1.3100e-003	1.3100e-003		1.3100e-003	1.3100e-003	0.0000	18.7857	18.7857	3.6000e-004	3.4000e-004	18.8973
NaturalGas Unmitigated	1.9000e-003	0.0162	6.9000e-003	1.0000e-004		1.3100e-003	1.3100e-003		1.3100e-003	1.3100e-003	0.0000	18.7857	18.7857	3.6000e-004	3.4000e-004	18.8973

Parker Flats Apartments 2022 AQ revisions - Monterey Bay Unified APCD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

5.2 Energy by Land Use - NaturalGas

Unmitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	tons/yr										MT/yr					
Apartments Mid Rise	352031	1.9000e-003	0.0162	6.9000e-003	1.0000e-004		1.3100e-003	1.3100e-003		1.3100e-003	1.3100e-003	0.0000	18.7857	18.7857	3.6000e-004	3.4000e-004	18.8973
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total		1.9000e-003	0.0162	6.9000e-003	1.0000e-004		1.3100e-003	1.3100e-003		1.3100e-003	1.3100e-003	0.0000	18.7857	18.7857	3.6000e-004	3.4000e-004	18.8973

Mitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	tons/yr										MT/yr					
Apartments Mid Rise	352031	1.9000e-003	0.0162	6.9000e-003	1.0000e-004		1.3100e-003	1.3100e-003		1.3100e-003	1.3100e-003	0.0000	18.7857	18.7857	3.6000e-004	3.4000e-004	18.8973
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total		1.9000e-003	0.0162	6.9000e-003	1.0000e-004		1.3100e-003	1.3100e-003		1.3100e-003	1.3100e-003	0.0000	18.7857	18.7857	3.6000e-004	3.4000e-004	18.8973

Parker Flats Apartments 2022 AQ revisions - Monterey Bay Unified APCD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied**5.3 Energy by Land Use - Electricity****Unmitigated**

	Electricity Use	Total CO2	CH4	N2O	CO2e
Land Use	kWh/yr	MT/yr			
Apartments Mid Rise	162390	15.0249	2.4300e-003	2.9000e-004	15.1735
Parking Lot	11760	1.0881	1.8000e-004	2.0000e-005	1.0988
Total		16.1130	2.6100e-003	3.1000e-004	16.2724

Mitigated

	Electricity Use	Total CO2	CH4	N2O	CO2e
Land Use	kWh/yr	MT/yr			
Apartments Mid Rise	162390	15.0249	2.4300e-003	2.9000e-004	15.1735
Parking Lot	11760	1.0881	1.8000e-004	2.0000e-005	1.0988
Total		16.1130	2.6100e-003	3.1000e-004	16.2724

6.0 Area Detail

Parker Flats Apartments 2022 AQ revisions - Monterey Bay Unified APCD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied**6.1 Mitigation Measures Area**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Mitigated	0.1914	5.0000e-003	0.4343	2.0000e-005		2.4000e-003	2.4000e-003		2.4000e-003	2.4000e-003	0.0000	0.7096	0.7096	6.9000e-004	0.0000	0.7267
Unmitigated	0.1914	5.0000e-003	0.4343	2.0000e-005		2.4000e-003	2.4000e-003		2.4000e-003	2.4000e-003	0.0000	0.7096	0.7096	6.9000e-004	0.0000	0.7267

Parker Flats Apartments 2022 AQ revisions - Monterey Bay Unified APCD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied**6.2 Area by SubCategory****Unmitigated**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	tons/yr										MT/yr					
Architectural Coating	0.0249					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Consumer Products	0.1533					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Hearth	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Landscaping	0.0132	5.0000e-003	0.4343	2.0000e-005		2.4000e-003	2.4000e-003		2.4000e-003	2.4000e-003	0.0000	0.7096	0.7096	6.9000e-004	0.0000	0.7267
Total	0.1913	5.0000e-003	0.4343	2.0000e-005		2.4000e-003	2.4000e-003		2.4000e-003	2.4000e-003	0.0000	0.7096	0.7096	6.9000e-004	0.0000	0.7267

Parker Flats Apartments 2022 AQ revisions - Monterey Bay Unified APCD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied**6.2 Area by SubCategory****Mitigated**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	tons/yr										MT/yr					
Architectural Coating	0.0249					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Consumer Products	0.1533					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Hearth	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Landscaping	0.0132	5.0000e-003	0.4343	2.0000e-005		2.4000e-003	2.4000e-003		2.4000e-003	2.4000e-003	0.0000	0.7096	0.7096	6.9000e-004	0.0000	0.7267
Total	0.1913	5.0000e-003	0.4343	2.0000e-005		2.4000e-003	2.4000e-003		2.4000e-003	2.4000e-003	0.0000	0.7096	0.7096	6.9000e-004	0.0000	0.7267

7.0 Water Detail**7.1 Mitigation Measures Water**

Parker Flats Apartments 2022 AQ revisions - Monterey Bay Unified APCD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	Total CO2	CH4	N2O	CO2e
Category	MT/yr			
Mitigated	2.7968	0.0895	2.1400e-003	5.6725
Unmitigated	2.7968	0.0895	2.1400e-003	5.6725

7.2 Water by Land Use**Unmitigated**

	Indoor/Outdoor Use	Total CO2	CH4	N2O	CO2e
Land Use	Mgal	MT/yr			
Apartments Mid Rise	2.73647 / 1.72517	2.7968	0.0895	2.1400e-003	5.6725
Parking Lot	0 / 0	0.0000	0.0000	0.0000	0.0000
Total		2.7968	0.0895	2.1400e-003	5.6725

Parker Flats Apartments 2022 AQ revisions - Monterey Bay Unified APCD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied**7.2 Water by Land Use****Mitigated**

	Indoor/Outdoor Use	Total CO2	CH4	N2O	CO2e
Land Use	Mgal	MT/yr			
Apartments Mid Rise	2.73647 / 1.72517	2.7968	0.0895	2.1400e-003	5.6725
Parking Lot	0 / 0	0.0000	0.0000	0.0000	0.0000
Total		2.7968	0.0895	2.1400e-003	5.6725

8.0 Waste Detail**8.1 Mitigation Measures Waste****Category/Year**

	Total CO2	CH4	N2O	CO2e
	MT/yr			
Mitigated	3.9218	0.2318	0.0000	9.7161
Unmitigated	3.9218	0.2318	0.0000	9.7161

Parker Flats Apartments 2022 AQ revisions - Monterey Bay Unified APCD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied**8.2 Waste by Land Use****Unmitigated**

	Waste Disposed	Total CO2	CH4	N2O	CO2e
Land Use	tons	MT/yr			
Apartments Mid Rise	19.32	3.9218	0.2318	0.0000	9.7161
Parking Lot	0	0.0000	0.0000	0.0000	0.0000
Total		3.9218	0.2318	0.0000	9.7161

Mitigated

	Waste Disposed	Total CO2	CH4	N2O	CO2e
Land Use	tons	MT/yr			
Apartments Mid Rise	19.32	3.9218	0.2318	0.0000	9.7161
Parking Lot	0	0.0000	0.0000	0.0000	0.0000
Total		3.9218	0.2318	0.0000	9.7161

9.0 Operational Offroad

Parker Flats Apartments 2022 AQ revisions - Monterey Bay Unified APCD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	-----------	-------------	-------------	-----------

10.0 Stationary Equipment

Fire Pumps and Emergency Generators

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	------------	-------------	-------------	-----------

Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type
----------------	--------	----------------	-----------------	---------------	-----------

User Defined Equipment

Equipment Type	Number
----------------	--------

11.0 Vegetation



SHEET INDEX

TS-101	TITLE SHEET
C-101	SITE PLAN
C-102	CIVIL SITE PLAN
C-103	UTILITY IMPROVEMENT PLAN
A-101	BUILDING A, B FIRST STORY FLOOR PLAN
A-102	BUILDING A, B SECOND STORY FLOOR PLAN
A-103	BUILDING A, B THIRD STORY FLOOR PLAN
A-104	BUILDING A & B ADMIN., LAUNDRY, ELEV/ ELECT 1 BDRM FLOOR PLANS BUILDING B 3 BDRM. & 2 BDRM. FLR. PLANS
A-205	EXTERIOR ELEVATIONS
A-206	PARTIAL ELEVATION BUILDING A & B
A-207	MATERIALS & COLOR KEY
A-208	EXISTING BUILDING FLOOR PLANS
A-209	EXISTING BUILDING EXTERIOR ELEV.
E-101	EXTERIOR LIGHTING PLAN
L-101	LANDSCAPE PLAN
L-102	IRRIGATION PLAN
L-103	EXTERIOR COMMON AREA USE PLAN

ALL FIRST FLOOR APARTMENTS TO MEET CURRENT
FEDERAL AND STATE DISSABILITY REQUIREMENTS.

INFILL OF TWO 3 STORY EXISTING BUILDINGS
WITH A 42 UNIT APARTMENT COMPLEX

PARKER FLATS APARTMENTS

BUILDINGS 4386 & 4387, PARKER FLATS, SEASIDE, CA

OWNER/ DEVELOPER:

GLOVER ENTERPRISES

P.O. BOX 957, SEASIDE, CA.
(831) 394-4885 EMAIL APG06@GMAIL.COM

ARCHITECT:

THE PAUL DAVIS PARTNERSHIP

286 EL DORADO STR., MONTEREY CA 93940
(831) 373-2784 EMAIL- info@paulpartnership.com

PROJECT DATA

BUILDING COVERAGES	
LOT	4.9 ACRES
EXISTING	
BUILDINGS	12,889 SQ. FT.
PORCHES	1,367 SQ. FT.
	14,256 SQ. FT
ADDITIONS	
BUILDING (MECH.- ELEV)	317 SQ. FT.
COV. PORCHES (COMMON)	1,377 SQ. FT.
COV. PORCHES (APART.)	700 SQ. FT.
	2,394 SQ. FT.
TOTAL COVERAGE BY BUILDING	
EXIST. & ADD	17, 250 SQ. FT. 8%

COMMON RECREATIONAL COMMUNITY OPEN SPACE
27,100 SQ. FT.

UNIT APARTMENT TOTALS
(2) 1 BEDROOM UNITS @ 656 SQ. FT. EA.
(24) 2 BEDROOM UNITS @ 848 SQ. FT. EA.
(11) 3 BEDROOM UNITS @ 1,012 SQ. FT. EA.

BUILDING A
(2) 1 BEDROOM/ 1 BATH UNITS @ 656 SQ. FT. EA. = 1,312 SQ. FT.
(14) 2 BEDROOM/ 1 BATH UNITS @ 848 SQ. FT. EA. =11,872 SQ. FT.
(5) 3 BEDROOM/ 2 BATHS UNITS @ 1,012 SQ. FT. EA. = 5,060 SQ. FT.
LAUNDRY- ADMIN. = 236 SQ. FT.
TOTAL SQUARE FOOTAGE BUILDING A =18,480 SQ. FT.
GROUND FLR. MIN. PRIVATE OPEN SPACE 15' X 22' = 330 SQ. FT.
2ND. & 3RD. MIN. PRIVATE EXTERIOR DECKS 5.5' X 12' = 62.5 SQ. FT.

BUILDING B
(15) 2 BEDROOM/ 1 BATH UNITS @ 848 SQ. FT. EA. =12,720 SQ. FT.
(6) 3 BEDROOM/ 2 BATH UNITS @ 1,012 SQ. FT. = 6,072 SQ. FT.
TOTAL SQUARE FOOTAGE BUILDING B =18,792 SQ. FT.
GROUND FLR. MIN. PRIVATE OPEN SPACE 15' X 22' = 330 SQ. FT.
2ND. & 3RD. MIN. PRIVATE EXTERIOR DECKS 5.5' X 12' = 62.5 SQ. FT.


MISCELLANEOUS
(3) EXISTING STAIRWELLS @ 306 SQ. FT. EA. = 918 SQ. FT.
ELECTRICAL RM. @ 157 SQ. FT. = 157 SQ. FT.
ELEVATOR & ELEV. MECH @ 345 SQ. FT. = 345 SQ. FT.

PARKING	
STANDARD UNCOVERED	70 SPACES
CHARGING STATIONS	8 SPACES
GUEST PARKING	6 SPACES
TOTAL PARKING	84 SPACES


DESIGN CONSULTANT & RENDERINGS BY:
JERRY L. WHITNEY
130 VISTA MAR COURT, APTOS CA 95003
(831) 394-6144 EMAIL- Jerru@JNDesign.net

OWNER/ DEVELOPER:
GLOVER ENTERPRISES
P.O. BOX 957, SEASIDE, CA.
(831) 394-4885 EMAIL APG06@GMAIL.COM

TITLE PAGE
PARKER FLATS APARTMENTS
BUILDINGS 4386 & 4387, PARKER FLATS, SEASIDE, CA




SOUTH ELEV.
(NORTH TYP.)



WEST ELEV.
(EAST TYP.)

STORAGE BUILDING
EXT. ELEVATIONS

1/4"=1'-0"



14 UNITS/ BUILDING


STORAGE BUILDING
FLOOR PLAN

1/4"=1'-0"

EXTERIOR ELEVATION MATERIALS


1. NEW TPO MEMBRANE ROOFING
2. SMOOTH STUCCO EXTERIOR FINISH

NOTE: SEE MATERIALS AND COLOR KEY
SHEET A-207



GARBAGE
ENCLOSURE PLAN

NO SCALE



SITE PLAN


1"=30'

DESIGN CONSULTANT & RENDERINGS BY:
JERRY L. WHITNEY
130 VISTA MAR COURT, APTOS CA 95003
(351) 342-6144 EMAIL: Jerry@JLWDesignGroup.net

OWNER/ DEVELOPER:
GLOVER ENTERPRISES
P.O. BOX 481, SEASIDE, CA
(351) 344-4885 EMAIL: AP606@GMAIL.COM

SITE PLAN
PARKER FLATS APARTMENTS
BUILDINGS 4386 & 4387, PARKER FLATS, SEASIDE, CA


Date: 3-2022
Scale: SHOWN
Drawn By: JLW
Job: PARKER FLATS
Sheet: C-101



DESIGN CONSULTANT & RENDERINGS BY:
JERRY L. WHITNEY
130 VISTA MAR COURT, APTOS CA 95003
(831) 942-6144 EMAIL: Jerry@JNDesignGroup.net

OWNER/DEVELOPER:
GLOVER ENTERPRISES
P.O. BOX 481, SEASIDE, CA
(831) 944-4885 EMAIL: AP606@gmail.com

CIVIL SITE PLAN
PARKER FLATS APARTMENTS
BUILDINGS 4386 & 4387, PARKER FLATS, SEASIDE, CA




DESIGN CONSULTANT & RENDERINGS BY:
JERRY L. WHITNEY
130 VISTA MAR COURT, APTOS CA 95003
(831) 342-6144 EMAIL- Jerry@JWDDesignGroup.net

UTILITY IMPROVEMENTS

PARKER FLATS APARTMENTS


BUILDINGS 4386 & 4387, PARKER FLATS, SEASIDE, CA



A

FIRST STORY FLOOR PLAN- BUILDINGS A & B

1/8"=1'-0"




DESIGN CONSULTANT & RENDERINGS BY:
JERRY L. WHITNEY
130 VISTA MAR COURT, APTOS CA 95003
(311) 342-6144 EMAIL: Jerry@JNDesignGroup.net

OWNER/DEVELOPER:
GLOVER ENTERPRISES
P.O. BOX 481, SEASIDE, CA
(311) 344-4885 EMAIL: APG06@GMAIL.COM

FIRST STORY FLOOR PLAN
PARKER FLATS APARTMENTS
BUILDINGS 4386 & 4387, PARKER FLATS, SEASIDE, CA

Date	3-2022
Scale	SHOWN
Drawn By	JLW
Job	PARKER FLATS
Sheet	A-101




BUILDING B

BUILDING A

A

THIRD STORY FLOOR PLAN- BUILDINGS A & B

1/8"=1'-0"




DESIGN CONSULTANT & RENDERINGS BY:
JERRY L. WHITNEY
130 VISTA MAR COURT, APTOS CA 95003
(931) 942-6144 EMAIL: Jerry@JDesignGroup.net



OWNER/DEVELOPER:
GLOVER ENTERPRISES
P.O. BOX 481, SEASIDE, CA
(931) 944-4885 EMAIL: APG06@GMAIL.COM

THIRD STORY FLOOR PLAN
PARKER FLATS APARTMENTS
BUILDINGS 4386 & 4387, PARKER FLATS, SEASIDE, CA


Date	3-2022
Scale	SHOWN
Drawn By	JLW
Job	PARKER FLATS
Sheet	A-103



B BUILDING A & B FLOOR PLAN
TYP. THREE BDRM. - TYP. TWO BDRM.
1/4"=1'-0"



A BUILDING A 1ST. FLR.- ADMINISTRATIVE OFFICE, LAUNDROMAT & MECHANICAL FLOOR PLAN
ONE BEDROOM APARTMENT UNIT FLOOR PLANS-
1/4"=1'-0"





D WEST ELEVATION BUILDINGS A & B
1/8"=1'-0"



C SOUTH ELEVATION BUILDINGS A & B
1/8"=1'-0"



B NORTH ELEVATION BUILDINGS A & B
1/8"=1'-0"



A EAST ELEVATION BUILDINGS A & B
1/8"=1'-0"

EXTERIOR ELEVATION MATERIALS

1. NEW TPO MEMBRANE ROOFING
2. SMOOTH STUCCO EXTERIOR FINISH
3. CORRUGATED METAL SIDING- VERTICAL
4. IRON METAL RAILS @ 42" HI. MATCH EXISITING
5. ARCHITECTURAL SCREENS
STUCCO SCREENING AT 6' HI
CORRUGATED SCREENS ARTR 5' HI

NOTE: SEE MATERIALS AND COLOR KEY
SHEET A-201



- NOTE: SEE MATERIALS AND COLOR KEY
SHEET A-207**

Corrugated Metal Siding

Exposed Fasteners

Corrugated siding, originally used for its durability and strength, has evolved into a staple of both residential and commercial sheet metal siding designs. As metal siding panels can be created in a wide range of colors, the subtle waves of a corrugated wall panel can produce different shades and tones throughout the day. Combined with a relatively simple installation process, this aesthetic appeal has made corrugated steel siding panels very popular in modern, traditional and rustic sheet metal designs.

Corrugated Siding Options



BRONZED ANODIZED
WINDOW FRAMES

1

CORRGATED METAL SIDING



2

STUCCO BODY COLOR
ARCHITECTURAL STUCCO SCREENS
STUCCO PEDESTALS
BEHR PREMIUM PLUS ULTRA
UL26-11 NATURAL GRAY



3

FASCIA MOULDING
BEHR PREMIUM PLUS ULTRA
UL60-13 PAINTERS WHITE

FASCIA MOULDING
BEHR PREMIUM PLUS ULTRA
UL60-1 CRACKED PEPPER




30/68 EXTERIOR METAL DOORS
PREHUNG FIRERATED WITH
OIL RUBBED BRONZE HINGES & SILL



4



SIMULATED CONG. PEDESTALS
BEHR PREMIUM PLUS ULTRA
UL260-20 DARK PEWTER



B

EXISTING FLOOR PLAN- SECOND FLOOR



1/8"=1'-0"



C

EXISTING FLOOR PLAN- THIRD FLOOR

1/8"=1'-0"



A

EXISTING FLOOR PLAN- FIRST FLOOR

1/8"=1'-0"




EXISTING BUILDING FLOOR PLANS
PARKER FLATS APARTMENTS
BUILDINGS 4386 & 4387, PARKER FLATS, SEASIDE, CA

OWNER/DEVELOPER:
GLOVER ENTERPRISES
P.O. BOX 487, SEASIDE, CA
(351) 344-4885 EMAIL: AP606@GMAIL.COM

DESIGN CONSULTANT & RENDERINGS BY:
JERRY L. WHITNEY
130 VISTA MAR COURT, APTOS CA 95003
(351) 342-6144 EMAIL: Jerru@JNDesignGroup.net



Date: 3-2022
Scale: SHOWN
Drawn By: JLW
Job: PARKER FLATS
Sheet: **A-208**



C

EXISTING NORTH ELEVATION



1/8"=1'-0"



C

EXISTING EAST ELEVATION

1/8"=1'-0"





EXISTING EXTERIOR ELEVATION MATERIALS

1. MEMBRANE ROOFING
2. STUCCO EXTERIOR FINISH
3. IRON METAL RAILS @ 36" HI.

B

EXISTING SOUTH ELEVATION


1/8"=1'-0"




A

EXISTING WEST ELEVATION

1/8"=1'-0"





ELECTRICAL SITE PLAN

1/16" = 1'-0"



PATHWAY LIGHTING- SEE PLAN
CREE EDGE SERIES
LED PATHWAY LUMINAIRE

Cree Edge™ Series

LED Pathway Luminaire


Product Description
Durable die-cast aluminum luminaire housing mounts directly to 4" (102mm) diameter pole (included) without visible mounting hardware for clean appearance. Pole mounts to rugged die cast aluminum internal flange secured by three 3/8" - 16x6" anchor bolts with 1-1/4" hook (provided). **Note:** T45 Torx 3/8" socket required for head installation. Top mounted LEDs for superior optical performance and light control.
Applications: Landscape, walk-ways and general site lighting

Performance Summary

Patented NanoOptic® Product Technology
Made in the U.S.A. of U.S. and imported parts
CRi: Minimum 70 CRI
CCT: 4000K (+/- 300K), 5700K (+/- 500K) standard
Limited Warranty: 10 years on luminaire/10 years on Colorfast DeltaGuard® finish

* See <http://lighting.cree.com/warranty> for warranty terms

Accessories	
Field-Installed	
Upgrade Kit Used for replacement of existing bollards with a bolt hole circle of 5.75" (146mm) XA-XBP8R5V XA-XBP8R5W XA-XBP8R5K XA-XBP8R5Z	Backlight Control Shields XA-20BL5-4 Four pack Unpainted stainless steel



MISENO



EXTERIOR WALL LIGHTING
MISENO 16" TALL OUTDOOR
WALL LIGHT- DOWN LIGHTING



Cree Edge™ Series

LED Area/Flood Luminaire

Product Description
The Cree Edge™ Series has a slim, low profile design. Its rugged cast aluminum housing minimizes wind load requirements and features an integral, weathertight LED driver compartment and high performance aluminum heat sinks. Various mounting choices: Adjustable Arm, Direct Arm, Direct Arm Long, or Side Arm (details on page 2). Includes a leaf/debris guard.
Applications: Parking lots, walkways, campuses, car dealerships, office complexes, and internal roadways

Performance Summary

Patented NanoOptic® Product Technology
Made in the U.S.A. of U.S. and imported parts
CRi: Minimum 70 CRI
CCT: 4000K (+/- 300K), 5700K (+/- 500K) standard
Limited Warranty: 10 years on luminaire/10 years on Colorfast DeltaGuard® finish

* See <http://lighting.cree.com/warranty> for warranty terms

Accessories	
Field-Installed	
Bird Spikes XA-BR52PK Hand-Held Remote XA-SEN5REM For successful implementation of the programmable multi-level option, a minimum of one hand-held remote is required	Backlight Control Shields XA-20BL5-4 Four pack Unpainted stainless steel

DA Mount

LED Count (x10)

LED Count (x10)	Dim. "A"	Weight
02	12.1" (306mm)	21 lbs. (10kg)
04	12.1" (306mm)	24 lbs. (11kg)
06	14.1" (357mm)	27 lbs. (12kg)
08	16.1" (408mm)	28 lbs. (13kg)
10	18.1" (459mm)	32 lbs. (15kg)
12	20.1" (510mm)	34 lbs. (15kg)
14	22.1" (560mm)	37 lbs. (17kg)
16	24.1" (611mm)	41 lbs. (19kg)

XA/FIN DA Mount - max 90 lbs weight & 8' diameter

DESIGN CONSULTANT & RENDERINGS BY:
JERRY L. WHITNEY
130 VISTA MAR COURT, APTOS CA 95003
(831) 342-6144 EMAIL: Jerru@JNDesignGroup.net

OWNER/ DEVELOPER:
GLOVER ENTERPRISES
P.O. BOX 481, SEASIDE, CA
(951) 344-4885 EMAIL: AP606@GMAIL.COM

EXTERIOR LIGHTING PLAN
PARKER FLATS APARTMENTS
BUILDINGS 4386 & 4387, PARKER FLATS, SEASIDE, CA

Plant List & Key

Symbol	Q/Size	Name
Trees (low hydrozone)		
	46/15 gal.	Arbutus 'Marina' - Marina Madrone
	4/15 gal.	Cupressus macrocarpa - Monterey Cypress
Shrubs (low hydrozone)		
	27/5 gal.	Cistus x purpureus - Orchid Rockrose
	41/5 gal.	Rhaphiolepis indica 'Jack Evans' - Indian Hawthorn
	26/1 gal.	Lantana hybrids (upright types)
	31/5 gal.	Rosmarinus officinalis 'Blue Spires' - Upright Rosemary
	34/1 gal.	Euryops pectinatus 'Viridis' - Yellow Daisy Bush
Perennials (low hydrozone)		
	213/1 gal.	(plant 3' apart) Choose from: Lavandula hybrids - Lavender Phlomis fruticosa - Jerusalem Sage Santolina chamaecyparissus - Lavender Cotton Phormium hybrids - New Zealand Flax Limonium perezii - Statice
Ground Cover (low hydrozone)		
	105/1 gal.	Correa puchella - Australian Fuchsia (plant 6' apart)
	1162/1 gal.	Erigeron karvinskianus - Santa Barbara Daisy (plant 3' apart)
	150/1 gal.	Cistus salviifolius 'Prostratus' - Sageleaf Rockrose (plant 6' apart)

NOTES:
1. Fill in with ground cover the areas with 3 patios and the 2 areas between the parking lot and building A. As shown.
2. Other planting areas to be mulched.
3. New patios (3) and walks to be constructed by owner's choice of materials (concrete, pavers, decomposed granite, etc.)


Landscaping Notes
1. Soil to be amended with compost at time of planting. Compost at a rate of a minimum of four (4) cubic yards per 1,000 sq.ft. of permeable area, and incorporated to a depth of six (6) inches into the soil. Soils with greater than 6% organic matter in the top 6 inches of soil are exempt from adding compost and tiling.
2. A minimum three (3) inch layer of mulch shall be applied on all exposed soil surfaces of planting areas except turf, creeping or rooting ground covers, or direct seeding applications where mulch is contraindicated. To provide habitat for beneficial insects and other wildlife, up to 5% of the landscape area may be left without mulch. Designated insect habitat will be indicated on the landscape plan if applicable.
3. Hydrozone areas of chosen plants are indicated on plan.
4. "I have complied with the criteria of the ordinance (MWELO) and applied them for the efficient use of water in the landscape design plan."

3.) Trees, Shrubs, Perennials & Groundcover Installation:


- Install new trees, shrubs, perennials and groundcover within intended project landscaped areas per design plan specifications. All species will be installed per specified quantities-sizes and proper spacing as provided on plan set. Installation will include slow-release 20-10-5 Agriform Fertilizer Tablets into each hole. Root balls will be scarified and will include deep initial soaking. Trees include staking & ties.
- (46) 15-Gallon Arbutus 'Marina' "Marina Strawberry Trees"




- (4) 15-Gallon Cupressus Macrocarpa "Monterey Cypress Trees"



- (27) 5-Gallon Cistus Purpureus "Orchid Rockrose"



- (41) 5-Gallon Rhaphiolepis Indica 'Jack Evans' "Pink Indian Hawthorne"




- (26) 1-Gallon Lantana Camara "Radiation" "Orange-Red Bush Lantana"



- (31) 5-Gallon Rosmarinus Officinalis 'Blue Spires'-Tuscan Blue' "Upright Rosemary"



- (34) 1-Gallon Euryops Pectinatus 'Viridis' "Yellow Golden Daisy Bush"




- (68) 1-Gallon Lavandula Angustifolia 'Munstead' "Dwarf English Lavender"



- (70) 1-Gallon Santolina Chamaecyparissus "Lavender Cotton"



- (75) 1-Gallon Phormium Tenax 'Tom Thumb' "Tom Thumb New Zealand Flax"



- (105) 1-Gallon Correa Pulchella "Australian Fuchsia"




- (1,162) 1-Gallon Erigeron Karvinskianus "Santa Barbara Daisy"



- (150) 1-Gallon Cistus Salviifolius 'Prostratus' "White Sageleaf Rockrose"



TREES, SHRUBS, GROUND
COVER & PERENNIALS PLANT LIST



NOTE:
Includes area between Storage & Building A
AND area inside fence on east side of Building B

DESIGN CONSULTANT & RENDERINGS BY:
JERRY L. WHITNEY
130 VISTA MAR COURT, APTOS CA 95003
(311) 942-6144 EMAIL: Jerr@JNDesignGroup.net

OWNER/DEVELOPER:
GLOVER ENTERPRISES
P.O. BOX 487, SEASIDE, CA
(311) 944-4885 EMAIL: AP606@GMAIL.COM

LANDSCAPE PLAN
PARKER FLATS APARTMENTS
BUILDINGS 4386 & 4387, PARKER FLATS, SEASIDE, CA

Date: 3-2022
Scale: SHOWN
Drawn By: JLW
Job: PARKER FLATS
Sheet:

L-101

1. Using a point of connection as shown on plan, a 2" main line PVC will run to the valves. Installer to verify point of connection.
2. All landscape will be drip irrigated. Within the planting beds 1/2" drip tubing will be used with emitters leading to each plant as follows:
 - 1 GPH emitter for each 1 gallon plant
 - 2, 1 GPH emitters for each 5 gallon plant
 - 4, 1 GPH emitters for each 15 gallon plant
3. A backflow device will be used to prevent any contamination of drinking water. The Wilkins LF975XL will be used. Additionally the following components will be attached to each drip valve: Filter and pressure regulator.
4. A controller will be used to regulate watering. A Hunter I-Core is recommended used with a flow meter and Rain-Click which will suspend or alter irrigation operation during unfavorable weather conditions. A similar "water sense" labeled controller may be used if desired.
5. All work to conform to state and local codes (i.e. wiring depth of lines, flushing mainlines, and laterals, etc.).
6. This drawing is diagrammatic therefore changes may be made due to conditions at the site. Installer to make a note of any such changes.
7. Irrigation parts and supplies are available at: Hydro Turf, 750 Work Street; Salinas (754-2020 office/754-2096 fax).
8. Estimated static pressure at the site is 60psi. If pressure is significantly lower or higher pressure regulation will be needed.
9. Install a Neptune T-10 Water Meter to facilitate water management on commercial sites of 1,000 - 5,000 sq.ft and residential sites over 5,000 sq.ft..
10. For sites with landscaping over 5,000 sq.ft. install a flow meter. Rainbird #FS100P is recommended. Manual and master shut-off valves to be installed as shown.
11. Any spray portions of the irrigation will be irrigated with MP Rotators for maximum water efficiency with head to head coverage, with check valves, and installed on swing joints.
12. Trees to be on a dedicated valve as shown.
13. Hydrozones areas are indicated on plan. All plants are low hydrozone.
14. "I have complied with the criteria of the ordinance (MWEO) and applied them accordingly for the efficient use of water in the irrigation design plan"

Symbol	Name	Manufacture & Model	Details
	Controller	Hunter I-Core	w/Flow meter and Rain-Click (ss pedestal)
	Backflow preventer	Wilkins LPF95XL	reduced pressure backflow assembly
	Landscape WM	Neptune T-10 3/4"	lead free, high resolution, low-flow leak detection
	Mainline		2" PVC, sch. 40
	Valves	Weathermatic 12000 series	normally closed, forward flow design
	--this is the beginning of 1/2" drip distribution tubing--		
	Emitters	Rainbird XB-10	Xuri-Bug Emitters
	Filter	NDS YS 75 filter	1", 150 mesh filter (may be combo w/reg.)
	Pressure Reg.	Agriform	1", 30 psi for medium flow

This worksheet is filled out by the project applicant and it is a required element of the Landscape Documentation Package.

Reference Evapotranspiration (ET_o) 36.0

Hydrozone # /Planting Description *	Plant Factor (PF)	Irrigation Method *	Irrigation Efficiency (IE) %	ETAF (PF/IE)	Landscape Area (sq.ft.)	ETAF x Area	Estimated Total Water Use (ETWU)/
Regular Landscape Areas							
trees	0.30	drip	0.81	0.37	14,640	5,422	121,024
shrubs	0.30	drip	0.81	0.37	2,544	942	21,030
perennials	0.30	drip	0.81	0.37	1,915	709	15,831
ground cover	0.30	drip	0.81	0.37	19,638	7,273	162,341
		drip	0.81	0.00			
				Totals	38,737	14,347	320,226
Special Landscape Areas							
				Totals	0	0	0
						ETWU Total	320,226
						Maximum Allowed Water Allowance (MAWA) *	389,074

^a Hydrozone #/Planting Description

E.g.

- 1.) high water use
- 2.) low water use
- 3.) moderate water use

^b Irrigation Method

overhead spray
or drip

^c Irrigation Efficiency

0.75 for spray head
0.81 for drip

^cETWU (Annual Gallons Required)
$$E_{to} \times 0.62 \times E_{TAF} \times Area$$
$$(Eto) \{ .062 \} [(ETAF \times LA) + \{ (1 - ETAF) \times SLA \}]$$

ETA F CALCULATION

Regular Landscape Ar

Total ETAF X Area	14,347
Total Area	38,737
Average ETAF	0.37



Average ETAF for Regular Landscape Areas must be 0.55 or below for residential areas, and 0.45 or below for non-residential areas.

Powered by:




California
Landscape
Contractors
Association

All Landscape Areas	
Total ETAF X Area	14,347
Total Area	38,737
Sitewide ETAF	0.37



4. Irrigation Plan



SCALE: 1/16" = 1'-0"

DESIGN CONSULTANT & RENDERINGS BY:

JERRY L. WHITNEY

130 VISTA MAR COURT, APTOS CA 95003
(831) 392-6144 EMAIL- Jerry@JWDesignGroup.net

OWNER/ DEVELOPER:

GLOVER ENTERPRISES

P.O. BOX 957, SEASIDE, CA.
(831) 394-4885 EMAIL APG06@GMAIL.COM

IRRIGATION PLAN
PARKER FLATS APARTMENTS
BUILDINGS 4386 & 4387, PARKER FLATS, SEASIDE, CA

Date 3-2022

Scale **SHOWN**

Drawn By JLW

Job PARKER FLATS

Sheet

L-102

Packet Page 171



OUTDOOR FITNESS CENTER



CHILDRENS NATURAL PLAYGROUND AREA



ORNAMENTAL 6' HI ALUMINUM
PERIMETER FENCING

FINAL LOCATION TO BE DECIDED
PRIOR TO INSTALLATION AND AS
APPROVED BY THE CITY OF SEASIDE



EXTERIOR COMMON AREA USE PLAN

$$1'' = 30'$$
BAR B Q CENTER

SITTING AREA



BIKE PARKING RACKS

JERRY L. WHITNEY

JERRY L. WHITNEY
130 VISTA MAR COURT, APTOS CA 95003

130 VISTA MAR COURT, APTOS CA 95003
(831) 392-6144 EMAIL- Jemy@JWDdesignGroup.net

ENDING

GLOVER ENLIGHTENED
P.O. BOX 957, SEASIDE, CA.

P.O. BOX 957, SEASIDE, CA.
(831) 394-4885 EMAIL APG06@GMAIL.COM

USE PLAN

APARTMENTS
4386 & 4387, PARKER FLATS, SEASIDE

BUILDINGS 4386 & 4387, PARKER FLATS, SEASIDE, CA

3-2022

SHOWN

By JLW

PARKER FLATS

-103]

Page 172

RESOLUTION NO. 20-95

A RESOLUTION OF THE CITY COUNCIL OF THE CITY OF SEASIDE

ALLOCATING 14 ACRE FEET OF WATER PER YEAR FOR THE RESIDENTIAL REUSE OF THE MEDICAL OFFICER BARRACKS LOCATED AT 4386-4387 PARKER FLATS CUTOFF ROAD

WHEREAS, the City of Seaside has entered into a Purchase and Sale Agreement with AP Glover Enterprises LLC to purchase the property containing two existing residential buildings, also known as the Medical Officer Barracks, on a 4.98 acre parcel located at 4386-4387 Parker Flats Cutoff Road, and is prepared to move forward to close on the property upon receipt of water allocation for the residential reuse of the property; and

WHEREAS, AP Glover Enterprises LLC is proposing to reuse the existing buildings for residential uses; and

WHEREAS, the water utility district, Marina Coast Water District (MCWD), has reviewed and confirmed the Developer's preparation of anticipated water demand for the proposed Project; and

WHEREAS, the water demand prepared for the proposed residential reuse of the project has been reviewed by MCWD and MCWD has recommended allocating an amount of 14 acre feet per year for this project; and

WHEREAS, it is the intent of the City to ensure that projects that are in construction or about to be in construction have sufficient water supply on the one hand, while on the other hand requiring the most efficient use of water. It is the intent of the City that landscaping be watered with reclaimed or recycled water when that water is available. The allocations made herein are subject to partial reallocation and recall if the project does not proceed within a one year period and if the final water usage is less than the allocated amount; and

WHEREAS, the City has existing Fort Ord water allocation which is currently not being utilized by a current and pending projects. In addition, the City has approved a series of long term water supply projects to augment the water in the Fort Ord areas, including an In Lieu Water Storage project and other projects utilizing reclaimed or other water savings measures in order to meet the projected water demand for projects located on the former Fort Ord Lands; and

WHEREAS, MCWD currently has sufficient water supply to meet the projected water demands associated with the proposed project and will be entering into a water

infrastructure and service agreement with the Developer requiring both the construction of new infrastructure and the payment of water and sewer service fees; and .

NOW, THEREFORE, BE IT RESOLVED that the City Council of the City of Seaside hereby allocates up to 14 acre feet of water to develop the residential uses located on the property known as the Medical Officers Barrack property located at 4386-4387 Parker Flats Cutoff Road. The project shall be required to use when available reclaimed or recycled water for the landscaping components of the project. The City Council may recall any or all of the allocation that is not utilized for the proposed residential reuse should the project not begin within a year from the date of this allocation and may recall any or all of the allocation for which there is a "water savings" or replacement of reclaimed water for potable supply and to re-allocate to other appropriate projects within the City of Seaside.

PASSED AND ADOPTED at a special meeting of the City Council of the City of Seaside, State of California, on the 19th day of November, 2020, by the following vote:


AYES:	5	COUNCIL MEMBERS:	Campbell, Kispersky, Oglesby, Pacheco, Wizard
NOES:	0	COUNCIL MEMBERS:	None
ABSENT:	0	COUNCIL MEMBERS:	None
ABSTAIN:	0	COUNCIL MEMBERS:	None

ATTEST:



Lesley Milton, City Clerk

APPROVED:



Ian N. Oglesby, Mayor

Common Name	Scientific Name	WUCOLS Rating*	California Native	Flowering/ Accent
Trees/Tree-Shrubs				
Australian Willow**	<i>Geijera parviflora</i>	M		
California Coffeeberry	<i>Rhamnus californica</i>	L	✓	
California Flannel Bush	<i>Fremontodendron californicum</i>	VL	✓	✓
Catalina Ironwood**	<i>Lyonothamnus floribunda</i>	VL	✓	
Coast Live Oak**	<i>Quercus agrifolia</i>	VL	✓	
Fern Pine**	<i>Afrocarpus gracilior</i>	M		
Flax Leaf Paperbark**	<i>Melaleuca linarifolia</i>	L		
Lemonade Berry	<i>Rhus integrifolia</i>	L	✓	✓
Monterey Cypress**	<i>Cupressus macrocarpa</i>	M	✓	
Paperbark**	<i>Melaleuca quinquenervia</i>	L		
Shrubs				
Allen Chickering Sage	<i>Salvia 'Allen Chickering'</i>	L		✓
Blue Blossom Ceanothus	<i>Ceanothus thyrsiflorus</i>	VL	✓	✓
Carmel Ceanothus, Yankee Point	<i>Ceanothus thyrsiflorus ssp. griseus</i>	L	✓	✓
Chamisso Bush Lupine	<i>Lupinus chamissonis</i>	L	✓	✓
Chaparral Currant	<i>Ribes malvaceum</i>	VL	✓	✓
Coast Buckwheat	<i>Eriogonum latifolium</i>	L	✓	✓
Elderberry	<i>Sambucus mexicana</i>	L	✓	✓
Evergreen Huckleberry	<i>Vaccinium ovatum</i>	M	✓	✓
Fortnight Lily	<i>Dietes grandiflora</i>	L		✓
Little Sandmat Manzanita	<i>Arctostaphylos pumila</i>	VL	✓	✓
Sea Mallow	<i>Lavatera maritima</i>	L	✓	✓
Silk Tassel	<i>Garrya elliptica</i>	L	✓	✓
Groundcovers				
Carmel Creeper	<i>Ceanothus griseus var. horizontalis</i>	L	✓	✓
Coastal Strawberry	<i>Fragaria chiloensis</i>	VL	✓	✓
Hummingbird Sage	<i>Salvia spathacea</i>	L	✓	✓
Mock Heather	<i>Ericameria ericoides</i>	L	✓	✓
Monterey Manzanita	<i>Arctostaphylos hookeri</i>	L	✓	✓
Pacific Coast Iris	<i>Iris douglasiana</i>	L	✓	✓
Sea Pink	<i>Armeria maritima ssp. californica</i>	M	✓	✓
Seaside Daisy	<i>Erigeron glaucus</i>	L	✓	✓
Sword Fern	<i>Polystichum munitum</i>	L	✓	
Grasses				
Blue Bunchgrass	<i>Festuca idahoensis</i>	VL	✓	
California Gray Rush	<i>Juncus patens</i>	L	✓	
Canyon Wild Eye, Canyon Prince	<i>Elymus condensatus</i>	L	✓	
Creeping Wild Rye	<i>Elymus triticoides</i>	L	✓	
June Grass	<i>Koeleria macrantha</i>	L	✓	
* WUCOLS (Water Use Classification of Landscape Species) Rating: VL= very low water; L= low water; M= moderate water ** Appropriate for use as a street tree				

Table 3-2 Recommended Planting Palette

Common Name	Scientific Name	WUCOLS Rating*	California Native	Flowering/ Accent
Native Species for Pollinators and Beneficial Insects				
Baby Blue Byes	<i>Nemophila menziesii</i>		✓	✓
Bicolor Lupine	<i>Lupinus bicolor</i>		✓	✓
Bigberry Manzanita	<i>Arctostaphylos glauca</i>			
Black Sage	<i>Salvia mellifera</i>	L	✓	✓
Blue Elderberry	<i>Sambucus nigra ssp. cerulea</i>			
California Aster	<i>Symphyotrichum chilense</i>			
California Bee plant	<i>Scrophularia californica</i>			
California Buckthorn	<i>Rhamnus californica</i>			
California Buckwheat	<i>Eriogonum fasciculatum</i>			
California Fuchsia	<i>Epilobium canum</i>			
California Lilac 'Julia Phelps'	<i>Ceanothus 'Julia Phelps'</i>			
California Phacelia	<i>Phacelia californica</i>			
California Poppy	<i>Eschscholzia californica</i>			
California Wildrose	<i>Rosa californica</i>			
Canada Goldenrod	<i>Solidago canadensis</i>			
Chinese Houses	<i>Collinsia heterophylla</i>			
Common Deerweed	<i>Lotus scoparius</i>			
Common Sunflower	<i>Helianthus annus</i>			
Common Tidytip	<i>Layia platyglossa</i>			
Common Yarrow	<i>Achillea millefolium</i>			
Coyote Brush	<i>Baccharis pilularis</i>	L	✓	✓
Coyote Mint	<i>Monardella villosa</i>			
Deergrass	<i>Muhlenbergia rigens</i>	L	✓	
Dwarf Coyote Brush, Pigeon Point	<i>Baccharis pilularis 'Pigeon Point'</i>	L	✓	✓
Farewell-to-spring	<i>Clarkia amoena</i>			
Fivespot	<i>Nemophila maculata</i>			
Foothill penstemon	<i>Penstemon heterophyllus</i>			
Globe Gilia	<i>Gilia capitata</i>			
Golden Bush Lupine	<i>Lupinus arboreus</i>	L	✓	✓
Golden Lupine	<i>Lupinus densiflorus var. aureus</i>			
Golden Yarrow	<i>Eriophyllum confertiflorum</i>			
Gumplant	<i>Grindelia hirsutula</i>			
Hollyleaf Cherry	<i>Prunus ilicifolia</i>			
Hollyleaf Redberry	<i>Rhamnus ilicifolia</i>			
McMinn Manzanita	<i>Arctostaphylos densiflora 'McMinn'</i>			
Narrowleaf Milkweed	<i>Asclepias fascicularis</i>			
Nettleleaf Giant Hyssop	<i>Agastache urticifolia</i>			
Oregon Grape	<i>Berberis aquifolium</i>			
Purple Sage	<i>Salvia leucophylla</i>			
Seaside Woolly Sunflower	<i>Eriophyllum staechadifolium</i>			
Sticky Monkey Flower	<i>Diplacus aurantiacus ssp. aurantiacus</i>			
Summer Lupine	<i>Lupinus formosus</i>			
Toyon	<i>Heteromeles arbutifolia</i>	L	✓	✓
* WUCOLS (Water Use Classification of Landscape Species) Rating: VL= very low water; L= low water; M= moderate water				

Seaside Planning Commission Annual Work Plan

2022-2023

William Silva, Chair

Keith Dodson, Vice-Chair

John Owens

Dave Evans

Arly La Mica

Danny Huynh

Mission Statement

The Planning Commission is a seven-member body of community representatives appointed by the City Council. The appointed members shall hold office for four years. The Planning Commission is the primary decision-making authority for certain development applications, and it advises the City Council on various land-use policy matters. Additionally, the Commission is the decision-making body of the architectural review process and is responsible for the review of various residential and commercial design proposals, including second-story residential additions, commercial facade changes, and other design related projects.

Historical Background

State law and local ordinance prescribe the roles and responsibilities of the Planning Commission. In general, state law defines a planning commission as a committee appointed by the elected legislative body (City Council) to review matters related to planning and development and a general advisory body on land use planning.

Powers and Duties of the Planning Commission include:

- The Planning Commission shall have all the powers and perform duties as provided in Government Code Section 65103 (See Link to Government Code)
http://leginfo.legislature.ca.gov/faces/codes_displaySection.xhtml?lawCode=GOV§ionNum=65103
- It shall be the function and duty of the Planning Commission to prepare, periodically review and revise, as necessary, the general plan of the city and to implement the general plan through actions including, but not limited to, the administration of specific plans and zoning and subdivision ordinances. (Ord. 773 § 1 (Exh. A), 1990)

Annual Work Plan

I. Zoning Code Amendments, New Codes, and Enforcement

Land-use policy matters are the purview of the Commission. Staff will work with the Commission to draft sound policies that incorporate elements that will benefit the community and guide development.

- **Provide input on code amendments and new codes**
Review and make recommendations on the city's Form Based Code, which will replace Title 17: Zoning of the Seaside Municipal Code.
- **Update tree ordinance**
Collaborate with the Parks & Recreation Commission and the Environmental Commission to discuss goals & objectives and to receive suggestions.
Work with staff to develop a tree code that addresses current urban forestry issues and provides a responsible and creative approach to increasing tree preservation and the urban canopy.
- **Recommend actionable steps when provided with the local business signage survey results – funding dependent.**

II. Collaborate with Other City Commissions

Cross-commission collaborations are necessary for creating a cohesive and informed approach to policy development and community improvements.

- Collaborate with the Neighborhood Improvement Commission to create criteria and awards for exemplary architectural/project design.
- Act as a representative of the Planning Commission and attend commission meetings with planning staff to engage in dialogue on items needing specific input from other commissions.
- Continue participating in volunteer workdays hosted by other city commissions.

III. Provide Critical Input and Recommendations on Policy Updates

- Conclude the General plan update.
- Participate in study sessions regarding land use issues of the Form Based Code.

IV. Increase Commission Engagement

- Review and share articles of interest in Urban Planning and local topics in Seaside and adjacent cities.
- Increase participation in the Reports from Commissioners agenda item.
- Pursue educational opportunities through online trainings.

2021-2022 Accomplishments

- Provided input, recommended approval, and/or approved the following zoning code amendments: Food Trucks, Cannabis, Large Family Day Cares, and Accessory Dwelling Units.
- Maintained continuity of the Commission's responsibilities during COVID hardships and unexpected changes to the composition of the Commission.