A G E N D A

CITY OF SEASIDE
TRAFFIC ADVISORY COMMITTEE

REGULAR MEETING
CONFERENCE ROOM
440 Harcourt Avenue
Tuesday, June 21, 2016
5:00 PM

PLEASE TURN OFF YOUR CELL PHONES UPON ENTERING THE MEETING

1. CALL TO ORDER

David R. Pacheco	Committee Member
Vicki Myers	Police Chief
Brian Dempsey	Fire Chief
Rick Medina	Senior Planner
Tim O'Halloran	City Engineer

2. REVIEW OF AGENDA

If there are any items that arose after the 72-hour posting deadline, this is the point in the meeting where a vote may be taken to add the item to the agenda. (A 2/3-majority vote is required).

3. PUBLIC COMMENT

Members of the public wishing to address the Traffic Advisory Committee on matters within the jurisdiction of the City of Seaside, but not on this agenda, may do so during the Public Comment period for up to three minutes. Public Comments on specific agenda items are heard under that item. For the public record, please state your name.

4. APPROVAL OF MINUTES

A. REGULAR MEETING MINUTES OF MAY 17, 2016

5. BUSINESS ITEMS

A. CONSIDER REVISED LANGUAGE FOR RESIDENTIAL TRAFFIC CALMING

B. CONSIDER A ONE WAY SIGN ON JUDSON STREET AT LA SALLE AVENUE

C. CONSIDER DISABLED PARKING SPACE FOR RESIDENT AT 1 VALMAR COURT

D. **REQUEST FOR RED CURB AT DRIVEWAY APPROACH AT 1607 VALLEJO STREET**

6. STAFF COMMUNICATION

7. ADJOURNMENT

Next Regularly Scheduled Meeting:
July 19, 2016
Seaside City Hall
5:00 PM

The City of Seaside is an ADA accessible facility and is committed to include the disabled in all of its services, programs and activities. Any person who requires accommodation to be able to participate in this meeting is asked to contact the office of the City Clerk at 899-6707, no fewer than two business days prior to the meeting to allow for reasonable arrangements.

The City Council Chambers is equipped with a portable microphone for anyone unable to come to the podium. Assisted listening devices are also available.

Meetings that are held in the City Council Chambers are broadcast live to all Seaside residents on Comcast Channel 25 and U-verse Channel 99. Meetings are also available through live streaming at: http://cvp.telvue.com/player?id=T01629&video=52314&noplaylistskin=1&width=400&height=300 Videos of past meetings are available on demand through the City's website: http://www.ci.seaside.ca.us

Agenda-related writings or documents provided during public meetings are available for public inspection during the meeting or from the office of the City Clerk. This agenda is posted in compliance with California Government Code Section 54954.2(a) or Section 54956.

CITY OF SEASIDE
STAFF REPORT

Item No.: 4.A.

TO: Traffic Advisory Committee

BY: Leslie Llantero, Assitant Engineer

DATE: June 21, 2016

SUBJECT: **REGULAR MEETING MINUTES OF MAY 17, 2016**

PURPOSE

The purpose of this item is to review the minutes from the May 17, 2016 Traffic Advisory Committee meeting.

RECOMMENDATION

It is recommended to approve the May 17, 2016 TAC minutes.

BACKGROUND

Attached are the minutes from the May 17, 2016 TAC meeting.

FISCAL IMPACT

There is no fiscal impact associated with this item.

ATTACHMENTS

1. MEETING MINUTES 5.17.16

CITY OF SEASIDE
TRAFFIC ADVISORY COMMITTEE
REGULAR MEETING MINUTES
MAY 17, 2016

1. CALL TO ORDER – 5:00 p.m.

ROLL CALL
Roll call was taken with the following members in attendance:
Dave Pacheco X Tim O'Halloran X Chris Veloz X Rick Medina X Brian Dempsey X

Staff: Scott Ottmar and Leslie Llantero

2. REVIEW OF AGENDA

3. PUBLIC COMMENT - none

4. APPROVAL OF MINUTES – April 19, 2016

Dempsey/Medina M/S/P approval April 19, 2016 minutes.

5. BUSINESS ITEMS

A. Discuss Traffic Calming Program for Residential Streets.

Committee discussed alternative funding options and removing residential speeding thresholds. The committee agreed to remove speeding thresholds for residential neighborhoods and have the residents to pay for traffic calming device and implementation if there was support of the neighborhood and approval of the TAC and City Council.

6. STAFF COMMUNICATION
Chair Pacheco mentioned that the TAC should look at parking within the City at a future meeting.

Future agenda items for the Traffic Advisory Committee: Signage on Highland and Kimball and Mingo and Noche Buena

Ms. Llantero alerted the Committee of the residents on the southwest corner of Highland & Kimball were upset with the red curb that was installed.

7. ADJOURNMENT

The meeting was adjourned at 5:55 p.m.

Respectfully submitted:

_____
Leslie Llantero

DRAFT

CITY OF SEASIDE
STAFF REPORT

Item No.: 5.A.

TO: Traffic Advisory Committee

BY: Leslie Llantero, Assitant Engineer

DATE: June 21, 2016

SUBJECT: **CONSIDER REVISED LANGUAGE FOR RESIDENTIAL TRAFFIC CALMING**

PURPOSE

The purpose of this item is to review the Traffic Calming Program and consider the revised language for implementation of traffic calming measures for residential streets.

RECOMMENDATION

It is recommended to approve the revised language to the Traffic Calming Program.

BACKGROUND

The Traffic Calming Program was approved by the City Council on November 17, 2011 and further ratified by Council on July 17, 2014. The Program identities approved traffic calming measures and the process by which they may be implemented (see attachment 1).

Since the implementation of the program, staff has received two requests and has implemented traffic calming on Plumas Avenue following the procedure outlined in the program.

The Traffic Advisory Committee met on May 17th, 2016 and discussed the thresholds related to speed related traffic calming measures. The committee directed staff to return to the TAC with language that would permit implementation of speed related traffic calming measures on residential streets without the need to meet the speed related threshold. Removing the threshold would provide the applicant the ability to streamline the process for implementation. The proposed revisions allows the applicant the ability to implement the traffic calming measure if the neighborhood is in support, the TAC and Council approve the traffic calming measure, and if the applicant/neighborhood could fund the traffic calming measure and implementation.

Staff recommends that the Traffic Calming Program be amended as provided in attachment 2.

-

FISCAL IMPACT

There is no fiscal impact associated with this item.

ATTACHMENTS

1. Traffic Calming Program
2. Revised TC Program

CITY OF SEASIDE TRAFFIC CALMING PROGRAM

APPROVED
NOVEMBER 17, 2011
MODIFIED JULY 17, 2014

ACKNOWLEDGEMENTS

THE CITY OF SEASIDE
TRAFFIC CALMING PROGRAM
MODIFIED
JULY 17, 2014

SEASIDE CITY COUNCIL
Ralph Rubio, Mayor
Ian Oglesby, Mayor Pro Tem
Dennis Alexander
Alvin Edwards
Dave Pacheco

TRAFFIC ADVISORY COMMITTEE
Dave Pacheco, City Councilmember
Tim O'Halloran, P.E., City Engineer/Public Works Services Manager
Rick Medina, Senior Planner
Judy Stradan, Police Chief
Brian Dempsey, Fire Chief

CITY OF SEASIDE STAFF
Leslie Llantero, Assistant Engineer
Scott Ottmar, Assistant Engineer

ACKNOWLEDGEMENTS

THE CITY OF SEASIDE TRAFFIC CALMING PROGRAM ADOPTED NOVEMBER 17, 2011

SEASIDE CITY COUNCIL
Felix Bachofner, Mayor
Steve Bloomer, Mayor Pro Tem
Dennis Alexander
Ian Oglesby
Alvin Edwards

TRAFFIC ADVISORY COMMITTEE
Steve Bloomer, City Councilmember
Tim O'Halloran, P.E., City Engineer/Public Works Services Manager
Rick Medina, Senior Planner
Vicki Meyers, Police Chief
Steve Prelsnik, Acting Fire Chief

CITY OF SEASIDE STAFF
Leslie Llantero, Assistant Engineer
Scott Ottmar, Junior Engineer

CITY OF SEASIDE
TRAFFIC CALMING PROGRAM
TABLE OF CONTENTS

A. Executive Summary 2

B. Introduction 4

C. Goals and Objectives of Traffic Calming Program 5

D. Evaluation of Traffic Calming Measures 6

E. Traffic Calming Criteria 7

F. Process for Traffic Calming Requests 8

Step 1 – Report the Problem 8

Step 2 – Data Collection 8

Step 3 – Phase I Traffic Calming 8

Step 4 – Follow Up Data Collection 9

Step 5 – Phase II Traffic Calming: Plan Preparation, Design, Installation and Maintenance 9

Step 6 – Preparation and Implementation of a Phase II Traffic Calming Plan 9

Step 7 – Follow Up Studies 10

G. Appendices 11

Appendix 1 – Traffic Calming Procedure Flow Chart 12
Appendix 2. Devices Not to be Used for Traffic Calming 13
Appendix 3. Recommended Traffic Control Measures 15
Speed Control Measures Considered 15
Volume Control Measures 31
Appendix 4. Roadway Functional Classifications 37
Appendix 5. Emergency Response Issues 40
Appendix 6 43

CITY OF SEASIDE
TRAFFIC CALMING PROGRAM

A. EXECUTIVE SUMMARY

The Seaside General Plan states that the City shall: "Use traffic calming methods within residential and mixed use areas where necessary to create a pedestrian-friendly circulation system" (Policy C-1.5). The City of Seaside Traffic Calming Program was developed by Engineering and Planning Department staff with input from the Police and Fire Departments. In addition, the program was reviewed by the City Attorney and City Risk Manager. The traffic calming program is meant to be a "living document", which will be revised as traffic calming projects are implemented and assessed.

This traffic calming program explores the pros and cons of a variety of traffic calming measures; evaluates these measures; provides recommendations for use of these measures; identifies criteria for traffic calming requests and outlines the process for the implementation of the improvements.

Traffic Calming in the City of Seaside is to be accomplished by identifying the nature and extent of traffic-related problems on a given street or a given area, then selecting and implementing cost-effective measures for addressing identified problems. The program is organized into two phases. All requests for traffic calming require meeting the minimum criteria to implement Phase I measures. If predetermined thresholds continue to be met or are exceeded after Phase I, then Phase II traffic calming measures will be considered. Phase II traffic calming measures involve physical modification of the street, such as partial medians or street closures. Phase II traffic calming projects require council approval to receive funding prior to design and implementation. The Traffic Advisory Committee will recommend appropriate traffic calming measures for each phase to directly address potential traffic issues.

The following lists recommended traffic calming measures to be considered in the City of Seaside:

	Type of Measure	Used for	Existing Neighborhood	New Development
1	Bulbouts/Curb Extensions	Speed	Yes	Yes
2	Digital Speed Signs (Phase I)	Speed	Yes	Yes
3	Entry Islands/ Neighborhood Signs	Speed	Yes	Yes
4	Lateral Shifts	Speed	No	Yes
5	Mid-Block Bulbouts/Curb Extensions	Speed	Yes	Yes
6	Neighborhood Sign Programs	Speed	Yes	Yes
7	Partial Medians	Speed	Yes	Yes
8	Pavement Treatments/Striping(Phase I)	Speed	Yes	Yes
9	Police Enforcement (Phase I)	Speed	Yes	Yes
10	Raised Intersections	Speed	Yes	Yes
11	Realigned Intersections	Speed	Yes	Yes
12	Speed Monitoring Trailers (Phase I)	Speed	Yes	Yes
13	Speed Tables	Speed	Yes	Yes

	Type of Measure	Used for	Existing Neighborhood	New Development
14	Traffic Circles/Roundabouts	Speed	No	Yes
15	Speed Cushions	Speed	Yes	Yes
15	Full Street Closure	Volume	Yes	No
16	Partial Street Closures	Volume	Yes	No
17	Restricted Movement Signage	Volume	Yes	Yes
18	Traffic Diverters / Forced Turn Islands	Volume	Yes	Yes

Following is a list of measures that are <u>not</u> recommended for use (refer to Appendix 2, page 14 for more information):

- Chicanes
- Speed Cameras
- Speed Bumps
- Speed Humps
- Speed Limit Signs
- Unwarranted Stop Signs

The traffic calming implementation process starts with the submittal of a traffic-calming project request to the Engineering Department by interested community members. Staff will conduct a study (including speed, volume and accident data) to determine whether or not traffic calming measures meet the predetermined thresholds. If thresholds are met and there is neighborhood consensus for traffic calming, then Phase I will be initiated. Phase I includes solutions that do not involve the use of physical controls or impediments on the roadway system. These are primarily education and enforcement based measures. Follow-up data collection will be obtained 3 to 6 months after Phase I is implemented to determine if traffic calming measures are successful. If the predetermined thresholds continue to be met or are exceeded, then staff will initiate Phase II. Phase II requests need to be authorized by the City Engineer supported by both Phase I traffic calming follow-up data and supported by the neighborhood to be considered by the City Council. Once the City Council has authorized a city funded traffic calming study, City staff will work with the public to develop neighborhood traffic calming plan that incorporates both Phase I and Phase II traffic calming measures.

B. INTRODUCTION

The City of Seaside Traffic Advisory Committee (TAC) regularly receives requests from local residents to calm traffic in their neighborhoods. In the past, these requests have been considered on a case-by-case basis. The Seaside General Plan states that the City shall: "Use traffic calming methods within residential and mixed use areas where necessary to create a pedestrian-friendly circulation system" (Policy C-1.5). The purpose of the City of Seaside Traffic Calming Program is to formalize the traffic calming process, in order to provide a consistent program for neighborhood traffic management.

What are Traffic Calming Measures?

The Institute of Transportation Engineers (ITE) defines traffic calming as: "changes in street alignment, installation of barriers, and other physical measures to reduce traffic speeds and/or cut-through volumes, in the interest of street safety, livability, and other public purposes." Traffic calming measures are an attempt to enhance traffic and pedestrian safety and preserve neighborhood character and livability. There are a number of traffic calming measures that are available to achieve this effect. The specific measure are described in more detail in appendix 5, but are generally used to address problems with speeding, cut-through traffic, increased volume, and safety. The City often receives requests from residents and business owners for devices that are not appropriate to be used for calming traffic, including stop signs, "Children at Play" signs and traffic signals. A more detailed explanation is given in Appendix 2, Devices Not to be Used for Traffic Calming. When traffic calming measures are implemented successfully, they are effective and self enforcing.

C. GOALS AND OBJECTIVES OF TRAFFIC CALMING PROGRAM

The goals of the traffic calming program are to:

- Improve local residents' sense of well-being about their neighborhood streets and enhance pedestrian and vehicle safety in residential areas; and

- Calm traffic in commercial areas to foster a more pedestrian- and bicycle-friendly atmosphere in commercial districts where appropriate.

The objectives (not in priority order) of the traffic calming program are to:

- Encourage positive driver behavior in residential neighborhoods;

- Improve neighborhood livability by encouraging adherence to the speed limit;

- Encourage public involvement in the traffic calming process through workshops to identify concerns and appropriate calming devices for use in each neighborhood or business area;

- Improve the shopping experience for shoppers and encourage motorists to patronize local business, rather than speeding past them;

- Effectively balance public safety interests, including traffic mitigation and emergency response;

- Maintain emergency response routes by restricting the use of vertical devices (such as raised intersections) on emergency response routes;

- Design streets to respond to special needs of groups such as elderly, children and the disabled;

- Consider impacts to bicycle and pedestrian traffic when evaluating traffic control measures;

- Consider impacts to transit routes;

- Improve safety for pedestrians and bicyclists;

- Maintain capacity on collector and arterial streets;

- Enhance and maintain primary visitor routes;

- Integrate education, engineering, enforcement and enhancement; and

- Evaluate the effectiveness of traffic calming devices after installation.

D. EVALUATION OF TRAFFIC CALMING MEASURES

There are numerous traffic calming measures that may be implemented to address various traffic conditions. Some traffic calming measures are used to control traffic speed, some to control traffic volume, or in some case both. The following traffic calming measures were considered and have been divided into those designed to control traffic speeds and those designed to control volumes.

Speed Control Measures

1. Bulbouts
2. Chicanes (Not Recommended)
3. Digital Speed Signs
4. Entry Islands with Neighborhood Identification Signs
5. Lateral Shifts
6. Mid-Block Bulbouts
7. Neighborhood Sign Programs
8. Partial Medians
9. Pavement Treatments
10. Police Enforcement
11. Raised Intersections
12. Realigned Intersections
13. Speed Cameras (Not Recommended)
14. Speed Bumps (Not Recommended)
15. Speed Humps (Not Recommended)
16. Speed Limit Signs (Not Recommended)
17. Speed Monitoring Trailers
18. Speed Tables
19. Traffic Circles
20. Speed Cushions

Volume Control Measures

20. Full Street Closures
21. Partial Street Closures
22. Restricted Movement Signage
23. Traffic Diverters / Forced Turn Islands

Factors considered in this analysis included: impact on emergency vehicle response (refer to Appendices 5 - Emergency Response Issues; roadway functional classification (refer to Appendix 4 - Roadway Functional Classifications); appearance; cost; effectiveness; potential liability to the City; bicycle/pedestrian impacts; maintenance costs; and impact on street sweeping operations.

Appendix 2 – Not Used Traffic Control Measures and Appendix 3 – Recommended Traffic Control Measures details each of these measures, including descriptions, best applications, costs, pros and cons.

E. TRAFFIC CALMING CRITERIA

The following criteria and thresholds will be used to determine if the requested location qualifies for traffic calming measures:

1) Residential, Collector, or Minor Arterial Streets; the City will not implement traffic calming measures on arterial streets. A map of the "Roadway Classification Map" is identified in Appendix 4. Staff can identify other actions if the street does not meet this basic criterion.

2) Neighborhood Support; prior to any data collection by the City, the applicant is requested to present a petition in conjunction with the Traffic Calming Request that identifies a majority of residents/property owner within the neighborhood block having the same concern for the speeding or traffic issue.

3) Residential Speeding Thresholds; request for traffic calming for speed related complaints will be eligible for traffic calming if the 85% speed is greater or equal to 7 miles over the speed limit. Residential speed limit is 25 mile per hour.

4) Collector and Minor Arterial Streets: requests for traffic calming for speed related complaints will be eligible only on streets with volumes less than 1,000 vehicles per day and the 85% speed is greater or equal to 7 miles over the speed limit.

5) Cut through traffic Thresholds; request for traffic calming for cut through traffic complaints for residential streets will be eligible for traffic calming if the average daily traffic is more than 1,600 vehicles per day. Traffic calming requests for cut through traffic complaints for collector and minor arterial streets will not be considered.

Criteria Matrix

STREET TYPE	NEIGHBORHOOD SUPPORT	SPEEDING THRESHOLD	CUT THROUGH THRESHOLD
Local/Residential	Majority of Block in Support	85% speed>32 mph	ADT>1,600 vpd
Collector Streets less than 1,000 vehicles per day	Majority of Block in Support	85% speed≥7mph over posted speed limit	Not Considered
Minor Arterial Streets less than 1,000 vehicles per day	Majority of Block in Support	85% speed≥7mph over posted speed limit	Not Considered
Arterial Streets	Not Considered	Not Considered	Not Considered

F. PROCESS FOR TRAFFIC CALMING REQUESTS

Staff will complete the traffic calming studies on a "first come – first serve" basis. Traffic calming measure will be implemented when funding becomes available. The traffic calming request process is illustrated by flow chart in Appendix 1.

Step 1 – Report the Issue
The first step is to report the issue or concern to the City of Seaside Engineering Division staff at (831) 899-6825. City staff will note the complaint and provide the applicant with a Traffic Calming Request Application (Appendix 6). This application will also be available at www.ci.seaside.ca.us. The application must be accompanied by a list of property owners and/or residents in support of the project. There is an application fee of $50 dollars due at the time of application submission. When the application is submitted, City staff will evaluate the request to determine the nature of the problem, and determine if the location qualifies. Requests would then be reviewed and verified by the Seaside Traffic Advisory Committee (TAC). The TAC would determine if an application area is currently under study or has been studied before and warrants an updated review. Upon receipt of several complaints/issued specific to a neighborhood, City staff will report to the TAC on a quarterly basis and will initiate a petition to neighboring residents of said affected location upon the direction from TAC.

Step 2 – Data Collection
When it is determined by the TAC that an application warrants a review, a request for data collection is forwarded to the Seaside Public Works Division staff, which will then determine a project study area, collect traffic volume, speed data and observe traffic patterns. At this time staff will confirm that a majority of residents within the project study area perceive a problem and support an implementation of traffic calming. The above mentioned thresholds identified in Section E will determine eligibility for traffic calming. Cut through or volume related requests will be evaluated with Phase II traffic calming measures.

Step 3 – Phase I Traffic Calming
If the street location exceeds the thresholds identified above, City staff will first suggest possible solutions that do not involve the use of physical controls or impediments on the roadway system. These are primarily education and enforcement based measures called Phase I traffic calming. These measures may include:

- Radar Speed Trailer Deployment – This is a temporary device that is primarily used to educate motorists regarding the fact that they may be significantly exceeding the posted speed limit.

- Traffic Enforcement Actions – This is traditional enforcement activity on the part of the Public Safety's traffic enforcement officers. The intent is to modify behavior to result in a safer situation for all drivers and neighbors.

- Traffic Signing and Pavement Markers – Public Works staff will review all traffic signing and pavement markings in the area. If necessary, staff will install additional signing or striping. When appropriate, changes and additions will be reviewed with the interested neighbors.

Step 4 – Follow Up Data Collection
If one or more of the Phase I traffic Calming measures is implemented, City staff will collect speed and/ or volume data approximately three to six months after Phase I implementation to measure Phase I traffic calming effectiveness. If the measure/s were successful, and the thresholds identified in Section E above are not met or exceeded then the traffic calming process will end at this point. Repeat request will not be eligible for review within the first 3 years after last evaluation.

Step 5 – Phase II Traffic Calming: Plan Preparation, Design, Installation and Maintenance
Phase II requests must be recommended by the Traffic Advisory Committee and authorized by the City Engineer, supported by both Phase I traffic calming follow-up data and neighborhood support. Annually the City Council will be presented with Traffic Calming Phase II requests in conjunction with the City's budget process. The City Council will prioritize request based upon a recommendation from the TAC. Criteria used to evaluate the prioritization will include public support, proposed cost estimate, accident history, speed data, traffic volume, proximity to schools or parks, availability of funding and matching funds. In the absence of City funding to implement Phase II traffic calming, residents of a neighborhood may also elect to fund traffic calming measure implementation improvements or create a special assessment district.

Step 6 – Preparation and Implementation of a Phase II Traffic Calming Plan
Once the City Council has authorized a city-funded traffic calming study, city staff will work with the public to develop neighborhood traffic calming plan that incorporates both Phase I and Phase II traffic calming measures. Possible solutions could involve physical modifications of the street intended to control traffic speeds and/or volumes. These traffic calming measures have been included in Appendix 3. The following general criteria must be met to consider the installation of any Phase II traffic calming measure:

- Installation should not significantly result in traffic diversion to other neighborhood streets.
- Depending on which Phase II traffic calming measures are used in a traffic calming plan, diversion may occur on adjacent streets, or in adjacent neighborhoods. For traffic calming plans where extensive diversion is expected, the City Council must approve an environmental review of the traffic calming plan as required by the California Environmental Quality Act (CEQA).
- At least 60% of the impacted residents as identified within the plan shall support the installation. Impacted residents include those fronting onto a street receiving the proposed traffic calming devices as well as those within an "area of impact" determined by the City Engineer.
- Devices shall be located a minimum of 25 feet from driveways, manholes, drain inlets, water valves, street monuments, and other appurtenances as deemed necessary and feasible.
- Devices shall be located a minimum of 25 feet from fire hydrants where feasible.
- Devices shall be installed only where a minimum safe stopping distance can be provided.
- Seaside Fire Department shall review the plan and make recommendations to assure that emergency response times or access are not negatively affected within designated emergency routes. Emergency routes are identified in Appendix 5.

Other subjective information will be considered:

- Physical characteristics (road width, alignment, parking);

- Neighborhood characteristics (Land uses, number of residents affected, setback of houses, potential impact of improvement(s);
- Accident history;
- Timing (can traffic calming be incorporated into scheduled infrastructure or development projects).

Step 7 – Follow Up Studies
Staff will monitor on an on going basis after implementation for effectiveness.

G. APPENDICES

Appendix 1. Traffic Calming Flow Chart
Appendix 2. Measures Not to be Used for Traffic Calming
Appendix 3. Recommended Traffic Calming Measures – Speed & Volume Measures
Appendix 4. Roadway Functional Classification**S**
Appendix 5. Emergency Response Issues
Appendix 6. Traffic Calming Request Application

APPENDIX 1 – TRAFFIC CALMING PROCEDURE FLOW CHART



APPENDIX 2. DEVICES NOT TO BE USED FOR TRAFFIC CALMING

The following devices are NOT to be used for traffic calming on City of Seaside streets:

Stop Signs: Stop signs are traffic control devices intended to control the right-of-way at intersections. Stop signs have not been found to be effective for use as speed control devices; in fact, they have been found to aggravate speeding conditions between stop locations. In addition to a number of negative environmental impacts from excessive use of stop signs (noise, air quality, fuel consumption), stop signs penalize all drivers, those driving the speed limit as well as those speeding. The City of Seaside follows state and federal warrants for the use of stop signs and unwarranted stop signs have been found to create more problems than they solve.

Traffic Signals: Traffic signals, like stop signs, are traffic control devices intended to control the right-of-way at intersections. Traffic signals are designed to improve safety and are installed where significant traffic conflicts require them. Traffic signals are generally used on higher volume, higher classification roadways and diminish the residential feel of a street. The City of Seaside follows state and federal warrants for the use of traffic signals based on traffic volume and accident history.

"Children at Play" Signs: Although commonly requested, these signs are not standard traffic control devices or warning signs. Studies made in cities where "Children at Play" signs were widely posted in residential areas show no evidence of having reduced pedestrian accidents or vehicle speed. Because there are children in most residential areas, the signs would warn of common conditions and could arguably be placed on every residential block. In fact, signs installed to warn motorists of normal conditions in residential areas usually fail to achieve the desired safety benefits. Even though some parents believe "Children at Play" signs increase safety, they cannot provide any degree of protection. The "Children at Play" sign is a direct and open suggestion that it is acceptable for children to play on residential streets. Obviously, children should not be encouraged to play in the roadway. "Children at Play" signs on City streets do not meet adopted signing standards. Specific warnings for schools, playgrounds, parks and other recreational facilities are available for use where warranted.

Chicanes: Chicanes consist of a series of bulbouts or curb extensions that narrow the street to one lane at selected points and force motorists to slow travel speed to maneuver between them. Also know as deviations, serpentines, reversing curves, or twists. Chicanes are designed to reduce vehicle speeds on long blocks (over 500 feet) that have an average daily traffic under 1,500 vehicles per day. Chicanes are not recommended for use in the City of Seaside because they may encourage "race car" behavior, with motorists traveling in straight line rather than with the alignment of the street, causing potential for head on collisions. They are not recommended for use in any area of the City.

Speed Cameras: Camera which catches and records speed data as well as unlawful driving. Speed cameras are often used a "red light cameras" to catch red signal runners. Can be used in place of enforcement as a device to monitor speeders and take pictures of their license to send them a ticket. Due to the controversial nature of speed cameras, they are not recommended for use in the City of Seaside.

Speed Bumps: Speed bumps are an abrupt raised area in the pavement surface which are typically 3 to 6 inches in height with a travel length of 6 inches to 3 feet. They can be manufactured or made of asphalt concrete. They are effective at controlling speeds on low volume, low speed roads, especially private driveways and parking lots. Speed Bumps are not recommended for use in the City of Seaside. There is a potential for City liability due to auto damage from bottom out and passenger injury from excessive speed over the hump. Emergency vehicles may have difficulty traveling over the humps and there is potential for response time delays. There is a potential for City liability due to auto damage from bottom out and passenger injury from excessive speed over the hump.

Speed Humps: Rounded raised area placed across the road. Speed humps typically raised 3 inches over 12 feet. Speed Humps can be manufactured or be created with asphalt.

Speed Limit Signs: Clearly posted signs defining the legal speed limit under normal conditions. Speed limit signs have not been shown to reduce traffic speeds, they are not recommended for use in the City of Seaside unless paired with a significant enforcement effort.

APPENDIX 3. RECOMMENDED TRAFFIC CONTROL MEASURES

This appendix describes speed and volume control recommended traffic control measures for use in the City of Seaside.

SPEED CONTROL MEASURES CONSIDERED

1. Bulbouts
2. Digital Speed Signs
3. Entry Islands with Neighborhood Identification Signs
4. Lateral Shifts
5. Mid-Block Bulbouts
6. Neighborhood Sign Programs
7. Partial Medians
8. Pavement Treatments
9. Police Enforcement
10. Raised Intersections
11. Realigned Intersections
12. Speed Monitoring Trailers
13. Speed Tables
14. Traffic Circles
15. Speed Cushions

1. Bulbouts



Description

Narrows an intersection through a set of curb bulbouts to create a narrow, single-lane for both travel directions. Also known as neckdowns, knuckles, curb extensions or intersection narrowing.

Best Application

Typically used at intersections where parking is able to be restricted. Narrowed street must restrict cars from passing each other through the intersection at higher than posted speeds. Best when street volumes are between 600 and 2,000 average daily traffic (ADT). To assist large-vehicle entry, design intersection to enhance right-turn movements (place curb extension on right-side of entry). Recommended for use on minor arterials and collectors where an intersection must provide speed control and pedestrian accessibility.

Costs

- Installation: $5,000 to $20,000 per intersection depending on landscaping[1]
- Maintenance: May be high depending on landscaping and street cleaning schedule

Pros

- Slows vehicles at an intersection entry-point.
- Improves visibility for pedestrians at intersections; helps to "pedestrianize" intersections by "reclaiming" pavement for pedestrian and streetscape amenities
- Reduces speed of turning motor vehicles due to reduced turning radius at intersection
- Encourages pedestrians to cross at designated locations
- Increases sight distance by preventing motorists from parking at corners
- Improves access for emergency responders and large vehicles at narrow streets that might otherwise be blocked by on-street parking
- Improves compliance with Americans with Disabilities Act (ADA) specifications
- Adds to public space and potential for community pocket park

Cons

- Limited vehicle speed reduction when design lacks substantial vertical or horizontal diversion to travel path
- Relatively high cost of curb and drainage modification and potentially addition of landscaping, decorative pavement or street furniture
- May create restrictions to bikeway capacity, depending on design
- May cause problems for trucks and right turn movements

Recommendation: Bulbouts are recommended for use in existing City of Seaside residential neighborhoods and commercial areas as well as for new development

[1] Burden, Dan. Streets and Sidewalks, People and Cars, The Citizens' Guide to Traffic Calming. Ed. Dave Davis. Vol. April 2000.

2. Digital Speed Signs

Description

Speed sign in place of or mounted with a traditional speed limit sign with radar displaying motorist actual speed.

Best Application

Streets where speeding is a problem but legal speed limit knowledge and motorist actual speed is thought to be misunderstood or misguided. Recommended for use in school zones or on local and collector streets to heighten motorist attention. These signs are most effective if moved from location to location.

Costs

- Installation: $2,000 - $4,500 per application[2]
- Maintenance: Very low if signs are durable and vandalism is not present

Pros

- Educate motorists of their speed
- Popular with the Public, interpreted as City action
- Effective for temporary speed reduction needs
- Come with a variety of options including: solar, data collection, alarm, strobe light.
- Can be removed and relocated to different existing speed signs

Cons

- Traffic can easily disobey signs
- Duration of effectiveness is limited
- Not self enforcing
- Some motorists speed up in an effort to register a high speed

Recommendation: Digital speed signs are recommended for use in existing City of Seaside residential neighborhoods and commercial areas as well as for new development.

[2] "Domestic and US Speed Signs." Ingram Technologies. 13 Oct. 2008 <http://www.ingram-tech.com/us_signs.htm>.

3. Entry Islands with Neighborhood Identification Signs



Description

A raised island in the center of a two-way street that identifies the entrance to a neighborhood. Typically occurs at an intersection of a neighborhood street with another through street.

Best Application

Best where a local residential street meets a street with a higher roadway classification. Pedestrian visibility should be maintained at adjacent crosswalks. Recommended for local street intersections and intersections between collectors and local streets.

Costs

- Installation: Low cost when installed within existing right-of-way
- Maintenance: Dependent upon type of landscaping

Pros

- Notifies motorists of a change in the roadway character
- Helps to slow traffic as it enters a new neighborhood or lower street classification
- Provides opportunities for landscaping and/or monument signage
- May discourage neighborhood cut-through traffic
- Helps to enhance neighborhood identity

Cons

- May require maintenance and water for irrigation when landscaping is included
- May reduce road width for bike lanes
- May eliminate on-street parking where right-of-way is narrowed from the center
- Could make it difficult for turning vehicles
- Could fragment the City

Recommendation: Entry Islands are recommended for use new residential development. They should be carefully considered before placement in existing City of Seaside residential neighborhoods since they could fragment the City.

4. Lateral Shifts

Description



Curb extensions on otherwise straight streets that cause travel lanes to bend one way and then bend back to the original direction of travel. Also referred to as axial shifts, staggerings, or jogs. With the correct angle of deflection, may be used on collectors or arterials with higher traffic volumes and posted speeds. Where possible, shifts may be combined with center medians to prevent short-cutting travel deflection.

Best Application

Best for new roads due to extent of shift in travel path. For best results in speed reduction, design for lateral shifts of at least one-lane width and angles of deflection of up to 45 degrees. Recommended for use on low volume arterials .

Costs

- Installation: May be significant if applied to existing roadway
- Maintenance: Depends on extent of landscaping

Pros

- May be created at moderate costs using protected parking bays, maintaining existing curb
- Can create attractive public park or open space where shift occurs
- Minimal impact on emergency response
- No impact to bikeway or on-street parking when roadway width is maintained

Cons

- Requires significant public right-of-way
- Typically results in only minor speed reductions if travel path is not significantly restricted
- Can eliminate on-street parking
- Cannot be used where right-of-way is restricted
- High cost of curb alignment and landscaping if roadway is redesigned

Recommendation: Lateral shifts are recommended for use in existing City of Seaside residential neighborhoods and commercial areas as well as for new development.

5. Mid-Block Bulbouts



Description

Curb extensions at midblock that narrow a street by widening the sidewalk or side planting strip. Also called pinch points, midblock narrowings, midblock yield points, or constrictions. May be parallel or angled.

Best Application

Narrow mid-block point to at least 18 feet or less than standard two lane width for desired effect; must restrict two-way travel to adequately reduce speeds. Best when street volumes are between 600 and 2,000 average daily trips (ADT). Recommended for use on local and collectors.

Costs

- Installation: $5,000 to $20,000 each depending on site conditions and desired landscaping[3]
- Maintenance: Moderate, depending on extent of landscaping

Pros

- Improves pedestrian and motorist safety; helps to "pedestrianize" mid-blocks
- Increases visibility for pedestrians due to heightened driver attention when negotiating obstacle
- Encourages pedestrians to cross at designated locations; provides opportunity for safe mid-block crossing
- Maintains emergency vehicle access; minimal response time impacts
- Improves compliance with Americans with Disabilities Act (ADA) specifications
- Adds to public space and potential for community pocket park and landscaping

Cons

- May have limited effect on vehicle speed reduction where substantial vertical or horizontal diversion is lacking
- Relatively high cost of curb and drainage modification and potentially addition of landscaping, decorative pavement or street furniture
- Perception that one-lane chokers are unsafe due to potential for approaching traffic head-on collision; 1.5-lane chokers create uncertainty for drivers of safety in passing oncoming traffic through choker.
- Significantly reduces on-street parking and bikeway capacity

Recommendation: Mid-block bulbouts are recommended for use in existing City of Seaside residential neighborhoods and commercial areas as well as for new development.

[3] Burden, Dan. Streets and Sidewalks, People and Cars, The Citizens' Guide to Traffic Calming. Ed. Dave Davis. Vol. April 2000.

6. Neighborhood Sign Programs

Description

Signs distributed within a neighborhood to inform and encourage motorists to observe the posted speed limits, calming measures and redirection rules. Signs must be in accordance with the California Edition of the Manual on Uniform Traffic Control Devices (MUCTD)

Best Application

Any street or neighborhood where speeding is problematic. Best when used in conjunction with police enforcement. Recommended for use on local and collectors.

Costs

- Installation: Approximately $350 per sign (cost based upon 2011 City of Seaside fees & charges)
- Maintenance: Very low if signs are durable and vandalism is not present

Pros

- Useful as an educational tool for motorists travelling through neighborhood.
- Effective for temporary speed reduction needs
- No reduction in bike or parking capacity

Cons

- Duration of effectiveness may be limited when motorists become used to signs without enforcement
- Not self-enforcing
- May contribute to additional 'sign pollution'

Recommendation: Neighborhood sign programs are recommended for use in existing City of Seaside residential neighborhoods and commercial areas as well as for new development.

7. Partial Medians



Description

Raised islands located along the centerline of a street that narrow the travel lanes. Also called midblock medians, median slow points, or median chokers. Placed at the entrance to a neighborhood, they are often called gateways. May be used effectively on curves or just outside of intersections.

Best Application

Most effective when used as short interruptions to an otherwise open street cross section, rather than long medians. Vegetation should not obscure visibility between motorists, bicyclists, and pedestrians at intersections and pedestrian crossing areas. Travel lane width should be maintained at least 12 feet wide with a maximum length between access points of 200 feet to accommodate emergency access. Recommended for use on minor arterials, collectors and local streets.

Costs

- Installation: $15,000 to $30,000 per 100 feet[4]
- Maintenance: Depends on extent of landscaping

Pros

- Narrowed travel lanes provide "friction" that reduces vehicle speeds
- Significant opportunity to add attractive landscape element to center of street
- Can be used to control traffic access to adjacent properties if desired
- Helps to "pedestrianize" street, especially when utilized along with a street crossing

Cons

- May narrow street right-of-way to less than design width
- Long medians may impact emergency access and operations
- May interrupt driveway access and result in downstream U-turns
- Requires removal of on-street parking
- May require bikeway to merge with travel way

Recommendation: Partial medians are recommended for use in existing City of Seaside residential neighborhoods and commercial areas as well as for new development.

[4] Burden, Dan. Streets and Sidewalks, People and Cars, The Citizens' Guide to Traffic Calming. Ed. Dave Davis. Vol. April 2000.

8. Pavement Treatments



Description

Varied pavement texture or color to heighten motorist awareness. Can include colored pavement, pavers or textured concrete.

Best Application

Where driver awareness needs to be heightened, for example a pedestrian crossing, center travel/turn lane, or approaching a non-highly visible intersection. Best served in commercial areas so not to interrupt adjacent residents. Recommended for use on minor arterials and collectors streets where a road section must provide motorist awareness and pedestrian accessibility.

Costs

- Installation: ~ $30 per square foot (cost based upon 2011 estimate)
- Maintenance: Needs replacing ~twice as frequently as typical asphalt

Pros

- Add attractive pavement element to street
- Improves pedestrian safety with slowing speeds
- Pavement types are typically bicycle friendly
- Does not impact emergency response times

Cons

- More expensive than traditional asphalt
- Minimal impact on traffic speeds
- Potential noise problem for adjacent residents

Recommendation: Pavement treatments are recommended for use in existing City of Seaside residential neighborhoods and commercial areas as well as for new development.

9. Police Enforcement

Description

Establishment of regular police presence to monitor speeds and issue citations at problematic traffic areas.

Best Application

Streets with documented speeding problems in need of quick mitigation where established traffic restrictions are being violated. Effective in school zones or when new calming measures or restrictions are first implemented. Recommended for use on all street classifications.

Costs

Highly variable, depending on coverage area, time and staff requirements. May be partially offset by citation fees.

Pros

- Very effective calming during presence of police monitoring or expected police presence
- Flexible measure that can be implemented in almost any location with short notice

Cons

- Not self-enforcing due to temporary nature of calming when police are present
- Fines do not typically cover cost of enforcement
- May disrupt efficient traffic flow on high volume streets
- Short "memory effect" on motorists when enforcement officer is no longer present

Recommendation: Police enforcement is recommended for use in existing City of Seaside residential neighborhoods and commercial areas as well as for new development.

10. Raised Intersections



Description

Flat raised area, typically 3-4 inches, covering entire intersections with ramps on all approaches often with brick or textured material on the flat section.

Best Application

Intersection where high pedestrian volume is anticipated especially when faced with high traffic speeds and little or no traffic controls (STOP sign or traffic signal). Design speed can be 20-30 mph and best used on collector or minor arterial streets.

Costs

- Installation: $25,000 - $70,000[5]
- Maintenance: ~$500/year + additional paving needs (cost based upon 2011 estimate)

Pros

- No loss of on-street parking
- Safe and easy for bicyclists to cross
- Visually emphasizes a desirable intersection
- Increased Pedestrian safety at intersection

Cons

- Street cleaning vehicle consideration
- Not effective on grades
- Need sufficient sight distance
- Does not drastically reduce vehicle speeds due to non-abrupt nature of pavement rise
- Could cause some motorists to drive on and over sidewalk
- Could slow emergency vehicle response times
- City liability: Passenger damage from too quick speed over hump
- Could be noisy for nearby residents

Recommendation: Raised intersections are recommended for use in existing City of Seaside residential neighborhoods and commercial areas as well as for new development. They are not recommended for use on emergency response routes. Refer to Section D. 'Emergency Response Routes' for more information.

[5] Burden, Dan. Streets and Sidewalks, People and Cars, The Citizens' Guide to Traffic Calming. Ed. Dave Davis. Vol. April 2000.

11. Realigned Intersections



Description

Realigns T-intersection to make the through movement a turning movement.

Best Application

Best on streets that approach other streets with a higher roadway classification and where traffic slowing is desired as it enters a neighborhood. Recommended for use at local street intersections and where collectors meet local streets at a T-intersection.

Costs

- Installation: High on existing streets due to total intersection re-design. Minimal additional cost for new streets.
- Maintenance: Dependent on extent of landscaping

Pros

- Provides landscaping opportunities
- Discourages traffic from continuing through a neighborhood or approaching a T-intersection at unsafe speeds
- Breaks up sight lines
- No loss of bikeway capacity, when appropriately designed

Cons

- May redirect traffic to another local street with less restriction
- May increase queue lengths at intersections
- High cost for existing intersections
- May change stop configuration and affect emergency response times
- Eliminates on-street parking where curbs are realigned

Recommendation: Realigned intersections are recommended for use in existing City of Seaside residential neighborhoods and commercial areas as well as for new development.

12. Speed Monitoring Trailers

Description

Mobile trailer with radar displaying motorist speed

Best Application

Streets where speeding is a problem but legal speed limit knowledge is thought to be misunderstood. Recommended for use on all street classifications. Speed trailers are most effective if moved from location to location on a regular basis

Costs

- Installation: $3,000 per unit[6]
- Maintenance: ~$500 per application (cost based upon 2011 estimate)

Pros

- Educate motorists of their speed
- Popular with the Public, interpreted as City action
- Effective for temporary speed reduction needs
- Some models have data collection capabilities and can be powered with solar energy

Cons

- Traffic can easily disobey signs
- Duration of effectiveness is limited
- Not self enforcing
- Some motorists speed up in an effort to register a high speed

Recommendation: Speed monitoring trailers are recommended for use in existing City of Seaside residential neighborhoods and commercial areas as well as for new development.

[6] "Domestic and US Speed Signs." Ingram Technologies. 13 Oct. 2008 <http://www.ingram-tech.com/us_signs.htm>.

13. Speed Tables

Description

Flat topped raised areas placed across the road typically with textured material on the flat top region. Designed for entire wheelbase of a car to rest on top, often 3 inches high and 22 feet long. Possess higher design speeds than speed humps due to the less abrupt elevation change. Design speed approximately 25-30 mph and can be used on local streets.



Best Application

Low cost quick installation for a medium design speed street, great for improved pedestrian safety. Recommended for use on collector and residential streets. Not recommended for use on Emergency Vehicle Routes.

Costs

- Installation: $5,000 - $15,000[7]
- Maintenance: ~$500/year (cost based upon 2011 estimate)

Pros

- Effective at reducing speeds
- No loss of on-street parking
- Bicycle friendly installation with setbacks from curb is easily achievable
- Design speeds greater than speed hump
- Less jarring on cars than speed humps
- Improved pedestrian safety as cars are more aware
- Good for localized problems

Cons

- Has minimal effect on trucks and SUV's
- Maintenance of asphalt placed non-monolithically (subject to increased cracking and potential for ponding creates maintenance problems)
- More expensive than speed humps by approx. $500
- Could pose problems for emergency response vehicles
- Potential for City liability due to passenger damage from too quick speed over hump
- Street cleaning vehicle consideration

Recommendation: Speed tables are recommended for use in existing City of Seaside residential neighborhoods and commercial areas as well as for new development. They are not recommended for use on emergency response routes. Refer to Section D. Emergency Response Routes for more information.

[7] Burden, Dan. Streets and Sidewalks, People and Cars, The Citizens' Guide to Traffic Calming. Ed. Dave Davis. Vol. April 2000.

14. Traffic Circles



Description

Raised islands placed in intersections which cars circle around counterclockwise, typically controlled by YIELD signs on all approaches.

Best Application

Intersections with low traffic volumes and good sight distance where stop signs could be replaced for higher vehicle efficiency or where intersection speed calming is desired. Any design speed can be met. Should be applied on collector or local streets where left turn movements are limited.

Costs

- Installation: $8,000 - $15,000[8]
- Maintenance: Varies with landscape vs. sculpture vs. mountable

Pros

- Can be bicycle friendly as they would YIELD just as a car and circle
- Eliminates straight through traffic using high speeds
- Breaks up sight-lines on straight streets
- Can be designed as mountable for buses and other large vehicles

Cons

- Landscaping suggested for visibility (watering concerns)
- Large sight distance and good visibility required to remain safe when entering the intersection
- Potential loss of on-street parking to achieve good visibility
- Must have large intersection to accommodate full circle (Circle diameter should be minimum 90 feet)
- Large vehicle (such as fire emergency vehicles) inability to turn small-radius circles
- Potential for emergency response time delays of up to 6 seconds
- Makes pedestrian crossing difficult

Recommendation: Traffic circles are recommended for use in new developments. They are not recommended for existing neighborhoods. This is because in order to be effective, these circles should be at least 90 feet in diameter. There is not sufficient right-of-way in most existing neighborhoods to construct a circle that large.

[8] Burden, Dan. Streets and Sidewalks, People and Cars, The Citizens' Guide to Traffic Calming. Ed. Dave Davis. Vol. April 2000.

15. Speed Cushions

Description

Speed cushions are designed as several small speed humps across the width of the roadway with spaces between them. They are designed to force cars to slow down as they ride with one or both wheels on the humps and allow for larger vehicles, with wider axle, to straddle the cushions. Speed cushions can be designed using hot mix asphalt (HMA) or can be installed as rubberized units. Rubberized units come is 18" widths 42" long and can be pieced together to form the required width needed for any width of the street.

Best Application

Low cost quick installation for a medium design speed street. Recommended for use on low volume collector, residential streets and can be used on Emergency Vehicle Routes.

Costs

- Installation: $8,000 - $15,000[9]
- Maintenance: Very little maintenance.

Pros

- Can be bicycle friendly
- Eliminates straight through traffic using high speeds
- Speed cushions do not present any notable disadvantages for emergency vehicles.

Cons

- Potential loss of on-street parking
- Subject to streets with a speed limit of 30 mph or lower
- May divert traffic through neighboring streets

Recommendation: Speed cushions are recommended for use in existing City of Seaside residential neighborhoods and commercial areas as well as for new development.

VOLUME CONTROL MEASURES

14. Full Street Closures
15. Partial Street Closures
16. Restricted Movement Signage
17. Traffic Diverters / Forced Turn Islands

14. Full Street Closures



Description

Barriers placed across a street to close the street completely to through traffic, usually leaving only sidewalks or bike paths open. Also called cul-de-sacs or dead-ends. May consist of landscaped islands, walls, gates, side-by-side bollards, or other obstructions that leave an opening smaller than the width of a small passenger car. A turn around area must be provided.

Best Application

Best used to eliminate cut-through traffic. Often used as a last resort after other calming measures are determined to be ineffective. May be designed to allow emergency access through temporary barriers. Recommended for use on local streets only.

Costs

- Installation: $30,000 - $100,000[10]
- Maintenance: Varies with landscape vs. sculpture vs. mountable

Pros

- Provides lower traffic volumes on targeted streets (only accessible to local traffic)
- Create bike and pedestrian zones when designs include parks, paths, public plazas or other public spaces

Cons

- May be controversial to local residents when limiting access
- Not effective as a speed reduction method as access is denied and speed problems are transferred to other routes
- Raises opposition from emergency responders when access is denied
- Reduces street network connectivity and capacity
- May increase traffic on parallel streets that carry diverted traffic
- Local residents are often resistant to change
- Could pose emergency response issues

Note: A Full Street Closure may cause through traffic to use parallel streets, thus creating a traffic volume problems on different streets. They should be used only where traffic is to be directed away from a residential neighborhood towards a collector or arterial in a commercial area.

Recommendation: If carefully planned, full street closures are recommended for use in existing City of Seaside residential neighborhoods.

[10] Burden, Dan. Streets and Sidewalks, People and Cars, The Citizens' Guide to Traffic Calming. Ed. Dave Davis. Vol. April 2000.

15. Partial Street Closure



Description

Barriers that block travel in one direction for a short distance on otherwise two-way streets. Usually located at intersections of an arterial street onto a residential street where access to the residential street must be deterred.

Best Application

Most effectively installed in staggered sets to make travel through neighborhoods with gridded streets circuitous rather than direct. Design should include measures that make violations of partial closure difficult and awkward (i.e., extended barriers, angled exits to deter turns into partially closed street, signage and physical deterrents). Should not be used on emergency routes. Recommended for use on local streets.

Costs

- Installation: $12,000 to $20,000, depending on landscaping and size[11]
- Maintenance: Depends on extent of landscaping and type of closure design

Pros

- Allows limited egress for local residents compared to full closure
- Reduces the use of a street as a cut-through street, when undesirable
- Restricts access to a street without making it a one-way street
- Can create pocket parks and street landscaping

Cons

- May increase distance that residents must travel to reach destination
- Reduces street network connectivity and capacity
- May increase traffic on parallel streets that carry diverted traffic
- Local residents are often resistant to change
- Allows occasional access to emergency responders or school buses when adequately designed

Note: A Partial Street Closure may cause through traffic to use parallel streets, thus creating a traffic volume problems on different streets. They should be used only where traffic is to be directed away from a residential neighborhood towards a collector or arterial in a commercial area.

Recommendation: If carefully planned, partial street closures are recommended for use in existing City of Seaside residential neighborhoods

[11] Burden, Dan. Streets and Sidewalks, People and Cars, The Citizens' Guide to Traffic Calming. Ed. Dave Davis. Vol. April 2000.

16. Restricted Movement Signage

Description

Signs that limit or prohibit certain movements at an intersection

Best Application

Streets where reducing cut-through traffic or cross-traffic turns is desired. Recommended for use on arterial and high volume collectors.

Costs

- Installation: Approximately $350 per sign (cost based upon City of Seaside 2011 fees & charges)
- Maintenance: Very low if signs are durable and vandalism is not present

Pros

- Can be very effective
- Redirects traffic to main thoroughfares and restricts turning patterns across high volume streets
- Reduces cut-through traffic in neighborhoods
- Addresses peak traffic problems
- No loss of on-street parking or bikeway capacity

Cons

- Not self-enforcing (low voluntary compliance)
- May increase trip lengths for some drivers
- May increase number of downstream turning movements
- May increase "visual pollution" from signs

Recommendation: Restricted movement signage is recommended for use in existing City of Seaside residential neighborhoods and commercial areas as well as for new development.

17. Traffic Diverter/Forced Turn Islands



Description

Raised islands that block certain movements.

Best Application

Intersections where traffic is strongly encouraged one direction and not the other, example: traffic leaving a complex to be directed towards city thoroughfare and away from side residential street. Also intersection median barrier placed through an intersection preventing cross-street through movements and left-turning movements. Recommended for use on collector and residential streets.

Costs

- Installation: ~ $10,000 - $20,000 per island[12]
- Maintenance: Varies with landscape vs. sculpture vs. mountable

Pros

- Easily direct traffic to desired streets/locations
- Design can reduce wait times by forcing a turning movement and not allowing straight through
- No effect on bicycles other than controlling their direction similar to autos

Cons

- Traffic can easily disobey signs and drive around diverter
- Landscaping or signs must be placed in them for increased visibility
- Potential loss of on-street parking depending on intersection configuration

Note: A traffic diverter or forced turn island may cause through traffic to use parallel streets, thus creating a traffic volume problems on different streets. They should be used only where traffic is to be directed away from a residential neighborhood towards a collector or arterial in a commercial area.

Recommendation: Traffic diverters / forced turn islands are recommended for use in existing City of Seaside residential neighborhoods and commercial areas as well as for new development.

[12] Burden, Dan. Streets and Sidewalks, People and Cars, The Citizens' Guide to Traffic Calming. Ed. Dave Davis. Vol. April 2000.

SPEED AND VOLUME CONTROL MEASURES
REFERENCES

Institute of Transportation Studies, University of California, Davis, 2028 Academic Surge, One Shields Avenue, Davis, CA 95616, (530) 752-6548, http://www.its.ucdavis.edu

Monterey, City of. City of Monterey Neighborhood Traffic Calming Program, 9/18/07

Los Angeles Department of Transportation. Traffic Calming Program, Department Headquarters, City of Los Angeles Department of Transportation, 100 S. Main St., 10th Floor, Los Angeles, CA 90012, Phone: (213) 972-8470, TDD: (213) 977-7032, Fax: (213) 972-8410, Email: ladot@lacity.org

Burden, Dan. Streets and Sidewalks, People and Cars, The Citizens' Guide to Traffic Calming. Ed. Dave Davis. Vol. April 2000. Mr. Burden was instrumental in developing many traffic calming programs, including those for the Cities of Arcata, San Diego and Santa Monica, California

Ewing, Reid H. Traffic Calming State of the Practice. Annapolis: Institute of Transportation Engineers, 1999.

Ingram Technologies. Domestic and US Speed Signs 13 Oct. 2008 <http://www.ingram-tech.com/us_signs.htm>.

Osborne, Kevin. "15 Cities Yanked Traffic Cameras." 20 Dec. 2004. Cincinnati Post. 13 Oct. 2008 <http://www.cincinnati.com/text/post/2004/12/20/tix121804.html>.

Kirschbaum, Julie B., Peter W. Axelson, Patricia E. Longmuir, Kathleen M. Mispagel, Julie A. Stein, and Denise A. Yamada. "Best Practices Design Guide." Chapter 9 Traffic Calming. Sept. 2001. US Deptartment of Transportation Federal Highway Administration. 14 Oct. 2008 <http://www.fhwa.dot.gov/environment/sidewalk2/index.htm>.

Maine Department of Transportation: Traffic Issues: Speed Humps vs. Speed Bumps, http://maine.gov/mdot/mlrc/traffic-issues/speedhumpsvsbumps.php

Road Tech. Speed Bumps, http://www.roadtech.com/speedbumps_parkingblocks.html

APPENDIX 4. ROADWAY FUNCTIONAL CLASSIFICATIONS

Different streets serve different transportation functions. Streets within the City of Seaside receive classifications based upon the transportation function that they serve. Following are descriptions of the general street classifications:

- **Local Streets** provide direct access to abutting properties and have the function of serving local traffic movements within residential and commercial areas. All streets that are not designated as major streets are local streets.

- **Collectors** provide traffic circulation between arterials and local streets. They connect neighborhoods with neighborhood-related activity centers and provide limited direct access to abutting properties.

- **Arterials** provide the principal network for cross-town traffic. They also connect the City to external highway and freeway systems. Arterials generally have moderate traffic speeds and carry significant amounts of traffic. Primary traffic generators are and/or should be located on arterials.

- **Minor Arterials** carry lower traffic volumes and support a mix of local and through traffic.

When developing traffic calming approaches, the various functions that a street serves must be taken into consideration. Neighborhood livability must be balanced with safety concerns with transportation, transit and emergency service needs. Certain traffic calming techniques, if not implemented properly, can be counterproductive to competing needs, such as emergency services or bus routes. The figure below is a listing of City of Seaside streets and their functional classifications (from the Circulation Element of the Seaside General Plan, dated August 5, 2004):

City of Seaside Street Functional Classifications

Street	Functional Classification	Emergency Route (Y/N)
Broadway Avenue (Calaveras – Gen Jim Moore Boulevard)	Arterial	Y
Canyon Del Rey Boulevard (west of Fremont Boulevard	Arterial	Y
Coe Avenue	Minor Arterial	Y
Contra Costa Street	Collector	N
Del Monte Boulevard	Arterial	Y
Eastside Roa	Arterial	N
Fremont Boulevard	Arterial	Y
General Jim Moore Boulevard	Arterial	Y
Gigling Road	Arterial	Y
Hacienda Street	Collector	N

Street	Functional Classification	Emergency Route (Y/N)
Harcourt Avenue	Collector	Y
Highland Street	Collector	N
Hilby Avenue	Minor Arterial	Y
Hillsdale Street	Collector	N
Kimball Avenue	Collector	Y
La Salle Avenue	Minor Arterial	Y
Light Fighter Drive	Arterial	Y
Mescal Street	Collector	Y
Military Avenue	Collector	Y
Mingo Avenue	Collector	N
Monterey Road	Collector	N
Nadina Street	Collector	N
Noche Buena Street	Collector	Y
Ord Grove Avenue	Collector	Y
Playa Avenue	Collector	N
Plumas Avenue	Collector	N
San Pablo Avenue	Collector	Y
Sonoma Avenue	Collector	Y
West Broadway Avenue (Del Monte Blvd - Calaveras St)	Minor Arterial	Y
Tioga Avenue	Collector	N
Wheeler Street	Collector	N
Yosemite Street	Collector	Y



Source: City of Seaside GIS, 2008

November 9, 2011

APPENDIX 5. EMERGENCY RESPONSE ISSUES

When new traffic calming measures are considered, provisions for emergency response must be clearly addressed. Certain measures (particularly vertical devices such as speed humps, speed tables and raised intersections) are not recommended for use on emergency response routes because of their impact on emergency response times. Also, there is concern that changes in the road surface could cause damage to emergency vehicles.

Emergency vehicle access and timely response times shall be maintained in the City of Seaside. To these ends, the following policies have been developed to guide the traffic calming program in the City of Seaside:

1. Police and Fire Department personnel will be involved in the planning process for all proposed traffic calming measures, in order to minimize impacts to emergency response. During this review, several items will be considered, including the following: critical response routes (Refer to Figures 2A and 2B, Emergency Response Routes); special need facilities; access issues and necessary clearances (taking into consideration emergency response vehicle required turning radius, wheelbase and track width, and ground clearance).

2. The use of vertical devices such as raised intersections, speed humps and speed tables will be avoided on established emergency response routes or any street with critical speeds over 30 miles per hour or higher volume collectors (over 750 vehicles per hour).

3. Vertical devices shall not be installed in the direct vicinity of emergency response facilities.

4. The locations of features such as on-street parking and bus stops in the vicinity of proposed traffic-calming devices shall be taken into consideration and modifications shall be made as appropriate.

5. Any new traffic calming innovations will be evaluated on the basis of their affect on emergency response times, before they are approved for use.

6. Residents requesting traffic calming measures will be notified of the potential for slower response times after the devices are installed.

FIGURE 2A -EMERGENCY RESPONSE ROUTES – SEASIDE PROPER



FIGURE 2B -EMERGENCY RESPONSE ROUTES – NORTH SEASIDE



APPENDIX 6

TRAFFIC ADVISORY COMMITTEE
TRAFFIC CALMING PROJECT APPLICATION

The Institute of Transportation Engineers (ITE) defines traffic calming as: "changes in street alignment, installation of barriers, and other physical measure to reduce traffic speeds and/or cut-through volumes in the interest of street safety, livability, and other public purposes."

The following information will be used to identify the nature and extent of traffic-related concerns on a given street or a given area.

1. Contact Information

Name: _____ Date: _____

Address: _____ Phone #: _____

Email: _____

2. Please describe the location of the traffic concern. Attach a map or picture if necessary:

_____

_____

_____

3. Please describe the nature of the neighborhood problem you are concerned with (attach additional sheets if necessary):

_____

_____

_____

4. Please list possible solutions to the problem that you would like the City of Seaside to consider:

_____

_____

_____

Date:_____ Signed:_____

CITY OF SEASIDE – PETITION FOR NEIGHBORHOOD TRAFFIC CALMING MEASURES

The undersigned agree to the following:

1. All person signing this petition do hereby certify that they reside within the impacted area, which is hereby defined as the street segment of :

_____

_____

_____

2. All persons signing this petition do hereby agree of the following problem in the defined impacted area:

_____

_____

_____

3. All persons signing this petition do hereby agree that the following contact person(s) represent the neighborhood as facilitator(s) between the neighborhood residents and the City of Seaside staff in matters pertaining to items 1 and 2 above:

_____

_____

_____

Only one signature per address

Circle One	Name/Signature	Address	Contact Number
Owner/ Resident	Name		
	Signature		
Owner/ Resident	Name		
	Signature		
Owner/ Resident	Name		
	Signature		
Owner/ Resident	Name		
	Signature		

Owner/ Resident	Name Signature		
Owner/ Resident	Name Signature		
Owner/ Resident	Name Signature		
Owner/ Resident	Name Signature		
Owner/ Resident	Name Signature		
Owner/ Resident	Name Signature		
Owner/ Resident	Name Signature		
Owner/ Resident	Name Signature		
Owner/ Resident	Name Signature		
Owner/ Resident	Name Signature		
Owner/ Resident	Name Signature		
Owner/ Resident	Name Signature		
Owner/ Resident	Name Signature		
Owner/ Resident	Name Signature		

E. TRAFFIC CALMING CRITERIA

The following criteria and thresholds will be used to determine if the requested location qualifies for traffic calming measures:

1) ~~Residential, Collector, or Minor Arterial Streets~~T~~; t~~he City will not implement traffic calming measures on arterial and collector streets. A map of the "Roadway Classification Map" is identified in Appendix 4. Staff can identify other actions if the street does not meet this basic criterion.

2) Neighborhood Support; prior to any data collection by the City, the applicant is requested to present a petition in conjunction with the Traffic Calming Request that identifies a majority of residents/property owner within the neighborhood block having the same concern for the speeding or traffic issue.

~~3) Residential Speeding Thresholds; request for traffic calming for speed related complaints will be eligible for traffic calming if the 85% speed is greater or equal to 7 miles over the speed limit. Residential speed limit is 25 mile per hour.~~

~~4)~~3) Collector and Minor Arterial Streets: requests for traffic calming for speed related complaints will be eligible only on streets with volumes less than 1,000 vehicles per day and the 85% speed is greater or equal to 7 miles over the speed limit.

~~5)~~4) Cut through traffic Thresholds; request for traffic calming for cut through traffic complaints for residential streets will be eligible for traffic calming if the average daily traffic is more than 1,600 vehicles per day. Traffic calming requests for cut through traffic complaints for collector and minor arterial streets will not be considered.

Criteria Matrix

STREET TYPE	NEIGHBORHOOD SUPPORT	SPEEDING THRESHOLD	CUT THROUGH THRESHOLD
Local/Residential	Majority of Block in Support	~~85% speed>32 mph~~N/A	ADT>1,600 vpd
Collector Streets less than 1,000 vehicles per day	Majority of Block in Support	85% speed≥7mph over posted speed limit	Not Considered
Minor Arterial Streets less than 1,000 vehicles per day	Majority of Block in Support	85% speed≥7mph over posted speed limit	Not Considered
Arterial Streets	Not Considered	Not Considered	Not Considered

F. PROCESS FOR TRAFFIC CALMING REQUESTS

Staff will complete the traffic calming studies on a "first come – first serve" basis. Traffic calming measure will be implemented when funding becomes available. The traffic calming request process is illustrated by flow chart in Appendix 1.

Step 1 – Report the Issue
The first step is to report the issue or concern to the City of Seaside Engineering Division staff at (831) 899-6825. City staff will note the complaint and provide the applicant with a Traffic Calming Request Application (Appendix 6). This application will also be available at www.ci.seaside.ca.us. The application must be accompanied by a list of property owners and/or residents in support of the project. There is an application fee of $50 dollars due at the time of application submission. When the application is submitted, City staff will evaluate the request to determine the nature of the problem, and determine if the location qualifies. Requests would then be reviewed and verified by the Seaside Traffic Advisory Committee (TAC). The TAC would determine if an application area is currently under study or has been studied before and warrants an updated review. Upon receipt of several complaints/issued specific to a neighborhood, City staff will report to the TAC ~~on a~~ as needed ~~quarterly basis~~ and will initiate a petition to neighboring residents of said affected location upon the direction from TAC.

Step 2 – Data Collection
When it is determined by the TAC that an application warrants a review, a request for data collection is forwarded to the Seaside Public Works Division staff, which will then determine a project study area, collect traffic volume, speed data and observe traffic patterns. At this time staff will confirm that a majority of residents within the project study area perceive a problem and support an implementation of traffic calming. The above mentioned thresholds identified in Section E will determine eligibility for traffic calming. Cut through or volume related requests will be evaluated with Phase II traffic calming measures.

Step 2A – Data Collection for Local/Residential Streets
Applications for traffic calming on local/residential streets will be forwarded to the Seaside Public Works Division staff, which will then determine a project study area, collect traffic volume, speed data and observe traffic patterns. At this point the applications for Phase II traffic calming measures on local/residential street can be streamlined only if the following can be met:

1. TAC reviews and recommends the phase II traffic calming measure for implementation; and
2. the majority of the residents within the project area perceive a problem and support an implementation of traffic calming device; and
3. the traffic calming measure can be funded by the neighborhood.

There will be no speed related threshold for local/residential streets. Cut through or volume related requests will only be considered if the threshold is met. After implementation, staff will monitor the traffic calming measure for effectiveness. No further steps needed.

Step 3 – Phase I Traffic Calming
If the street location exceeds the thresholds identified above, City staff will first suggest possible solutions that do not involve the use of physical controls or impediments on the roadway system. These are primarily education and enforcement based measures called Phase I traffic calming. These measures may include:

- Radar Speed Trailer Deployment – This is a temporary device that is primarily used to educate motorists regarding the fact that they may be significantly exceeding the posted speed limit.

- Traffic Enforcement Actions – This is traditional enforcement activity on the part of the Public Safety's traffic enforcement officers. The intent is to modify behavior to result in a safer situation for all drivers and neighbors.

- Traffic Signing and Pavement Markers – Public Works staff will review all traffic signing and pavement markings in the area. If necessary, staff will install additional signing or striping. When appropriate, changes and additions will be reviewed with the interested neighbors.

Step 4 – Follow Up Data Collection
If one or more of the Phase I traffic Calming measures is implemented, City staff will collect speed and/ or volume data approximately three to six months after Phase I implementation to measure Phase I traffic calming effectiveness. If the measure/s were successful, and the thresholds identified in Section E above are not met or exceeded then the traffic calming process will end at this point. Repeat request will not be eligible for review within the first 3 years after last evaluation.

Step 5 – Phase II Traffic Calming: Plan Preparation, Design, Installation and Maintenance
Phase II requests must be recommended by the Traffic Advisory Committee and authorized by the City Engineer, supported by both Phase I traffic calming follow-up data and neighborhood support. Annually the City Council will be presented with Traffic Calming Phase II requests in conjunction with the City's budget process. The City Council will prioritize request based upon a recommendation from the TAC. Criteria used to evaluate the prioritization will include public support, proposed cost estimate, accident history, speed data, traffic volume, proximity to schools or parks, availability of funding and matching funds. In the absence of City funding to implement Phase II traffic calming, residents of a neighborhood may also elect to fund traffic calming measure implementation improvements, or depending on the complexity and the project area create a special assessment district.

Step 6 – Preparation and Implementation of a Phase II Traffic Calming Plan
Once the City Council has authorized a city-funded traffic calming study, city staff will work with the public to develop neighborhood traffic calming plan that incorporates both Phase I and Phase II traffic calming measures. Possible solutions could involve physical modifications of the street intended to control traffic speeds and/or volumes. These traffic calming measures have been included in Appendix 3. The following general criteria must be met to consider the installation of any Phase II traffic calming measure:

- Installation should not significantly result in traffic diversion to other neighborhood streets.
- Depending on which Phase II traffic calming measures are used in a traffic calming plan, diversion may occur on adjacent streets, or in adjacent neighborhoods. For traffic calming plans where extensive diversion is expected, the City Council must approve an environmental review of the traffic calming plan as required by the California Environmental Quality Act (CEQA).

- At least 60% of the impacted residents as identified within the plan shall support the installation. Impacted residents include those fronting onto a street receiving the proposed traffic calming devices as well as those within an "area of impact" determined by the City Engineer.
- Devices shall be located a minimum of 25 feet from driveways, manholes, drain inlets, water valves, street monuments, and other appurtenances as deemed necessary and feasible.
- Devices shall be located a minimum of 25 feet from fire hydrants where feasible.
- Devices shall be installed only where a minimum safe stopping distance can be provided.
- Seaside Fire Department shall review the plan and make recommendations to assure that emergency response times or access are not negatively affected within designated emergency routes. Emergency routes are identified in Appendix 5.

Other subjective information will be considered:

- Physical characteristics (road width, alignment, parking);
- Neighborhood characteristics (Land uses, number of residents affected, setback of houses, potential impact of improvement(s);
- Accident history;
- Timing (can traffic calming be incorporated into scheduled infrastructure or development projects).

Step 7 – Follow Up Studies

Staff will monitor on an on going basis after implementation for effectiveness.

CITY OF SEASIDE
STAFF REPORT

Item No.: 5.B.

TO: Traffic Advisory Committee

BY: Leslie Llantero, Assitant Engineer

DATE: June 21, 2016

SUBJECT: **CONSIDER A ONE WAY SIGN ON JUDSON STREET AT LA SALLE AVENUE**

PURPOSE

The purpose of this item is to have the Traffic Advisory Committee consider an installation of a one-way sign on Judson Street at La Salle Avenue.

RECOMMENDATION

It is recommended to approve to place a one-way sign on Judson Street at La Salle Avenue.

BACKGROUND

Ms. Shenae Morrow resides at 1892 Judson Street and in request a One Way sign be placed at the corner of Judson Street and La Salle Street. She has witnessed on more than one occasion several vehicles driving the wrong way.

The 1800 block of Judson Street is one-way southbound located between La Salle Avenue and San Pablo Avenue. The street width is 26 feet wide, enough for parking on both sides and a 10 foot wide travel lane. There are no signs indicating, from La Salle Avenue, that Judson Street is a one-way street however there is a One Way sign and Do Not Enter sign posted at the beginning of the 1800 block of Judson Street at San Pablo Avenue (see attachment 2).

STAFF ANALYSIS

The majority of the northbound-southbound streets in the center of Seaside proper bounded by Hilby Avenue to the south, La Salle Avenue to the north, San Lucas Street to the west and St. Helena to the east, are one-way streets alternating travel directions. Two exceptions are Noche Buena Street and Flores Street (see attachment 3). One-way signs and Do Not Enter signs have been posted at all exit locations to one-way streets. Additionally No Left turn & No Right turn signs have been posted in each approaching direction before the one-way street. There are no signs posted at the intersections of La Salle Avenue and Judson because there is no prohibition

to the turning movement. There are several streets within the area that do not have any signage identifying the street as one-way.

The California Manual on Uniform Traffic Control (CA-MUTCD) is published by the State of California, Department of Transportation (Caltrans) and is issued to adopt uniform standards and specifications for all official traffic control devices, in accordance with Section 21400 of the California Vehicle Code.

Per the CA-MUTCD One-way signs shall be placed at unsignalized intersection with one-way streets, such that the One-Way signs placed on the near right and the far left corners of the intersection facing traffic entering or crossing the one-way street.

Since Judson and La Salle intersection is a T-intersection, the one-way sign should be placed on Judson on the entrance to the one-way street.

FISCAL IMPACT

The fiscal impact of this item is $350 for the installation of a sign. The cost will be covered under the Street Maintenance Fund.

ATTACHMENTS

1. Request for One-way sign
2. Photos of 1800 block of Judson
3. One Way streets
4. CA MUTCD Section 2B.40

$52 Application Fee

Traffic Advisory Committee Request Application

The following information is required to process all Traffic Advisory Committee requests. This information will be used to contact the applicant should staff have questions or needs clarification on the request. This information will also appear in the staff report presented to the Traffic Advisory Committee and/or City Council.

The Traffic Advisory Committee meets the 3rd Tuesday of every month at 5:00 PM in the City of Seaside's City Hall Conference room. This meeting is open to the public and applicants are encouraged to attend.

Name: Shenae Morrow Date: 4/21/2016

Address: 1892 Judson St, Seaside, CA 93955 Phone: cell 831-595-0600 / hom 831-394-4240

Type of Request (check all that apply):

- ☐ Parking Designations
- ☐ Crosswalk
- ☐ Curb Markings (White, Yellow, etc.)
- ☐ Disabled Parking*
- ☐ Warning Sign
- ☐ Traffic Signal/Stop Sign
- ☑ Other One Way Sign
- ☐ Signing/Striping

*A copy of DMV issued disabled placard must accompany requests for disabled parking spaces.

FEES WILL APPLY FOR PARKING AND CURB MARKING REQUESTS

Request: The 1800 block of Judson Street is a southbound one-way street. People who live on the street or are familiar with the traffic patterns in Seaside know this. People who do not live in Seaside or are new to the area don't always realize the streets are one-way. The installation of a one-way sign at the corner post at Judson and LaSalle will prevent any confusion and the numerous violations of the proper traffic direction.

In 2011, several college students moved onto the street and for two weeks, insisted on driving northbound to exit Judson St. Rightfully so, their argument was there was no sign at the street entrance from LaSalle indicating Judson as a one-way street. I finally had to threaten to call the police on them if they did not stop. Fortunately, this tactic worked and we did not have any more issues. I live on the corner and I'm out in my yard all the time. I have seen this happen at least once a week, and at times, it occurs 3-5 times a week. One day, one of my kids will turn the corner, not expecting to see a northbound car on a southbound street and there will be an accident. Let's be proactive instead of reactive and prevent future injury.

I would like someone from Maintenance and Utilities Department to come for a short site visit.

Request Procedures are outlined on the back of this form. For any questions regarding the Traffic Advisory Committee (TAC) please contact 899-6825.

TAC REQUEST PROCEDURE

The Traffic Advisory Committee (TAC) acts as an advisory board to the City Council per Chapter 2.37 of the Municipal Code. Recommendations made by the TAC are to be ratified by the City Council prior to implementation. The TAC consists of five members: a Council Member; Director of Public Works; Chief of Police; Director of Community Development; and the Fire Chief. The TAC reviews all requests for traffic safety regulatory or control devices, signs and markings, and conducts studies as well as offers recommendations to the City Council, Planning Commission or appropriate City department.

Upon submittal of a request, staff will place the request on the TAC agenda for the next scheduled meeting. All TAC's action will be forwarded for City Council consideration at their next scheduled meeting.

Fees

Fees will be collected prior to installation of any approved requests that directly benefits the applicant, such as limited timed parking, white zones, etc. Prior to any required maintenance of the improvement, the same fee will apply and be billed to the applicant. The following fees have been determined based upon the cost of staff time and material for installation:

Description	Fee*
Marking curb – per curb (20' maximum length)	$350
Installation of one sign	$350

* Fees subject to change per City Council approved fee schedule. Fee determined by date of application. Receipt # 00216933 4/21/16

RECEIVED CITY OF SEASIDE APR 21 2016

PLEASE COMPLETE FOR PARKING AND CURB MARKING REQUESTS

TAC REQUEST ACKNOWLEDGEMENT STATEMENT

I, _____ understand that should my request be approved by the Traffic Advisory Committee and City Council, I will be responsible for the fee prior to the installation of my request. I also understand that if approved by City Council the improvements will be reviewed annually or whenever deemed appropriate by the Public Works Department for any required maintenance and I will be charged the corresponding fee.

_____ _____

Applicant Signature Date

Judson Street at the intersection of La Salle Avenue

Judson Street at the intersection of San Pablo Street


La Salle Ave
Tioga Ave
Del Monte Blvd
Fir Ave
Trailer Terrace Mobile Park
Dollar Tree
San Pablo Ave
The Mall
Fremont Blvd
Echo Ave
University Plaza Shopping Center
Phoenix Ave
Birch Ave
Clementina Ave
Cardinale GMC
Olympia Ave
Seaside Post Office
Broadway Ave
Palm Ave
Elm Ave
Amador Ave
Sonoma Ave
Hamilton Ave
Trinity Ave
Wanda Ave
Harcourt Ave
Hilby Ave
Monterey Bay
Prospect St
Terrace St
Winton St
San Lucas St
Goodwin St
Hilton St
Laguna St
Noche Buena St
Kenneth St
Lowell St
Luxton St
Judson St
Waring St
Flores St
Harding St
Darwin St
Vallejo St
Luzern St
Soto St
Highland St
Mendocino St
St Helena St
Yosemite St
Mescal St
Lincoln St
Nadina St
Fernando St
Napa St
Granada St
Havana St
Juarez St
General Jim Moore Blvd
Elementary School
International School of Monterey
Portola Leslie Park
Martin Luther King Jr School
Marietta St
Greater Victory Temple Church
Villa Del Monte Apartments
Ancon St
Costa St
Del Monte Manor
Skyview Dr
Highland Elementary School
Watkins Gate Rd

Section 2B.40 ONE WAY Signs (R6-1, R6-2)

Standard:

01 **Except as provided in Paragraph 6, the ONE WAY (R6-1 or R6-2) sign (see Figure 2B-13) shall be used to indicate streets or roadways upon which vehicular traffic is allowed to travel in one direction only.**

02 **ONE WAY signs shall be placed parallel to the one-way street at all alleys and roadways that intersect one-way roadways as shown in Figure 2B-14.**

03 **At an intersection with a divided highway that has a median width at the intersection itself of 30 feet or more, ONE WAY signs shall be placed, visible to each crossroad approach, on the near right and far left corners of each intersection with the directional roadways (see Figure 2B-15).**

04 ~~**At an intersection with a divided highway that has a median width at the intersection itself of less than 30 feet, Keep Right (R4-7) signs and/or ONE WAY signs shall be installed (see Figures 2B-16 and 2B-17). If Keep Right signs are installed, they shall be placed as close as practical to the approach ends of the medians and shall be visible to traffic on the divided highway and each crossroad approach. If ONE WAY signs are installed, they shall be placed on the near right and far left corners of the intersection and shall be visible to each crossroad approach.**~~

04a The ONE WAY (R6-1) sign shall be used on one-way streets, divided highways, ramp terminals and other similar locations to indicate streets or roadways upon which vehicular traffic is required in one direction only.

04b When grouped with STOP (R1-1) sign or with another regulatory sign, the ONE WAY sign shall be placed at the top.

Option:

04c The R6-1 signs may be placed on the far right and in the median on the left side of traffic entering the highway where the median is more than 30 feet wide as shown in Figure 2B-15.

05 At an intersection with a divided highway that has a median width at the intersection itself of less than 30 feet, ONE WAY signs may also be placed on the far right corner of the intersection as shown in Figures 2B-16 and 2B-17.

05a At an intersection with a divided highway that has a median width at the intersection itself of less than 30 feet, ONE WAY signs may be installed on the near right and far left corners of the intersection. They may also be placed on the far right corners of intersections for added emphasis. See Figures 2B-16 and 2B-17.

06 ONE WAY signs may be omitted on the one-way roadways of divided highways, where the design of interchanges indicates the direction of traffic on the separate roadways.

Standard:

07 **If used at unsignalized intersections with one-way streets, ONE WAY signs shall be placed on the near right and the far left corners of the intersection facing traffic entering or crossing the one-way street (see Figure 2B-14).**

08 **If used at signalized intersections with one-way streets, ONE WAY signs shall be placed near the appropriate signal faces, on the poles holding the traffic signals, on the mast arm or span wire holding the signals, or at the locations specified for unsignalized intersections.**

09 **At unsignalized T-intersections where the roadway at the top of the T-intersection is a one-way roadway, ONE WAY signs shall be placed on the near right and the far side of the intersection facing traffic on the stem approach (see Figure 2B-14).**

10 **At signalized T-intersections where the roadway at the top of the T-intersection is a one-way roadway, ONE WAY signs shall be placed near the appropriate signal faces, on the poles holding the traffic signals, on the mast arm or span wire holding the signals, or at the locations specified for unsignalized intersections.**

Option:

11 Where the central island of a roundabout allows for the installation of signs, ONE WAY signs may be used instead of or in addition to Roundabout Directional Arrow (R6-4 series) signs (see Section 2B.43) to direct traffic counter-clockwise around the central island.

Guidance:

12 *Where used on the central island of a roundabout, the mounting height of a ONE WAY sign should be at least 4 feet, measured vertically from the bottom of the sign to the elevation of the near edge of the traveled way.*

Support:

13 Using ONE WAY signs on the central island of a roundabout might result in some drivers incorrectly concluding that the cross street is a one-way street. Using Roundabout Directional Arrow signs might reduce this confusion. However, using ONE WAY signs might be necessary in States that have defined a roundabout as a series of T-intersections.

Option:

14 The BEGIN ONE WAY (R6-6) sign (see Figure 2B-13) may be used notify road users of the beginning point of a one direction of travel restriction on the street or roadway. The END ONE WAY (R6-7) sign (see Figure 2B-13) may be used notify road users of the ending point of a one direction of travel restriction on the street or roadway.

Option:

15 Authorities in charge of any highway may designate, by ordinance or resolution, any roadway, part of a roadway, or specific lanes for one-way traffic. Refer to CVC 21657.

Standard:

16 No such ordinance shall be effective with respect to a State highway until approved by Caltrans.

Option:

17 If, by local ordinance, a State highway through a city has been made one of a pair of one-way streets, the Commission may adopt the additional street into the State Highway System. Refer to Streets and Highways Code Section 111.5. See Section 1A.11 for information regarding this publication.

18 On streets and highways under local jurisdiction where medians are less than 30 feet wide, raised or unpaved, the R6-1 signs may be placed in the median.

Guidance:

19 *The appropriate height of the R6-1 signs when placed in the median should be 1.5 feet.*

20 *The R6-1 signs should also be placed parallel to the one-way street at the appropriate far corner to a wrong-way turn. They should also be placed opposite the exits from alleys and other public ways.*

Standard:

21 At intersections and ramps, the R6-1 signs shall be placed as provided in Section 2E.53.

Option:

22 The ONE WAY (R6-2) sign may be used as an alternative to the R6-1 sign where space is limited and the R6-2 sign is more appropriate.

Guidance:

23 *At intersections where the left-turn lane treatment results in channelized offset left-turn lanes (e.g., a parallel or tapered left-turn lane between two medians), the size of the ONE WAY (R6-1, R6-2) signs, if used, should be of the next higher roadway classification, if feasible, as shown in Table 2B-1, to reduce the potential for wrong-way maneuvers by road users turning left from a stop-controlled, intersecting minor roadway.*

24 *Hence, per this offset left-turn lanes scenario, if the type of roadway is a conventional road, the R6-1 sign size used, if feasible, should be from the expressway column as 54 x 18 inch, not the 36 x 12 inch size in the conventional road column.*

Section 2B.41 Wrong-Way Traffic Control at Interchange Ramps

Standard:

01 **At interchange exit ramp terminals where the ramp intersects a crossroad in such a manner that wrong-way entry could inadvertently be made, the following signs shall be used (see Figure 2B-18):**

- **A. At least one ONE WAY sign for each direction of travel on the crossroad shall be placed where the exit ramp intersects the crossroad.**
- ~~**B. At least one DO NOT ENTER sign shall be conspicuously placed near the downstream end of the exit ramp in positions appropriate for full view of a road user starting to enter wrongly from the crossroad.**~~
- ~~**C. At least one WRONG WAY sign shall be placed on the exit ramp facing a road user traveling in the wrong direction.**~~

CITY OF SEASIDE
STAFF REPORT

Item No.: 5.C.

TO: Traffic Advisory Committee

BY: Leslie Llantero, Assitant Engineer

DATE: June 21, 2016

SUBJECT: **CONSIDER DISABLED PARKING SPACE FOR RESIDENT AT 1 VALMAR COURT**

PURPOSE

The purpose of this request is to have the Traffic Advisory Committee consider a request for a disabled parking space for a resident at 1 Valmar Court.

RECOMMENDATION

It is recommended to deny request for a disabled parking space at 1 Valmar Court.

BACKGROUND

Mr. Shelby Malone is requesting a disabled parking space at 1 Valmar Court. The request indicated that the apartment complex residents use the on-street parking on Valmar Court leaving no available on street parking for Valmar Court residents, see attachment 1

Valmar Court is located south of Broadway Avenue just west of Yosemite Street. Valmar Court is a one-way street that is separated from Yosemite by a landscaped island. On street parking is permitted along the island. 1 Valmar Court is located where Valmar Court merges into Yosemite Street. Del Mar Manor apartment complex is located directly across from Valmar Court, see attachment 2.

STAFF ANALYSIS

Mr. & Mrs. Malone live at 1 Valmar Court which is located on the west side of the street. The driveway at 1 Valmar Court is gated by a change link fence and is approximately 15 feet wide and 50 feet long that leads to a single car garage. At the time of the site visits there was a covered car parked in the driveway. The driveway appears to be flat and has a pathway that leads to the front of the house.

Valmar Court slopes upward to the south with an approximate 5% incline. There is

approximately 40 feet of on street parking along the frontage of 1 Valmar Court, enough for 2 vehicles to park. There is approximately 31 feet of red curb for a fire hydrant located between the two houses at 1495 Yosemite Street and 1 Valmar Court.

Disabled parking spaces are considered when resident's driveway is considered to be inaccessible. The driveway at 1 Valmar Court appears to be flat whereas the sidewalk in front of has a 5% incline.

Staff recommends denying request for disabled parking space at 1 Valmar Court. The driveway is accessible.

ENVIRONMENTAL REVIEW

This project is exempt from the California Environmental Quality Act (CEQA) pursuant to Class 1, Section 15301: Existing Facilities Class 1 exemptions consist of the operation, repair, maintenance, permitting, leasing, licensing, or minor alterations of existing public or private structures, facilities, mechanical equipment, or topographical features, involving negligible or no expansion of use.

Evidence: The propose project would consist of installation of a handicap sign with associated reserved parking space which would not result in an expansion or significant modification of the existing roadway and sidewalk. Therefore there are no significant associated with the installation of on-street handicap parking space.

FISCAL IMPACT

There is no fiscal impact, the applicant is responsible to pay for the cost of installation of a disabled parking space.

ATTACHMENTS

1. Request for Disabled Parking Space
2. Aerial View

$52.00

Request Application

The following information is required to process all Traffic Advisory Committee requests. This information will be used to contact the applicant should staff have questions or needs clarification on the request. This information will also appear in the staff report presented to the Traffic Advisory Committee and/or City Council.

The Traffic Advisory Committee meets the 3rd Tuesday of every month at 5:00 PM in the City of Seaside's City Hall Conference room. This meeting is open to the public and applicants are encouraged to attend.

Name: Shelby Malone - Audrey (wife) 3294 Date:

Address: 1 Valmar ct Phone: 394 8925

Type of Request (check all that apply):

- ☐ Parking Designations
- ☐ Crosswalk
- ☒ Curb Markings (White, Yellow, etc.)
- ☒ Disabled Parking*
- ☐ Warning Sign
- ☐ Traffic Signal/Stop Sign
- ☐ Other _____
- ☐ Signing/Striping

*A copy of DMV issued disabled placard must accompany requests for disabled parking spaces.

FEES WILL APPLY FOR PARKING AND CURB MARKING REQUESTS

Request: Parking on the curb marking

(Mr Malone lives by the projects + there is absolutely no parking available once he moves his car) D 3-29-16

Request Procedures are outlined on the back of this form. For any questions regarding the Traffic Advisory Committee (TAC) please contact 899-6825.

Rec #: 00218150

TAC REQUEST PROCEDURE

The Traffic Advisory Committee (TAC) acts as an advisory board to the City Council per Chapter 2.37 of the Municipal Code. Recommendations made by the TAC are to be ratified by the City Council prior to implementation. The TAC consists of five members: a Council Member; Director of Public Works; Chief of Police; Director of Community Development; and the Fire Chief. The TAC reviews all requests for traffic safety regulatory or control devices, signs and markings, and conducts studies as well as offers recommendations to the City Council, Planning Commission or appropriate City department.

Upon submittal of a request, staff will place the request on the TAC agenda for the next scheduled meeting. All TAC's action will be forwarded for City Council consideration at their next scheduled meeting.

Fees

Fees will be collected prior to installation of any approved requests that directly benefits the applicant, such as limited timed parking, white zones, etc. Prior to any required maintenance of the improvement, the same fee will apply and be billed to the applicant. The following fees have been determined based upon the cost of staff time and material for installation:

Description	Fee*
Marking curb – per curb (20' maximum length)	Per current adopted fee schedule
Installation of one sign	

* Fees subject to change per City Council approved fee schedule. Fee determined by date of application.

PLEASE COMPLETE FOR PARKING AND CURB MARKING REQUESTS

TAC REQUEST ACKNOWLEDGEMENT STATEMENT

I, Shelby Malone understand that should my request be approved by the Traffic Advisory Committee and City Council, I will be responsible for the fee prior to the installation of my request. I also understand that if approved by City Council the improvements will be reviewed annually or whenever deemed appropriate by the Public Works Department for any required maintenance and I will be charged the corresponding fee.

Shelby Malone
Applicant Signature

3-29-15
Date


REMOVE FROM MIRROR BEFORE DRIVING VEHICLE
CALIFORNIA
"WARNING: The illegal use of a disabled parking placard could result in a maximum fine of $4,200."
PARKING PLACARD
DISABLED PERSON
EXPIRES JUNE 30
2017
862207 F
PURCHASE OF FUEL (Business & Professions Code 13660)
State law requires service stations to refuel a disabled person's vehicle at self-service rates, except at service facilities with only one employee on duty.

DEPARTMENT OF MOTOR VEHICLES

[redacted]

DISABLED PERSON PLACARD IDENTIFICATION CARD/RECEIPT

PLACARD NUMBER: 862207F
EXPIRES: 06/30/2017
DATE ISSUED: 03/27/2015

This identification card or facsimile copy is to be carried by the placard owner. Present it to any peace officer upon demand. Immediately notify DMV by mail of any change of address. When parking, hang the placard from the rear view mirror, remove it from the mirror when driving.

TYPE: N1 **TV:** 92 **CO:** 27

DOB: 08/26/1927

ISSUED TO

MALONE SHELBY
1 VALMAR CT

SEASIDE CA 93955

Purchase of fuel (Business & Professions Code 13660):

* State law requires service stations to refuel a disabled person's vehicle at self-service rates, except self-service facilities with only one cashier.

When your placard is properly displayed, you may park in or on:

* Disabled person parking spaces (blue zones)
* Street metered zones without paying.
* Green zones without restrictions to time limits.
* Streets where preferential parking privileges are given to residents and merchants.

You may not park in or on:

* Red, Yellow, White or Tow Away Zones.
* Crosshatch marked spaces next to disabled person parking spaces.

It is considered misuse to:

* Display a placard unless the disabled owner is being transported.
* Display a placard which has been cancelled or revoked.
* Loan your placard to anyone, including family members.

Misuse is a misdemeanor (section 4461VC) and can result in cancellation or revocation of the placard, loss of parking privileges, and/or fines.

022
DPP000 Rev(4/10)

Valmar Ct
Yosemite St
Valmar Ct
Yosemite St
Valmar Ct
Del Mar
Manor Apt.
Complex
1

CITY OF SEASIDE
STAFF REPORT

Item No.: 5.D.

TO: Traffic Advisory Committee

BY: Leslie Llantero, Assitant Engineer

DATE: June 21, 2016

SUBJECT: **REQUEST FOR RED CURB AT DRIVEWAY APPROACH AT 1607 VALLEJO STREET**

PURPOSE

The purpose is for the Traffic Advisory Committee to consider the request for red curb on the north side of the driveway approach at 1607 Vallejo Street. The applicant indicates vehicles are blocking the driveway.

RECOMMENDATION

It is recommended to deny request for red curb.

BACKGROUND

The 1600 block of Vallejo Street is one way southbound street which is classified as a local street, with a prima facia speed limit of 25 miles per hour. The 1600 block of Vallejo Street measures approximately 26 feet wide measured from face of curb to face of curb with parking permitted on both sides, this leaves a 10 foot wide travel lane. Sidewalks measuring approximately 3 feet wide are provided on both sides of the street.

STAFF ANALYSIS

Staff visited the applicant's property on June 1, 2016. The driveway approach at 1607 Vallejo Street measures approximately 16.5 feet wide from top of wing to top of wing. There is approximately 34 feet of sidewalk curb and gutter between the applicant's driveway approach and the adjacent driveway approach to the south, a single family dwelling. This is enough space for one 20 foot parking space.

It is the city's policy to not paint red curb on either side of driveway approaches for the purpose of preventing vehicles from blocking driveway approaches. Code enforcement or the police department should be called to resolve such instances of parking violations.

ENVIRONMENTAL REVIEW

This project is exempt from the California Environmental Quality Act (CEQA) pursuant to Class 1, Section 15301: Existing Facilities Class 1 exemptions consist of the operation, repair, maintenance, permitting, leasing, licensing, or minor alterations of existing public or private structures, facilities, mechanical equipment, or topographical features, involving negligible or no expansion of use.

Evidence: The propose project would consist of installation of 2-3 feet of red curb which would not result in an expansion or significant modification of the existing roadway and sidewalk. Therefore there are no significant associated with the installation of red curb.

FISCAL IMPACT

The cost for red curb is approximately $350, and is the applicants responsibility should the Traffic Advisory Committee and Council approve the request.

ATTACHMENTS

1. Request for Red Curb
2. Photos

Request Application

The following information is required to process all Traffic Advisory Committee requests. This information will be used to contact the applicant should staff have questions or needs clarification on the request. This information will also appear in the staff report presented to the Traffic Advisory Committee and/or City Council.

The Traffic Advisory Committee meets the 3rd Tuesday of every month at 5:00 PM in the City of Seaside's City Hall Conference room. This meeting is open to the public and applicants are encouraged to attend.

Name: Barbara D. Ferrante Date: 5-16-16

Address: 1607 Vallejo St Phone: 831.917.2884

Type of Request (check all that apply):

- ☐ Parking Designations
- ☐ Crosswalk
- ☐ Curb Markings (White, Yellow, etc.)
- ☐ Disabled Parking*
- ☐ Warning Sign
- ☐ Traffic Signal/Stop Sign
- ☒ Other Red Curb
- ☐ Signing/Striping

*A copy of DMV issued disabled placard must accompany requests for disabled parking spaces.

FEES WILL APPLY FOR PARKING AND CURB MARKING REQUESTS

Request: I am requesting a 2-3 foot red painted curb on the north, right side, of my driveway. I am handicapped and when a car is parked right at the edge of my driveway, it is almost impossible for me to back out because of the limited space on the street and other cars parked on the other side.

Request Procedures are outlined on the back of this form. For any questions regarding the Traffic Advisory Committee (TAC) please contact 899-6825.

Rec# 00218088

TAC REQUEST PROCEDURE

The Traffic Advisory Committee (TAC) acts as an advisory board to the City Council per Chapter 2.37 of the Municipal Code. Recommendations made by the TAC are to be ratified by the City Council prior to implementation. The TAC consists of five members: a Council Member; Director of Public Works; Chief of Police; Director of Community Development; and the Fire Chief. The TAC reviews all requests for traffic safety regulatory or control devices, signs and markings, and conducts studies as well as offers recommendations to the City Council, Planning Commission or appropriate City department.

Upon submittal of a request, staff will place the request on the TAC agenda for the next scheduled meeting. All TAC's action will be forwarded for City Council consideration at their next scheduled meeting.

Fees

Fees will be collected prior to installation of any approved requests that directly benefits the applicant, such as limited timed parking, white zones, etc. Prior to any required maintenance of the improvement, the same fee will apply and be billed to the applicant. The following fees have been determined based upon the cost of staff time and material for installation:

Description	Fee*
Marking curb – per curb (20' maximum length)	Per current adopted fee schedule
Installation of one sign	

* Fees subject to change per City Council approved fee schedule. Fee determined by date of application.

PLEASE COMPLETE FOR PARKING AND CURB MARKING REQUESTS

TAC REQUEST ACKNOWLEDGEMENT STATEMENT

I, Barbara D Ferrante understand that should my request be approved by the Traffic Advisory Committee and City Council, I will be responsible for the fee prior to the installation of my request. I also understand that if approved by City Council the improvements will be reviewed annually or whenever deemed appropriate by the Public Works Department for any required maintenance and I will be charged the corresponding fee.

Applicant Signature

5-16-16
Date

DEPARTMENT OF MOTOR VEHICLES

DISABLED PERSON
PLACARD IDENTIFICATION
CARD/RECEIPT

PLACARD NUMBER: 862983F
EXPIRES: 06/30/2017
DATE ISSUED: 03/27/2015

This identification card or facsimile copy is to be carried by the placard owner. Present it to any peace officer upon demand. Immediately notify DMV by mail of any change of address. When parking, hang the placard from the rear view mirror, remove it from the mirror when driving.

TYPE: N1 **TV:** 92 **CO:** 27

DOB: 05/30/1959

ISSUED TO

FERRANTE BARBARA D
1607 VALLEJO ST

SEASIDE CA 93955

Purchase of fuel
(Business & Professions Code 13660):

* State law requires service stations to refuel a disabled person's vehicle at self-service rates, except self-service facilities with only one cashier.

When your placard is properly displayed, you may park in or on:

* Disabled person parking spaces (blue zones)
* Street metered zones without paying.
* Green zones without restrictions to time limits.
* Streets where preferential parking privileges are given to residents and merchants.

You may not park in or on:

* Red, Yellow, White or Tow Away Zones.
* Crosshatch marked spaces next to disabled person parking spaces.

It is considered misuse to:

* Display a placard unless the disabled owner is being transported.
* Display a placard which has been cancelled or revoked.
* Loan your placard to anyone, including family members.

Misuse is a misdemeanor (section 4461VC) and can result in cancellation or revocation of the placard, loss of parking privileges, and/or fines.

023
DPP000 Rev(4/

1607 Vallejo Street